

## 2011年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	3	8	7	7	6	4	8	4	6	7	20	5	12	15	6	4	2	2	5	131
	(定点あたり)	(0.00)	(0.02)	(0.07)	(0.06)	(0.06)	(0.05)	(0.03)	(0.07)	(0.03)	(0.05)	(0.06)	(0.16)	(0.04)	(0.10)	(0.12)	(0.05)	(0.03)	(0.02)	(0.02)	(0.04)	(1.07)
	年齢構成比(%)	0%	2%	6%	5%	5%	5%	3%	6%	3%	5%	5%	15%	4%	9%	11%	5%	3%	2%	2%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	4	3	6	4	2	7	1	6	1	12	2	5	10	2	2	1	0	2	71
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.02)	(0.05)	(0.03)	(0.02)	(0.06)	(0.01)	(0.05)	(0.01)	(0.10)	(0.02)	(0.04)	(0.08)	(0.02)	(0.02)	(0.01)	(0.00)	(0.02)	(0.58)
	年齢構成比(%)	0%	1%	6%	4%	8%	6%	3%	10%	1%	8%	1%	17%	3%	7%	14%	3%	3%	1%	0%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	2	4	4	1	2	2	1	3	0	6	8	3	7	5	4	2	1	2	3	60
	(定点あたり)	(0.00)	(0.02)	(0.03)	(0.03)	(0.01)	(0.02)	(0.02)	(0.01)	(0.02)	(0.00)	(0.05)	(0.07)	(0.02)	(0.06)	(0.04)	(0.03)	(0.02)	(0.01)	(0.02)	(0.02)	(0.49)
	年齢構成比(%)	0%	3%	7%	7%	2%	3%	3%	2%	5%	0%	10%	13%	5%	12%	8%	7%	3%	2%	3%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2011年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	4	7	0	2	1	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.07)	(0.05)	(0.09)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	26%	21%	37%	0%	11%	5%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	1	0	0	1	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	25%	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	5	2	13	12	10	11	6	8	17	0	13	97
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.03)	(0.18)	(0.16)	(0.14)	(0.15)	(0.08)	(0.11)	(0.23)	(0.00)	(0.18)	(1.31)
	年齢構成比(%)	0%	0%	0%	5%	2%	13%	12%	10%	11%	6%	8%	18%	0%	13%	100%
感染性胃腸炎	報告数	3	29	91	74	52	61	50	50	29	28	23	48	8	63	609
	(定点あたり)	(0.04)	(0.39)	(1.23)	(1.00)	(0.70)	(0.82)	(0.68)	(0.68)	(0.39)	(0.38)	(0.31)	(0.65)	(0.11)	(0.85)	(8.23)
	年齢構成比(%)	0%	5%	15%	12%	9%	10%	8%	8%	5%	5%	4%	8%	1%	10%	100%
水痘	報告数	2	7	18	23	15	27	9	11	1	5	1	2	1	0	122
	(定点あたり)	(0.03)	(0.09)	(0.24)	(0.31)	(0.20)	(0.36)	(0.12)	(0.15)	(0.01)	(0.07)	(0.01)	(0.03)	(0.01)	(0.00)	(1.65)
	年齢構成比(%)	2%	6%	15%	19%	12%	22%	7%	9%	1%	4%	1%	2%	1%	0%	100%
手足口病	報告数	0	4	19	9	13	8	5	3	1	1	1	0	0	0	64
	(定点あたり)	(0.00)	(0.05)	(0.26)	(0.12)	(0.18)	(0.11)	(0.07)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.86)
	年齢構成比(%)	0%	6%	30%	14%	20%	13%	8%	5%	2%	2%	2%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	2	1	1	0	2	2	1	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	9%	18%	9%	9%	0%	18%	18%	9%	0%	9%	0%	0%	100%
突発性発疹	報告数	1	14	11	1	0	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.01)	(0.19)	(0.15)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	4%	52%	41%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	5	5	4	1	2	3	1	1	0	0	24
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.07)	(0.05)	(0.01)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	0%	4%	4%	21%	21%	17%	4%	8%	13%	4%	4%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2011年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	3	0	2	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.03)	(0.01)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	25%	13%	38%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	0	1	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	0%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	0	3	7	6	3	4	2	6	0	3	37
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.04)	(0.09)	(0.08)	(0.04)	(0.05)	(0.03)	(0.08)	(0.00)	(0.04)	(0.50)
	年齢構成比(%)	0%	0%	0%	8%	0%	8%	19%	16%	8%	11%	5%	16%	0%	8%	100%
感染性胃腸炎	報告数	3	19	49	40	21	31	26	26	15	18	11	32	6	22	319
	(定点あたり)	(0.04)	(0.26)	(0.66)	(0.54)	(0.28)	(0.42)	(0.35)	(0.35)	(0.20)	(0.24)	(0.15)	(0.43)	(0.08)	(0.30)	(4.31)
	年齢構成比(%)	1%	6%	15%	13%	7%	10%	8%	8%	5%	6%	3%	10%	2%	7%	100%
水痘	報告数	1	2	11	9	6	11	5	4	0	1	0	2	1	0	53
	(定点あたり)	(0.01)	(0.03)	(0.15)	(0.12)	(0.08)	(0.15)	(0.07)	(0.05)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.72)
	年齢構成比(%)	2%	4%	21%	17%	11%	21%	9%	8%	0%	2%	0%	4%	2%	0%	100%
手足口病	報告数	0	4	10	6	5	4	3	2	0	0	1	0	0	0	35
	(定点あたり)	(0.00)	(0.05)	(0.14)	(0.08)	(0.07)	(0.05)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	0%	11%	29%	17%	14%	11%	9%	6%	0%	0%	3%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	0	1	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	0%	25%	0%	25%	0%	0%	0%	25%	0%	0%	100%
突発性発疹	報告数	0	7	6	0	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.09)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	54%	46%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	1	4	3	2	1	1	2	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.04)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	6%	6%	24%	18%	12%	6%	6%	12%	6%	6%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2011年 第51週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	3	4	0	0	1	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.04)	(0.04)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	27%	27%	36%	0%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	2	10	5	4	8	2	6	11	0	10	60
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.14)	(0.07)	(0.05)	(0.11)	(0.03)	(0.08)	(0.15)	(0.00)	(0.14)	(0.81)
	年齢構成比(%)	0%	0%	0%	3%	3%	17%	8%	7%	13%	3%	10%	18%	0%	17%	100%
感染性胃腸炎	報告数	0	10	42	34	31	30	24	24	14	10	12	16	2	41	290
	(定点あたり)	(0.00)	(0.14)	(0.57)	(0.46)	(0.42)	(0.41)	(0.32)	(0.32)	(0.19)	(0.14)	(0.16)	(0.22)	(0.03)	(0.55)	(3.92)
	年齢構成比(%)	0%	3%	14%	12%	11%	10%	8%	8%	5%	3%	4%	6%	1%	14%	100%
水痘	報告数	1	5	7	14	9	16	4	7	1	4	1	0	0	0	69
	(定点あたり)	(0.01)	(0.07)	(0.09)	(0.19)	(0.12)	(0.22)	(0.05)	(0.09)	(0.01)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.93)
	年齢構成比(%)	1%	7%	10%	20%	13%	23%	6%	10%	1%	6%	1%	0%	0%	0%	100%
手足口病	報告数	0	0	9	3	8	4	2	1	1	1	0	0	0	0	29
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.04)	(0.11)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	31%	10%	28%	14%	7%	3%	3%	3%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	1	0	0	1	2	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	29%	14%	0%	0%	14%	29%	14%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	7	5	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.09)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	50%	36%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	2	0	1	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	14%	29%	29%	0%	14%	14%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。