

## 2012年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	10	30	30	45	51	48	32	44	34	31	84	47	58	61	42	23	18	16	9	714
	(定点あたり)	(0.01)	(0.08)	(0.25)	(0.25)	(0.37)	(0.42)	(0.39)	(0.26)	(0.36)	(0.28)	(0.25)	(0.69)	(0.39)	(0.48)	(0.50)	(0.34)	(0.19)	(0.15)	(0.13)	(0.07)	(5.85)
	年齢構成比(%)	0%	1%	4%	4%	6%	7%	7%	4%	6%	5%	4%	12%	7%	8%	9%	6%	3%	3%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	17%	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	17%	17%	0%	17%	17%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	5	19	10	31	23	32	16	24	19	19	46	27	25	32	16	12	10	9	1	377
	(定点あたり)	(0.01)	(0.04)	(0.16)	(0.08)	(0.25)	(0.19)	(0.26)	(0.13)	(0.20)	(0.16)	(0.16)	(0.38)	(0.22)	(0.20)	(0.26)	(0.13)	(0.10)	(0.08)	(0.07)	(0.01)	(3.09)
	年齢構成比(%)	0%	1%	5%	3%	8%	6%	8%	4%	6%	5%	5%	12%	7%	7%	8%	4%	3%	3%	2%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	5	11	20	14	28	16	16	20	15	12	38	20	33	29	26	11	8	7	8	337
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.16)	(0.11)	(0.23)	(0.13)	(0.13)	(0.16)	(0.12)	(0.10)	(0.31)	(0.16)	(0.27)	(0.24)	(0.21)	(0.09)	(0.07)	(0.06)	(0.07)	(2.76)
	年齢構成比(%)	0%	1%	3%	6%	4%	8%	5%	5%	6%	4%	4%	11%	6%	10%	9%	8%	3%	2%	2%	2%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	3	0	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	75%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	0	0	0	1	0	0	0	1	1	0	0	0	4
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	0%	0%	0%	0%	25%	0%	0%	0%	25%	25%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	4	3	8	17	10	4	7	6	4	10	1	9	85
	(定点あたり)	(0.01)	(0.01)	(0.05)	(0.04)	(0.11)	(0.23)	(0.14)	(0.05)	(0.09)	(0.08)	(0.05)	(0.14)	(0.01)	(0.12)	(1.15)
	年齢構成比(%)	1%	1%	5%	4%	9%	20%	12%	5%	8%	7%	5%	12%	1%	11%	100%
感染性胃腸炎	報告数	6	47	138	103	62	55	34	28	20	18	8	37	4	43	603
	(定点あたり)	(0.08)	(0.64)	(1.86)	(1.39)	(0.84)	(0.74)	(0.46)	(0.38)	(0.27)	(0.24)	(0.11)	(0.50)	(0.05)	(0.58)	(8.15)
	年齢構成比(%)	1%	8%	23%	17%	10%	9%	6%	5%	3%	3%	1%	6%	1%	7%	100%
水痘	報告数	0	0	11	14	12	8	1	3	5	1	1	1	0	0	57
	(定点あたり)	(0.00)	(0.00)	(0.15)	(0.19)	(0.16)	(0.11)	(0.01)	(0.04)	(0.07)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.77)
	年齢構成比(%)	0%	0%	19%	25%	21%	14%	2%	5%	9%	2%	2%	2%	0%	0%	100%
手足口病	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	1	2	1	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	14%	14%	14%	29%	14%	0%	0%	0%	14%	0%	0%	100%
突発性発疹	報告数	2	6	9	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.03)	(0.08)	(0.12)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	11%	32%	47%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	3	1	3	6	4	5	2	2	0	2	32
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.01)	(0.04)	(0.08)	(0.05)	(0.07)	(0.03)	(0.03)	(0.00)	(0.03)	(0.43)
	年齢構成比(%)	0%	0%	3%	9%	9%	3%	9%	19%	13%	16%	6%	6%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	2	1	3	8	5	4	3	3	2	6	1	2	42
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.01)	(0.04)	(0.11)	(0.07)	(0.05)	(0.04)	(0.04)	(0.03)	(0.08)	(0.01)	(0.03)	(0.57)
	年齢構成比(%)	2%	2%	5%	2%	7%	19%	12%	10%	7%	7%	5%	14%	2%	5%	100%
感染性胃腸炎	報告数	4	21	73	60	31	32	18	13	11	11	6	20	1	15	316
	(定点あたり)	(0.05)	(0.28)	(0.99)	(0.81)	(0.42)	(0.43)	(0.24)	(0.18)	(0.15)	(0.15)	(0.08)	(0.27)	(0.01)	(0.20)	(4.27)
	年齢構成比(%)	1%	7%	23%	19%	10%	10%	6%	4%	3%	3%	2%	6%	0%	5%	100%
水痘	報告数	0	0	5	7	7	4	1	2	4	1	0	0	0	0	31
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.09)	(0.09)	(0.05)	(0.01)	(0.03)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	0%	0%	16%	23%	23%	13%	3%	6%	13%	3%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	1	1	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	20%	20%	20%	20%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	3	5	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	11%	33%	56%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	2	3	1	1	2	2	3	1	1	0	2	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.03)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.03)	(0.24)
	年齢構成比(%)	0%	0%	0%	11%	17%	6%	6%	11%	11%	17%	6%	6%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第15週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	0	0	0	0	1	0	0	0	0	1	0	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	5	9	5	0	4	3	2	4	0	7	43
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.07)	(0.12)	(0.07)	(0.00)	(0.05)	(0.04)	(0.03)	(0.05)	(0.00)	(0.09)	(0.58)
	年齢構成比(%)	0%	0%	5%	5%	12%	21%	12%	0%	9%	7%	5%	9%	0%	16%	100%
感染性胃腸炎	報告数	2	26	65	43	31	23	16	15	9	7	2	17	3	28	287
	(定点あたり)	(0.03)	(0.35)	(0.88)	(0.58)	(0.42)	(0.31)	(0.22)	(0.20)	(0.12)	(0.09)	(0.03)	(0.23)	(0.04)	(0.38)	(3.88)
	年齢構成比(%)	1%	9%	23%	15%	11%	8%	6%	5%	3%	2%	1%	6%	1%	10%	100%
水痘	報告数	0	0	6	7	5	4	0	1	1	0	1	1	0	0	26
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.09)	(0.07)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	0%	23%	27%	19%	15%	0%	4%	4%	0%	4%	4%	0%	0%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発疹	報告数	1	3	4	2	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.01)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	10%	30%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	0	2	4	2	2	1	1	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	7%	7%	0%	0%	14%	29%	14%	14%	7%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。