

2012年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	4	3	4	6	3	1	1	4	22	8	6	15	3	2	3	0	0	88
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.03)	(0.02)	(0.03)	(0.05)	(0.02)	(0.01)	(0.01)	(0.03)	(0.18)	(0.07)	(0.05)	(0.12)	(0.02)	(0.02)	(0.02)	(0.00)	(0.00)	(0.72)
	年齢構成比(%)	0%	0%	3%	5%	3%	5%	7%	3%	1%	1%	5%	25%	9%	7%	17%	3%	2%	3%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	1	2	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.06)	(0.00)	(0.06)	(0.11)	(0.00)	(0.44)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	13%	0%	13%	25%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	2	3	3	1	1	0	4	10	6	2	7	2	1	1	0	0	43
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.00)	(0.03)	(0.08)	(0.05)	(0.02)	(0.06)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	0%	0%	0%	5%	7%	7%	2%	2%	0%	9%	23%	14%	5%	16%	5%	2%	2%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	25%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	4	1	1	3	2	0	1	0	12	2	4	8	1	1	2	0	0	45
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.03)	(0.01)	(0.01)	(0.02)	(0.02)	(0.00)	(0.01)	(0.00)	(0.10)	(0.02)	(0.03)	(0.07)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	0%	0%	7%	9%	2%	2%	7%	4%	0%	2%	0%	27%	4%	9%	18%	2%	2%	4%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	1	2	2	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	29%	14%	29%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	2	14	11	11	14	17	12	4	19	5	13	127
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.19)	(0.15)	(0.15)	(0.19)	(0.23)	(0.16)	(0.05)	(0.26)	(0.07)	(0.18)	(1.72)
	年齢構成比(%)	0%	0%	4%	2%	11%	9%	9%	11%	13%	9%	3%	15%	4%	10%	100%
感染性胃腸炎	報告数	4	54	122	61	60	66	39	33	38	20	23	56	20	53	649
	(定点あたり)	(0.05)	(0.73)	(1.65)	(0.82)	(0.81)	(0.89)	(0.53)	(0.45)	(0.51)	(0.27)	(0.31)	(0.76)	(0.27)	(0.72)	(8.77)
	年齢構成比(%)	1%	8%	19%	9%	9%	10%	6%	5%	6%	3%	4%	9%	3%	8%	100%
水痘	報告数	2	3	18	19	15	20	16	8	1	4	0	1	0	1	108
	(定点あたり)	(0.03)	(0.04)	(0.24)	(0.26)	(0.20)	(0.27)	(0.22)	(0.11)	(0.01)	(0.05)	(0.00)	(0.01)	(0.00)	(0.01)	(1.46)
	年齢構成比(%)	2%	3%	17%	18%	14%	19%	15%	7%	1%	4%	0%	1%	0%	1%	100%
手足口病	報告数	0	0	2	1	1	2	1	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	13%	25%	13%	13%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	2	1	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	40%	20%	0%	20%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	15	16	0	1	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.20)	(0.22)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	47%	50%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	1	3	3	2	3	6	0	3	0	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.03)	(0.04)	(0.08)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	0%	5%	5%	14%	14%	9%	14%	27%	0%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	0	1	2	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	40%	0%	20%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	2	7	4	6	9	10	7	2	10	1	2	64
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.09)	(0.05)	(0.08)	(0.12)	(0.14)	(0.09)	(0.03)	(0.14)	(0.01)	(0.03)	(0.86)
	年齢構成比(%)	0%	0%	6%	3%	11%	6%	9%	14%	16%	11%	3%	16%	2%	3%	100%
感染性胃腸炎	報告数	2	29	67	38	33	38	18	14	23	10	10	33	8	16	339
	(定点あたり)	(0.03)	(0.39)	(0.91)	(0.51)	(0.45)	(0.51)	(0.24)	(0.19)	(0.31)	(0.14)	(0.14)	(0.45)	(0.11)	(0.22)	(4.58)
	年齢構成比(%)	1%	9%	20%	11%	10%	11%	5%	4%	7%	3%	3%	10%	2%	5%	100%
水痘	報告数	1	2	10	11	10	11	8	5	1	0	0	1	0	1	61
	(定点あたり)	(0.01)	(0.03)	(0.14)	(0.15)	(0.14)	(0.15)	(0.11)	(0.07)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.82)
	年齢構成比(%)	2%	3%	16%	18%	16%	18%	13%	8%	2%	0%	0%	2%	0%	2%	100%
手足口病	報告数	0	0	0	0	1	1	1	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	25%	25%	25%	25%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	1	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	0%	0%	33%	0%	33%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	8	9	0	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.11)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	47%	53%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	1	2	1	3	2	0	2	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	0%	0%	9%	18%	9%	27%	18%	0%	18%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	7	7	5	5	7	5	2	9	4	11	63
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)	(0.09)	(0.07)	(0.07)	(0.09)	(0.07)	(0.03)	(0.12)	(0.05)	(0.15)	(0.85)
	年齢構成比(%)	0%	0%	2%	0%	11%	11%	8%	8%	11%	8%	3%	14%	6%	17%	100%
感染性胃腸炎	報告数	2	25	55	23	27	28	21	19	15	10	13	23	12	37	310
	(定点あたり)	(0.03)	(0.34)	(0.74)	(0.31)	(0.36)	(0.38)	(0.28)	(0.26)	(0.20)	(0.14)	(0.18)	(0.31)	(0.16)	(0.50)	(4.19)
	年齢構成比(%)	1%	8%	18%	7%	9%	9%	7%	6%	5%	3%	4%	7%	4%	12%	100%
水痘	報告数	1	1	8	8	5	9	8	3	0	4	0	0	0	0	47
	(定点あたり)	(0.01)	(0.01)	(0.11)	(0.11)	(0.07)	(0.12)	(0.11)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	2%	2%	17%	17%	11%	19%	17%	6%	0%	9%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	2	1	0	1	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	50%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	7	7	0	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.09)	(0.09)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	47%	47%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	1	1	2	1	1	0	4	0	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	9%	9%	18%	9%	9%	0%	36%	0%	9%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。