

2012年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	1	1	3	1	4	2	2	7	3	2	1	3	2	2	1	1	37
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.01)	(0.03)	(0.02)	(0.02)	(0.06)	(0.02)	(0.02)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.30)
	年齢構成比(%)	0%	0%	3%	0%	3%	3%	8%	3%	11%	5%	5%	19%	8%	5%	3%	8%	5%	5%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	1	4	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.22)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	14%	57%	0%	0%	14%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	1	0	2	0	1	4	3	2	0	3	1	0	1	0	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.01)	(0.03)	(0.02)	(0.02)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	5%	0%	0%	0%	5%	0%	11%	0%	5%	21%	16%	11%	0%	16%	5%	0%	5%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	1	2	1	2	2	1	3	0	0	1	0	1	2	0	1	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.01)	(0.02)	(0.02)	(0.01)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.02)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	0%	0%	6%	6%	11%	6%	11%	11%	6%	17%	0%	0%	6%	0%	6%	11%	0%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	25%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	6	6	3	1	2	4	2	0	0	1	1	0	1	27
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.04)	(0.01)	(0.03)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.36)
	年齢構成比(%)	0%	22%	22%	11%	4%	7%	15%	7%	0%	0%	4%	4%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	12	19	23	26	24	14	20	9	20	0	16	189
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.16)	(0.26)	(0.31)	(0.35)	(0.32)	(0.19)	(0.27)	(0.12)	(0.27)	(0.00)	(0.22)	(2.55)
	年齢構成比(%)	0%	0%	3%	6%	10%	12%	14%	13%	7%	11%	5%	11%	0%	8%	100%
感染性胃腸炎	報告数	4	46	69	81	87	74	54	52	49	42	31	50	5	58	702
	(定点あたり)	(0.05)	(0.62)	(0.93)	(1.09)	(1.18)	(1.00)	(0.73)	(0.70)	(0.66)	(0.57)	(0.42)	(0.68)	(0.07)	(0.78)	(9.49)
	年齢構成比(%)	1%	7%	10%	12%	12%	11%	8%	7%	7%	6%	4%	7%	1%	8%	100%
水痘	報告数	1	9	16	14	14	16	10	0	5	0	2	1	0	1	89
	(定点あたり)	(0.01)	(0.12)	(0.22)	(0.19)	(0.19)	(0.22)	(0.14)	(0.00)	(0.07)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(1.20)
	年齢構成比(%)	1%	10%	18%	16%	16%	18%	11%	0%	6%	0%	2%	1%	0%	1%	100%
手足口病	報告数	0	1	2	3	2	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	13%	25%	38%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	1	0	0	1	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	17%	17%	17%	0%	0%	17%	17%	17%	0%	0%	0%	100%
突発性発疹	報告数	2	14	9	2	1	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.03)	(0.19)	(0.12)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	7%	50%	32%	7%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	1	7	3	1	1	1	0	0	1	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	7%	47%	20%	7%	7%	7%	0%	0%	7%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	5	6	1	5	3	3	3	2	0	1	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.07)	(0.08)	(0.01)	(0.07)	(0.04)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.41)
	年齢構成比(%)	0%	0%	3%	0%	17%	20%	3%	17%	10%	10%	10%	7%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	4	2	0	2	2	2	0	0	1	1	0	1	19
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.03)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.26)
	年齢構成比(%)	0%	21%	21%	11%	0%	11%	11%	11%	0%	0%	5%	5%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	5	16	12	15	14	9	12	5	16	0	5	113
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.07)	(0.22)	(0.16)	(0.20)	(0.19)	(0.12)	(0.16)	(0.07)	(0.22)	(0.00)	(0.07)	(1.53)
	年齢構成比(%)	0%	0%	4%	4%	14%	11%	13%	12%	8%	11%	4%	14%	0%	4%	100%
感染性胃腸炎	報告数	3	29	45	51	51	42	28	28	32	16	15	24	1	20	385
	(定点あたり)	(0.04)	(0.39)	(0.61)	(0.69)	(0.69)	(0.57)	(0.38)	(0.38)	(0.43)	(0.22)	(0.20)	(0.32)	(0.01)	(0.27)	(5.20)
	年齢構成比(%)	1%	8%	12%	13%	13%	11%	7%	7%	8%	4%	4%	6%	0%	5%	100%
水痘	報告数	1	3	8	8	6	6	2	0	3	0	2	1	0	1	41
	(定点あたり)	(0.01)	(0.04)	(0.11)	(0.11)	(0.08)	(0.08)	(0.03)	(0.00)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.55)
	年齢構成比(%)	2%	7%	20%	20%	15%	15%	5%	0%	7%	0%	5%	2%	0%	2%	100%
手足口病	報告数	0	1	1	2	1	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	20%	40%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	1	0	0	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	25%	25%	0%	0%	25%	25%	0%	0%	0%	0%	100%
突発性発疹	報告数	2	10	3	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.03)	(0.14)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	13%	63%	19%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	2	1	1	0	0	0	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	50%	20%	10%	10%	0%	0%	0%	10%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	4	1	3	1	1	1	2	0	1	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.05)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	13%	25%	6%	19%	6%	6%	6%	13%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第22週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	1	1	0	2	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	25%	25%	13%	13%	0%	25%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	7	3	11	11	10	5	8	4	4	0	11	76
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.09)	(0.04)	(0.15)	(0.15)	(0.14)	(0.07)	(0.11)	(0.05)	(0.05)	(0.00)	(0.15)	(1.03)
	年齢構成比(%)	0%	0%	3%	9%	4%	14%	14%	13%	7%	11%	5%	5%	0%	14%	100%
感染性胃腸炎	報告数	1	17	24	30	36	32	26	24	17	26	16	26	4	38	317
	(定点あたり)	(0.01)	(0.23)	(0.32)	(0.41)	(0.49)	(0.43)	(0.35)	(0.32)	(0.23)	(0.35)	(0.22)	(0.35)	(0.05)	(0.51)	(4.28)
	年齢構成比(%)	0%	5%	8%	9%	11%	10%	8%	8%	5%	8%	5%	8%	1%	12%	100%
水痘	報告数	0	6	8	6	8	10	8	0	2	0	0	0	0	0	48
	(定点あたり)	(0.00)	(0.08)	(0.11)	(0.08)	(0.11)	(0.14)	(0.11)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.65)
	年齢構成比(%)	0%	13%	17%	13%	17%	21%	17%	0%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	100%
突発性発疹	報告数	0	4	6	1	1	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	33%	50%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	1	2	1	0	0	1	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	40%	20%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	3	2	0	2	2	2	2	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.03)	(0.00)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	7%	0%	21%	14%	0%	14%	14%	14%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。