

## 2012年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	40%	0%	0%	20%	0%	0%	20%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	40%	0%	20%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	33%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	9	5	3	1	0	0	0	2	0	0	0	0	21
	(定点あたり)	(0.00)	(0.01)	(0.12)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	5%	43%	24%	14%	5%	0%	0%	0%	10%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	9	16	16	19	18	8	14	12	16	6	23	159
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.12)	(0.22)	(0.22)	(0.26)	(0.24)	(0.11)	(0.19)	(0.16)	(0.22)	(0.08)	(0.31)	(2.15)
	年齢構成比(%)	0%	0%	1%	6%	10%	10%	12%	11%	5%	9%	8%	10%	4%	14%	100%
感染性胃腸炎	報告数	7	34	56	53	67	53	43	39	19	32	18	39	13	36	509
	(定点あたり)	(0.09)	(0.46)	(0.76)	(0.72)	(0.91)	(0.72)	(0.58)	(0.53)	(0.26)	(0.43)	(0.24)	(0.53)	(0.18)	(0.49)	(6.88)
	年齢構成比(%)	1%	7%	11%	10%	13%	10%	8%	8%	4%	6%	4%	8%	3%	7%	100%
水痘	報告数	1	8	8	15	7	14	11	8	3	3	2	3	0	0	83
	(定点あたり)	(0.01)	(0.11)	(0.11)	(0.20)	(0.09)	(0.19)	(0.15)	(0.11)	(0.04)	(0.04)	(0.03)	(0.04)	(0.00)	(0.00)	(1.12)
	年齢構成比(%)	1%	10%	10%	18%	8%	17%	13%	10%	4%	4%	2%	4%	0%	0%	100%
手足口病	報告数	0	2	3	1	2	1	0	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	20%	30%	10%	20%	10%	0%	10%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	2	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	40%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	14	14	5	0	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.01)	(0.19)	(0.19)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	3%	41%	41%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	19	6	8	3	1	1	1	0	0	0	1	1	43
	(定点あたり)	(0.00)	(0.03)	(0.26)	(0.08)	(0.11)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.58)
	年齢構成比(%)	0%	5%	44%	14%	19%	7%	2%	2%	2%	0%	0%	0%	2%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	4	2	3	4	1	0	2	0	2	19
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.03)	(0.04)	(0.05)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.26)
	年齢構成比(%)	0%	0%	0%	0%	5%	21%	11%	16%	21%	5%	0%	11%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	6	0	1	1	0	0	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	67%	0%	11%	11%	0%	0%	0%	11%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	8	9	8	12	4	6	6	12	3	8	79
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.11)	(0.12)	(0.11)	(0.16)	(0.05)	(0.08)	(0.08)	(0.16)	(0.04)	(0.11)	(1.07)
	年齢構成比(%)	0%	0%	0%	4%	10%	11%	10%	15%	5%	8%	8%	15%	4%	10%	100%
感染性胃腸炎	報告数	4	15	31	32	34	28	17	20	8	19	8	22	7	11	256
	(定点あたり)	(0.05)	(0.20)	(0.42)	(0.43)	(0.46)	(0.38)	(0.23)	(0.27)	(0.11)	(0.26)	(0.11)	(0.30)	(0.09)	(0.15)	(3.46)
	年齢構成比(%)	2%	6%	12%	13%	13%	11%	7%	8%	3%	7%	3%	9%	3%	4%	100%
水痘	報告数	0	6	6	8	5	6	7	1	2	2	0	2	0	0	45
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.11)	(0.07)	(0.08)	(0.09)	(0.01)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.61)
	年齢構成比(%)	0%	13%	13%	18%	11%	13%	16%	2%	4%	4%	0%	4%	0%	0%	100%
手足口病	報告数	0	1	2	1	2	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	33%	17%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	2	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	3	8	3	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.04)	(0.11)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	7%	20%	53%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	11	4	6	1	1	0	1	0	0	0	1	0	26
	(定点あたり)	(0.00)	(0.01)	(0.15)	(0.05)	(0.08)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.35)
	年齢構成比(%)	0%	4%	42%	15%	23%	4%	4%	0%	4%	0%	0%	0%	4%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	0	2	3	0	0	2	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.14)
	年齢構成比(%)	0%	0%	0%	0%	10%	10%	0%	20%	30%	0%	0%	20%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	3	5	2	0	0	0	0	1	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	25%	42%	17%	0%	0%	0%	0%	8%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	6	8	7	11	6	4	8	6	4	3	15	80
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.11)	(0.09)	(0.15)	(0.08)	(0.05)	(0.11)	(0.08)	(0.05)	(0.04)	(0.20)	(1.08)
	年齢構成比(%)	0%	0%	3%	8%	10%	9%	14%	8%	5%	10%	8%	5%	4%	19%	100%
感染性胃腸炎	報告数	3	19	25	21	33	25	26	19	11	13	10	17	6	25	253
	(定点あたり)	(0.04)	(0.26)	(0.34)	(0.28)	(0.45)	(0.34)	(0.35)	(0.26)	(0.15)	(0.18)	(0.14)	(0.23)	(0.08)	(0.34)	(3.42)
	年齢構成比(%)	1%	8%	10%	8%	13%	10%	10%	8%	4%	5%	4%	7%	2%	10%	100%
水痘	報告数	1	2	2	7	2	8	4	7	1	1	2	1	0	0	38
	(定点あたり)	(0.01)	(0.03)	(0.03)	(0.09)	(0.03)	(0.11)	(0.05)	(0.09)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	3%	5%	5%	18%	5%	21%	11%	18%	3%	3%	5%	3%	0%	0%	100%
手足口病	報告数	0	1	1	0	0	1	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	11	6	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.15)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	58%	32%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	8	2	2	2	0	1	0	0	0	0	0	1	17
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	0%	6%	47%	12%	12%	12%	0%	6%	0%	0%	0%	0%	0%	6%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	3	2	1	1	1	0	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	33%	22%	11%	11%	11%	0%	0%	0%	11%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。