

## 2012年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	1	4	0	2	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.22)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	11%	0%	0%	0%	0%	0%	0%	0%	11%	0%	0%	11%	44%	0%	22%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	0	0	0	0	0	0	1	0	0	0	4	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	14%	0%	0%	0%	57%	0%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	8	11	1	2	0	2	6	1	0	0	0	35
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.11)	(0.15)	(0.01)	(0.03)	(0.00)	(0.03)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	0%	3%	9%	23%	31%	3%	6%	0%	6%	17%	3%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	8	8	15	19	25	14	19	9	9	18	2	13	161
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.11)	(0.20)	(0.26)	(0.34)	(0.19)	(0.26)	(0.12)	(0.12)	(0.24)	(0.03)	(0.18)	(2.18)
	年齢構成比(%)	0%	1%	5%	5%	9%	12%	16%	9%	12%	6%	6%	11%	1%	8%	100%
感染性胃腸炎	報告数	6	25	49	35	38	33	21	18	13	17	13	29	9	51	357
	(定点あたり)	(0.08)	(0.34)	(0.66)	(0.47)	(0.51)	(0.45)	(0.28)	(0.24)	(0.18)	(0.23)	(0.18)	(0.39)	(0.12)	(0.69)	(4.82)
	年齢構成比(%)	2%	7%	14%	10%	11%	9%	6%	5%	4%	5%	4%	8%	3%	14%	100%
水痘	報告数	1	4	10	26	10	14	8	2	3	0	2	0	1	1	82
	(定点あたり)	(0.01)	(0.05)	(0.14)	(0.35)	(0.14)	(0.19)	(0.11)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(1.11)
	年齢構成比(%)	1%	5%	12%	32%	12%	17%	10%	2%	4%	0%	2%	0%	1%	1%	100%
手足口病	報告数	0	0	4	0	4	0	0	0	0	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	44%	0%	44%	0%	0%	0%	0%	11%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	2	0	1	1	0	2	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	25%	0%	13%	13%	0%	25%	13%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	12	19	2	0	0	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.00)	(0.16)	(0.26)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	0%	36%	58%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	2	27	13	16	5	2	3	1	1	1	1	0	0	73
	(定点あたり)	(0.01)	(0.03)	(0.36)	(0.18)	(0.22)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.99)
	年齢構成比(%)	1%	3%	37%	18%	22%	7%	3%	4%	1%	1%	1%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	2	3	7	4	2	4	3	5	0	1	33
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.04)	(0.09)	(0.05)	(0.03)	(0.05)	(0.04)	(0.07)	(0.00)	(0.01)	(0.45)
	年齢構成比(%)	0%	0%	3%	3%	6%	9%	21%	12%	6%	12%	9%	15%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	4	5	1	1	0	2	2	0	0	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.05)	(0.07)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	6%	11%	22%	28%	6%	6%	0%	11%	11%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	5	2	10	15	18	9	6	4	7	7	1	4	89
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.14)	(0.20)	(0.24)	(0.12)	(0.08)	(0.05)	(0.09)	(0.09)	(0.01)	(0.05)	(1.20)
	年齢構成比(%)	0%	1%	6%	2%	11%	17%	20%	10%	7%	4%	8%	8%	1%	4%	100%
感染性胃腸炎	報告数	2	12	26	19	23	20	15	11	8	8	9	19	6	19	197
	(定点あたり)	(0.03)	(0.16)	(0.35)	(0.26)	(0.31)	(0.27)	(0.20)	(0.15)	(0.11)	(0.11)	(0.12)	(0.26)	(0.08)	(0.26)	(2.66)
	年齢構成比(%)	1%	6%	13%	10%	12%	10%	8%	6%	4%	4%	5%	10%	3%	10%	100%
水痘	報告数	0	2	5	12	7	9	4	2	1	0	2	0	0	0	44
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.16)	(0.09)	(0.12)	(0.05)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	0%	5%	11%	27%	16%	20%	9%	5%	2%	0%	5%	0%	0%	0%	100%
手足口病	報告数	0	0	3	0	4	0	0	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	38%	0%	50%	0%	0%	0%	0%	13%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	0	1	0	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	50%	0%	25%	0%	0%	25%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	2	6	2	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	20%	60%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	1	13	5	8	2	0	1	1	1	0	1	0	0	34
	(定点あたり)	(0.01)	(0.01)	(0.18)	(0.07)	(0.11)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	3%	3%	38%	15%	24%	6%	0%	3%	3%	3%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	2	5	2	0	2	1	3	0	1	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.07)	(0.03)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.01)	(0.24)
	年齢構成比(%)	0%	0%	0%	6%	6%	11%	28%	11%	0%	11%	6%	17%	0%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2012年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	4	6	0	1	0	0	4	1	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	6%	24%	35%	0%	6%	0%	0%	24%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	6	5	4	7	5	13	5	2	11	1	9	72
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.08)	(0.07)	(0.05)	(0.09)	(0.07)	(0.18)	(0.07)	(0.03)	(0.15)	(0.01)	(0.12)	(0.97)
	年齢構成比(%)	0%	1%	4%	8%	7%	6%	10%	7%	18%	7%	3%	15%	1%	13%	100%
感染性胃腸炎	報告数	4	13	23	16	15	13	6	7	5	9	4	10	3	32	160
	(定点あたり)	(0.05)	(0.18)	(0.31)	(0.22)	(0.20)	(0.18)	(0.08)	(0.09)	(0.07)	(0.12)	(0.05)	(0.14)	(0.04)	(0.43)	(2.16)
	年齢構成比(%)	3%	8%	14%	10%	9%	8%	4%	4%	3%	6%	3%	6%	2%	20%	100%
水痘	報告数	1	2	5	14	3	5	4	0	2	0	0	0	1	1	38
	(定点あたり)	(0.01)	(0.03)	(0.07)	(0.19)	(0.04)	(0.07)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.51)
	年齢構成比(%)	3%	5%	13%	37%	8%	13%	11%	0%	5%	0%	0%	0%	3%	3%	100%
手足口病	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	1	0	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	0%	0%	25%	0%	25%	25%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	10	13	0	0	0	0	0	0	0	0	0	0	0	23
	(定点あたり)	(0.00)	(0.14)	(0.18)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	43%	57%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	14	8	8	3	2	2	0	0	1	0	0	0	39
	(定点あたり)	(0.00)	(0.01)	(0.19)	(0.11)	(0.11)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	0%	3%	36%	21%	21%	8%	5%	5%	0%	0%	3%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	1	1	2	2	2	2	2	2	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	7%	0%	7%	7%	13%	13%	13%	13%	13%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。