

2012年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	25%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	3	4	5	3	1	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	6%	18%	24%	29%	18%	6%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	9	5	12	17	13	9	11	5	8	3	10	105
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.12)	(0.07)	(0.16)	(0.23)	(0.18)	(0.12)	(0.15)	(0.07)	(0.11)	(0.04)	(0.14)	(1.44)
	年齢構成比(%)	0%	1%	2%	9%	5%	11%	16%	12%	9%	10%	5%	8%	3%	10%	100%
感染性胃腸炎	報告数	3	19	49	27	35	31	20	20	18	13	8	34	9	27	313
	(定点あたり)	(0.04)	(0.26)	(0.67)	(0.37)	(0.48)	(0.42)	(0.27)	(0.27)	(0.25)	(0.18)	(0.11)	(0.47)	(0.12)	(0.37)	(4.29)
	年齢構成比(%)	1%	6%	16%	9%	11%	10%	6%	6%	6%	4%	3%	11%	3%	9%	100%
水痘	報告数	0	1	9	21	15	6	6	6	2	1	0	0	1	5	73
	(定点あたり)	(0.00)	(0.01)	(0.12)	(0.29)	(0.21)	(0.08)	(0.08)	(0.08)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.07)	(1.00)
	年齢構成比(%)	0%	1%	12%	29%	21%	8%	8%	8%	3%	1%	0%	0%	1%	7%	100%
手足口病	報告数	0	1	4	4	1	1	1	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	33%	33%	8%	8%	8%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	1	1	3	0	0	0	0	0	0	0	1	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	13%	38%	0%	0%	0%	0%	0%	0%	0%	13%	100%
突発性発疹	報告数	2	18	9	3	0	1	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.03)	(0.25)	(0.12)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	6%	55%	27%	9%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	8	35	24	12	7	4	3	2	1	1	0	0	0	97
	(定点あたり)	(0.00)	(0.11)	(0.48)	(0.33)	(0.16)	(0.10)	(0.05)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(1.33)
	年齢構成比(%)	0%	8%	36%	25%	12%	7%	4%	3%	2%	1%	1%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	4	2	4	2	4	1	0	1	0	1	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.05)	(0.03)	(0.05)	(0.03)	(0.05)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.30)
	年齢構成比(%)	0%	0%	0%	14%	18%	9%	18%	9%	18%	5%	0%	5%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	2	3	2	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	10%	20%	20%	30%	20%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	5	3	6	12	7	7	4	2	4	2	4	58
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.07)	(0.04)	(0.08)	(0.16)	(0.10)	(0.10)	(0.05)	(0.03)	(0.05)	(0.03)	(0.05)	(0.79)
	年齢構成比(%)	0%	0%	3%	9%	5%	10%	21%	12%	12%	7%	3%	7%	3%	7%	100%
感染性胃腸炎	報告数	1	10	24	17	20	18	12	12	9	7	4	16	2	9	161
	(定点あたり)	(0.01)	(0.14)	(0.33)	(0.23)	(0.27)	(0.25)	(0.16)	(0.16)	(0.12)	(0.10)	(0.05)	(0.22)	(0.03)	(0.12)	(2.21)
	年齢構成比(%)	1%	6%	15%	11%	12%	11%	7%	7%	6%	4%	2%	10%	1%	6%	100%
水痘	報告数	0	0	6	13	8	3	1	1	2	0	0	0	0	2	36
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.18)	(0.11)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.49)
	年齢構成比(%)	0%	0%	17%	36%	22%	8%	3%	3%	6%	0%	0%	0%	0%	6%	100%
手足口病	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	1	0	3	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	17%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	9	3	1	0	1	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.12)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	64%	21%	7%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	16	13	6	6	1	2	1	0	0	0	0	0	48
	(定点あたり)	(0.00)	(0.04)	(0.22)	(0.18)	(0.08)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.66)
	年齢構成比(%)	0%	6%	33%	27%	13%	13%	2%	4%	2%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	2	1	2	1	2	0	0	1	0	1	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.18)
	年齢構成比(%)	0%	0%	0%	23%	15%	8%	15%	8%	15%	0%	0%	8%	0%	8%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	0	1	2	2	1	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	14%	29%	29%	14%	14%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	4	2	6	5	6	2	7	3	4	1	6	47
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.05)	(0.03)	(0.08)	(0.07)	(0.08)	(0.03)	(0.10)	(0.04)	(0.05)	(0.01)	(0.08)	(0.64)
	年齢構成比(%)	0%	2%	0%	9%	4%	13%	11%	13%	4%	15%	6%	9%	2%	13%	100%
感染性胃腸炎	報告数	2	9	25	10	15	13	8	8	9	6	4	18	7	18	152
	(定点あたり)	(0.03)	(0.12)	(0.34)	(0.14)	(0.21)	(0.18)	(0.11)	(0.11)	(0.12)	(0.08)	(0.05)	(0.25)	(0.10)	(0.25)	(2.08)
	年齢構成比(%)	1%	6%	16%	7%	10%	9%	5%	5%	6%	4%	3%	12%	5%	12%	100%
水痘	報告数	0	1	3	8	7	3	5	5	0	1	0	0	1	3	37
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.11)	(0.10)	(0.04)	(0.07)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.04)	(0.51)
	年齢構成比(%)	0%	3%	8%	22%	19%	8%	14%	14%	0%	3%	0%	0%	3%	8%	100%
手足口病	報告数	0	0	3	4	1	1	1	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	30%	40%	10%	10%	10%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	50%	100%
突発性発疹	報告数	2	9	6	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.03)	(0.12)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	11%	47%	32%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	19	11	6	1	3	1	1	1	1	0	0	0	49
	(定点あたり)	(0.00)	(0.07)	(0.26)	(0.15)	(0.08)	(0.01)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.67)
	年齢構成比(%)	0%	10%	39%	22%	12%	2%	6%	2%	2%	2%	2%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	1	2	1	2	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	22%	11%	22%	11%	22%	11%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。