

2012年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	3	0	0	1	0	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	60%	0%	0%	20%	0%	0%	0%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)	
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	33%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	3	3	1	0	1	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	11%	33%	33%	11%	0%	11%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	2	4	4	2	1	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.06)	(0.06)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	7%	14%	29%	29%	14%	7%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	0	4	4	3	2	3	2	3	5	1	7	36
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.06)	(0.06)	(0.04)	(0.03)	(0.04)	(0.03)	(0.04)	(0.07)	(0.01)	(0.10)	(0.51)
	年齢構成比(%)	0%	3%	3%	0%	11%	11%	8%	6%	8%	6%	8%	14%	3%	19%	100%
感染性胃腸炎	報告数	2	7	21	12	5	11	6	4	4	4	0	13	0	22	111
	(定点あたり)	(0.03)	(0.10)	(0.30)	(0.17)	(0.07)	(0.15)	(0.08)	(0.06)	(0.06)	(0.06)	(0.00)	(0.18)	(0.00)	(0.31)	(1.56)
	年齢構成比(%)	2%	6%	19%	11%	5%	10%	5%	4%	4%	4%	0%	12%	0%	20%	100%
水痘	報告数	0	2	3	3	5	4	1	1	0	1	0	2	1	0	23
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.07)	(0.06)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.32)
	年齢構成比(%)	0%	9%	13%	13%	22%	17%	4%	4%	0%	4%	0%	9%	4%	0%	100%
手足口病	報告数	0	0	1	5	1	1	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	63%	13%	13%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	5	2	2	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.07)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	56%	22%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	4	8	4	5	6	3	2	1	0	0	1	0	1	37
	(定点あたり)	(0.03)	(0.06)	(0.11)	(0.06)	(0.07)	(0.08)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.52)
	年齢構成比(%)	5%	11%	22%	11%	14%	16%	8%	5%	3%	0%	0%	3%	0%	3%	100%
流行性耳下腺炎	報告数	0	1	1	1	2	7	5	1	4	3	1	2	0	0	28
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.10)	(0.07)	(0.01)	(0.06)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	4%	4%	4%	7%	25%	18%	4%	14%	11%	4%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	3	1	1	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	17%	50%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	3	1	2	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	0%	43%	14%	29%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	3	2	2	2	2	0	1	5	0	2	19
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.07)	(0.00)	(0.03)	(0.27)
	年齢構成比(%)	0%	0%	0%	0%	16%	11%	11%	11%	11%	0%	5%	26%	0%	11%	100%
感染性胃腸炎	報告数	0	6	13	6	3	5	4	3	3	3	0	7	0	9	62
	(定点あたり)	(0.00)	(0.08)	(0.18)	(0.08)	(0.04)	(0.07)	(0.06)	(0.04)	(0.04)	(0.04)	(0.00)	(0.10)	(0.00)	(0.13)	(0.87)
	年齢構成比(%)	0%	10%	21%	10%	5%	8%	6%	5%	5%	5%	0%	11%	0%	15%	100%
水痘	報告数	0	1	0	2	4	2	0	0	0	1	0	1	1	0	12
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.17)
	年齢構成比(%)	0%	8%	0%	17%	33%	17%	0%	0%	0%	8%	0%	8%	8%	0%	100%
手足口病	報告数	0	0	1	3	1	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	50%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発疹	報告数	0	3	2	2	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	43%	29%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	2	4	2	2	3	3	1	1	0	0	1	0	1	22
	(定点あたり)	(0.03)	(0.03)	(0.06)	(0.03)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比(%)	9%	9%	18%	9%	9%	14%	14%	5%	5%	0%	0%	5%	0%	5%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	5	4	1	4	2	1	2	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.07)	(0.06)	(0.01)	(0.06)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	0%	0%	5%	9%	23%	18%	5%	18%	9%	5%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	2	1	3	0	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	29%	14%	43%	0%	14%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	0	1	2	1	0	1	2	2	0	1	5	17
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.07)	(0.24)
	年齢構成比(%)	0%	6%	6%	0%	6%	12%	6%	0%	6%	12%	12%	0%	6%	29%	100%
感染性胃腸炎	報告数	2	1	8	6	2	6	2	1	1	1	0	6	0	13	49
	(定点あたり)	(0.03)	(0.01)	(0.11)	(0.08)	(0.03)	(0.08)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.08)	(0.00)	(0.18)	(0.69)
	年齢構成比(%)	4%	2%	16%	12%	4%	12%	4%	2%	2%	2%	0%	12%	0%	27%	100%
水痘	報告数	0	1	3	1	1	2	1	1	0	0	0	1	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	27%	9%	9%	18%	9%	9%	0%	0%	0%	9%	0%	0%	100%
手足口病	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	4	2	3	3	0	1	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.03)	(0.06)	(0.03)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	13%	27%	13%	20%	20%	0%	7%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	1	1	0	0	2	1	0	0	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	17%	17%	0%	0%	33%	17%	0%	0%	17%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。