

2012年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	1	2	0	0	0	0	0	0	4	3	1	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)	(0.17)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.67)
	年齢構成比(%)	0%	0%	0%	0%	8%	8%	17%	0%	0%	0%	0%	0%	0%	33%	25%	8%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	2	0	0	0	0	0	0	2	2	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	14%	29%	0%	0%	0%	0%	0%	0%	29%	29%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%	40%	20%	20%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	4	18	3	2	0	0	0	0	0	0	1	1	0	32
	(定点あたり)	(0.04)	(0.05)	(0.24)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.43)
	年齢構成比(%)	9%	13%	56%	9%	6%	0%	0%	0%	0%	0%	0%	3%	3%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	3	3	0	0	0	0	1	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	29%	21%	21%	21%	0%	0%	0%	0%	7%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	4	8	4	6	3	3	3	5	2	4	43
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.11)	(0.05)	(0.08)	(0.04)	(0.04)	(0.04)	(0.07)	(0.03)	(0.05)	(0.57)
	年齢構成比(%)	0%	0%	0%	2%	9%	19%	9%	14%	7%	7%	7%	12%	5%	9%	100%
感染性胃腸炎	報告数	3	14	33	14	10	11	12	8	10	6	6	20	1	28	176
	(定点あたり)	(0.04)	(0.19)	(0.44)	(0.19)	(0.13)	(0.15)	(0.16)	(0.11)	(0.13)	(0.08)	(0.08)	(0.27)	(0.01)	(0.37)	(2.35)
	年齢構成比(%)	2%	8%	19%	8%	6%	6%	7%	5%	6%	3%	3%	11%	1%	16%	100%
水痘	報告数	1	3	4	4	9	6	7	1	2	0	1	0	0	1	39
	(定点あたり)	(0.01)	(0.04)	(0.05)	(0.05)	(0.12)	(0.08)	(0.09)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.52)
	年齢構成比(%)	3%	8%	10%	10%	23%	15%	18%	3%	5%	0%	3%	0%	0%	3%	100%
手足口病	報告数	0	0	8	3	0	3	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.04)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	57%	21%	0%	21%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発疹	報告数	2	14	11	4	2	0	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.03)	(0.19)	(0.15)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	6%	42%	33%	12%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	100%
ヘルパンギーナ	報告数	0	4	9	12	4	3	3	0	0	1	0	0	0	0	36
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.16)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.48)
	年齢構成比(%)	0%	11%	25%	33%	11%	8%	8%	0%	0%	3%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	3	0	2	1	1	1	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	0%	0%	10%	30%	0%	20%	10%	10%	10%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	9	2	2	0	0	0	0	0	0	1	1	0	18
	(定点あたり)	(0.03)	(0.01)	(0.12)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.24)
	年齢構成比(%)	11%	6%	50%	11%	11%	0%	0%	0%	0%	0%	0%	6%	6%	0%	100%
咽頭結膜熱	報告数	0	0	0	0	2	2	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	3	7	0	4	3	1	1	4	0	1	25
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.09)	(0.00)	(0.05)	(0.04)	(0.01)	(0.01)	(0.05)	(0.00)	(0.01)	(0.33)
	年齢構成比(%)	0%	0%	0%	4%	12%	28%	0%	16%	12%	4%	4%	16%	0%	4%	100%
感染性胃腸炎	報告数	1	10	17	9	4	7	5	3	4	3	5	11	1	11	91
	(定点あたり)	(0.01)	(0.13)	(0.23)	(0.12)	(0.05)	(0.09)	(0.07)	(0.04)	(0.05)	(0.04)	(0.07)	(0.15)	(0.01)	(0.15)	(1.21)
	年齢構成比(%)	1%	11%	19%	10%	4%	8%	5%	3%	4%	3%	5%	12%	1%	12%	100%
水痘	報告数	0	3	2	4	3	4	4	1	0	0	1	0	0	0	22
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.05)	(0.04)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	14%	9%	18%	14%	18%	18%	5%	0%	0%	5%	0%	0%	0%	100%
手足口病	報告数	0	0	5	3	0	1	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	56%	33%	0%	11%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発疹	報告数	1	4	4	3	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.05)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	8%	31%	31%	23%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	7	2	1	1	0	0	1	0	0	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.09)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	29%	41%	12%	6%	6%	0%	0%	6%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	2	0	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	50%	0%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	3	9	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.04)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	7%	21%	64%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	1	1	0	0	0	0	1	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比(%)	0%	0%	40%	30%	10%	10%	0%	0%	0%	0%	10%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	1	1	4	2	0	2	2	1	2	3	18
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.03)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.04)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	6%	6%	22%	11%	0%	11%	11%	6%	11%	17%	100%
感染性胃腸炎	報告数	2	4	16	5	6	4	7	5	6	3	1	9	0	17	85
	(定点あたり)	(0.03)	(0.05)	(0.21)	(0.07)	(0.08)	(0.05)	(0.09)	(0.07)	(0.08)	(0.04)	(0.01)	(0.12)	(0.00)	(0.23)	(1.13)
	年齢構成比(%)	2%	5%	19%	6%	7%	5%	8%	6%	7%	4%	1%	11%	0%	20%	100%
水痘	報告数	1	0	2	0	6	2	3	0	2	0	0	0	0	1	17
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.00)	(0.08)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.23)
	年齢構成比(%)	6%	0%	12%	0%	35%	12%	18%	0%	12%	0%	0%	0%	0%	6%	100%
手足口病	報告数	0	0	3	0	0	2	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	60%	0%	0%	40%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発疹	報告数	1	10	7	1	1	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.01)	(0.13)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	5%	50%	35%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	100%
ヘルパンギーナ	報告数	0	4	4	5	2	2	2	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.07)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比(%)	0%	21%	21%	26%	11%	11%	11%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	2	0	0	1	1	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	17%	33%	0%	0%	17%	17%	17%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。