

2012年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	3	0	0	1	1	0	1	1	4	0	5	2	3	1	0	3	1	27
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.04)	(0.02)	(0.02)	(0.01)	(0.00)	(0.02)	(0.01)	(0.22)
	年齢構成比(%)	0%	0%	4%	11%	0%	0%	4%	4%	0%	4%	4%	15%	0%	19%	7%	11%	4%	0%	11%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	1	0	0	0	0	0	1	1	2	3	1	1	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.11)	(0.17)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.61)
	年齢構成比(%)	0%	0%	0%	9%	0%	9%	0%	0%	0%	0%	0%	9%	9%	18%	27%	9%	9%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	3	0	0	0	1	0	1	1	3	0	0	2	1	1	0	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.11)
	年齢構成比(%)	0%	0%	0%	21%	0%	0%	0%	7%	0%	7%	7%	21%	0%	0%	14%	7%	7%	0%	0%	7%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	1	0	0	0	0	0	0	0	1	2	0	1	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	17%	0%	17%	0%	0%	0%	0%	0%	0%	0%	17%	33%	0%	17%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	1	0	0	0	0	1	0	5	0	2	0	0	3	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.02)	(0.00)	(0.00)	(0.02)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	8%	0%	0%	0%	8%	0%	0%	0%	0%	8%	0%	38%	0%	15%	0%	0%	23%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	20%	20%	20%	20%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	14	17	11	9	5	2	1	0	0	0	0	0	0	0	59
	(定点あたり)	(0.19)	(0.23)	(0.15)	(0.12)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.80)
	年齢構成比(%)	24%	29%	19%	15%	8%	3%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	7	0	4	3	2	1	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.03)	(0.09)	(0.00)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	11%	37%	0%	21%	16%	11%	5%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	6	8	14	17	14	13	10	3	16	0	5	109
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.11)	(0.19)	(0.23)	(0.19)	(0.18)	(0.14)	(0.04)	(0.22)	(0.00)	(0.07)	(1.47)
	年齢構成比(%)	0%	1%	2%	6%	7%	13%	16%	13%	12%	9%	3%	15%	0%	5%	100%
感染性胃腸炎	報告数	2	29	111	86	75	85	67	49	56	41	47	107	36	165	956
	(定点あたり)	(0.03)	(0.39)	(1.50)	(1.16)	(1.01)	(1.15)	(0.91)	(0.66)	(0.76)	(0.55)	(0.64)	(1.45)	(0.49)	(2.23)	(12.92)
	年齢構成比(%)	0%	3%	12%	9%	8%	9%	7%	5%	6%	4%	5%	11%	4%	17%	100%
水痘	報告数	3	11	26	42	32	15	14	9	3	3	2	4	1	1	166
	(定点あたり)	(0.04)	(0.15)	(0.35)	(0.57)	(0.43)	(0.20)	(0.19)	(0.12)	(0.04)	(0.04)	(0.03)	(0.05)	(0.01)	(0.01)	(2.24)
	年齢構成比(%)	2%	7%	16%	25%	19%	9%	8%	5%	2%	2%	1%	2%	1%	1%	100%
手足口病	報告数	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	0	0	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	5	2	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.12)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	56%	31%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	2	2	2	1	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	11%	22%	22%	22%	11%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	10	6	2	1	2	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.05)	(0.14)	(0.08)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	16%	40%	24%	8%	4%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	0	2	1	0	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	50%	0%	25%	13%	0%	13%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	5	8	8	6	6	3	2	10	0	2	55
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.07)	(0.11)	(0.11)	(0.08)	(0.08)	(0.04)	(0.03)	(0.14)	(0.00)	(0.03)	(0.74)
	年齢構成比(%)	0%	0%	4%	5%	9%	15%	15%	11%	11%	5%	4%	18%	0%	4%	100%
感染性胃腸炎	報告数	2	17	70	40	37	46	40	22	28	21	28	53	17	71	492
	(定点あたり)	(0.03)	(0.23)	(0.95)	(0.54)	(0.50)	(0.62)	(0.54)	(0.30)	(0.38)	(0.28)	(0.38)	(0.72)	(0.23)	(0.96)	(6.65)
	年齢構成比(%)	0%	3%	14%	8%	8%	9%	8%	4%	6%	4%	6%	11%	3%	14%	100%
水痘	報告数	3	8	11	19	18	7	8	5	2	1	1	2	0	0	85
	(定点あたり)	(0.04)	(0.11)	(0.15)	(0.26)	(0.24)	(0.09)	(0.11)	(0.07)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(1.15)
	年齢構成比(%)	4%	9%	13%	22%	21%	8%	9%	6%	2%	1%	1%	2%	0%	0%	100%
手足口病	報告数	0	0	2	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	3	2	1	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	50%	33%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	1	1	1	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	20%	20%	20%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2012年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	10	7	5	7	4	0	1	0	0	0	0	0	0	0	34
	(定点あたり)	(0.14)	(0.09)	(0.07)	(0.09)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	29%	21%	15%	21%	12%	0%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	0	2	2	2	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	18%	27%	0%	18%	18%	18%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	3	3	6	9	8	7	7	1	6	0	3	54
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.04)	(0.08)	(0.12)	(0.11)	(0.09)	(0.09)	(0.01)	(0.08)	(0.00)	(0.04)	(0.73)
	年齢構成比(%)	0%	2%	0%	6%	6%	11%	17%	15%	13%	13%	2%	11%	0%	6%	100%
感染性胃腸炎	報告数	0	12	41	46	38	39	27	27	28	20	19	54	19	94	464
	(定点あたり)	(0.00)	(0.16)	(0.55)	(0.62)	(0.51)	(0.53)	(0.36)	(0.36)	(0.38)	(0.27)	(0.26)	(0.73)	(0.26)	(1.27)	(6.27)
	年齢構成比(%)	0%	3%	9%	10%	8%	8%	6%	6%	6%	4%	4%	12%	4%	20%	100%
水痘	報告数	0	3	15	23	14	8	6	4	1	2	1	2	1	1	81
	(定点あたり)	(0.00)	(0.04)	(0.20)	(0.31)	(0.19)	(0.11)	(0.08)	(0.05)	(0.01)	(0.03)	(0.01)	(0.03)	(0.01)	(0.01)	(1.09)
	年齢構成比(%)	0%	4%	19%	28%	17%	10%	7%	5%	1%	2%	1%	2%	1%	1%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	3	1	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	60%	30%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	1	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。