

2013年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	2	10	8	14	16	23	25	19	26	16	59	14	8	19	14	10	4	1	2	290
	(定点あたり)	(0.00)	(0.02)	(0.08)	(0.07)	(0.11)	(0.13)	(0.19)	(0.20)	(0.15)	(0.21)	(0.13)	(0.48)	(0.11)	(0.07)	(0.15)	(0.11)	(0.08)	(0.03)	(0.01)	(0.02)	(2.36)
	年齢構成比(%)	0%	1%	3%	3%	5%	6%	8%	9%	9%	7%	9%	6%	20%	5%	3%	7%	5%	3%	1%	0%	1%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	1	0	2	0	1	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	0%	14%	14%	0%	0%	0%	0%	0%	14%	0%	29%	0%	14%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	4	5	5	7	14	16	12	18	13	32	11	2	7	4	7	1	1	0	160
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.06)	(0.11)	(0.13)	(0.10)	(0.15)	(0.11)	(0.26)	(0.09)	(0.02)	(0.06)	(0.03)	(0.06)	(0.01)	(0.01)	(0.00)	(1.30)
	年齢構成比(%)	0%	1%	3%	3%	3%	4%	9%	10%	8%	11%	8%	20%	7%	1%	4%	3%	4%	1%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	25%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	6	3	9	9	9	9	7	8	3	27	3	6	12	10	3	3	0	2	130
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.02)	(0.07)	(0.07)	(0.07)	(0.07)	(0.06)	(0.07)	(0.02)	(0.22)	(0.02)	(0.05)	(0.10)	(0.08)	(0.02)	(0.02)	(0.00)	(0.02)	(1.06)
	年齢構成比(%)	0%	1%	5%	2%	7%	7%	7%	7%	7%	5%	6%	2%	21%	2%	5%	9%	8%	2%	2%	0%	2%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	2	0	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	4	1	3	3	3	0	0	1	0	1	0	1	18
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.01)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.24)
	年齢構成比(%)	0%	6%	22%	6%	17%	17%	17%	0%	0%	6%	0%	6%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	2	8	9	17	15	9	12	8	7	16	1	8	114
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.11)	(0.12)	(0.23)	(0.20)	(0.12)	(0.16)	(0.11)	(0.09)	(0.22)	(0.01)	(0.11)	(1.54)
	年齢構成比(%)	0%	2%	2%	7%	8%	15%	13%	8%	11%	7%	6%	14%	1%	7%	100%
感染性胃腸炎	報告数	3	38	80	57	68	58	46	30	19	40	21	53	9	62	584
	(定点あたり)	(0.04)	(0.51)	(1.08)	(0.77)	(0.92)	(0.78)	(0.62)	(0.41)	(0.26)	(0.54)	(0.28)	(0.72)	(0.12)	(0.84)	(7.89)
	年齢構成比(%)	1%	7%	14%	10%	12%	10%	8%	5%	3%	7%	4%	9%	2%	11%	100%
水痘	報告数	1	6	9	24	11	8	8	8	2	0	1	2	0	1	81
	(定点あたり)	(0.01)	(0.08)	(0.12)	(0.32)	(0.15)	(0.11)	(0.11)	(0.11)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(1.09)
	年齢構成比(%)	1%	7%	11%	30%	14%	10%	10%	10%	2%	0%	1%	2%	0%	1%	100%
手足口病	報告数	0	0	6	8	3	1	1	1	1	0	0	1	0	1	23
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.11)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.31)
	年齢構成比(%)	0%	0%	26%	35%	13%	4%	4%	4%	4%	0%	0%	4%	0%	4%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	8	13	2	0	0	0	0	0	0	0	0	0	0	24
	(定点あたり)	(0.01)	(0.11)	(0.18)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	4%	33%	54%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	3	2	0	0	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	50%	33%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	0	0	0	1	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	17%	33%	0%	0%	0%	17%	17%	0%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	2	0	2	0	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	13%	25%	0%	25%	0%	0%	0%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	6	9	11	8	5	8	5	4	8	0	2	69
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.08)	(0.12)	(0.15)	(0.11)	(0.07)	(0.11)	(0.07)	(0.05)	(0.11)	(0.00)	(0.03)	(0.93)
	年齢構成比(%)	0%	1%	3%	9%	13%	16%	12%	7%	12%	7%	6%	12%	0%	3%	100%
感染性胃腸炎	報告数	0	21	43	33	32	26	18	20	12	17	14	30	1	22	289
	(定点あたり)	(0.00)	(0.28)	(0.58)	(0.45)	(0.43)	(0.35)	(0.24)	(0.27)	(0.16)	(0.23)	(0.19)	(0.41)	(0.01)	(0.30)	(3.91)
	年齢構成比(%)	0%	7%	15%	11%	11%	9%	6%	7%	4%	6%	5%	10%	0%	8%	100%
水痘	報告数	0	4	2	13	6	7	6	4	0	0	1	2	0	0	45
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.18)	(0.08)	(0.09)	(0.08)	(0.05)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.61)
	年齢構成比(%)	0%	9%	4%	29%	13%	16%	13%	9%	0%	0%	2%	4%	0%	0%	100%
手足口病	報告数	0	0	2	4	1	1	0	1	0	0	0	0	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比(%)	0%	0%	20%	40%	10%	10%	0%	10%	0%	0%	0%	0%	0%	10%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	4	7	1	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.05)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	33%	58%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	0	0	1	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	25%	0%	0%	0%	0%	25%	25%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第20週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	1	1	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	50%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	0	1	3	1	0	0	1	0	0	0	1	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比(%)	0%	10%	20%	0%	10%	30%	10%	0%	0%	10%	0%	0%	0%	10%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	2	0	6	7	4	4	3	3	8	1	6	45
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.08)	(0.09)	(0.05)	(0.05)	(0.04)	(0.04)	(0.11)	(0.01)	(0.08)	(0.61)
	年齢構成比(%)	0%	2%	0%	4%	0%	13%	16%	9%	9%	7%	7%	18%	2%	13%	100%
感染性胃腸炎	報告数	3	17	37	24	36	32	28	10	7	23	7	23	8	40	295
	(定点あたり)	(0.04)	(0.23)	(0.50)	(0.32)	(0.49)	(0.43)	(0.38)	(0.14)	(0.09)	(0.31)	(0.09)	(0.31)	(0.11)	(0.54)	(3.99)
	年齢構成比(%)	1%	6%	13%	8%	12%	11%	9%	3%	2%	8%	2%	8%	3%	14%	100%
水痘	報告数	1	2	7	11	5	1	2	4	2	0	0	0	0	1	36
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.15)	(0.07)	(0.01)	(0.03)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.49)
	年齢構成比(%)	3%	6%	19%	31%	14%	3%	6%	11%	6%	0%	0%	0%	0%	3%	100%
手足口病	報告数	0	0	4	4	2	0	1	0	1	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.05)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	31%	31%	15%	0%	8%	0%	8%	0%	0%	8%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	4	6	1	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.05)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	33%	50%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。