

2013年 第21週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	9	6	11	12	12	8	19	8	4	35	8	4	13	5	4	6	1	0	165
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.05)	(0.09)	(0.10)	(0.10)	(0.07)	(0.16)	(0.07)	(0.03)	(0.29)	(0.07)	(0.03)	(0.11)	(0.04)	(0.03)	(0.05)	(0.01)	(0.00)	(1.35)
	年齢構成比(%)	0%	0%	5%	4%	7%	7%	7%	5%	12%	5%	2%	21%	5%	2%	8%	3%	2%	4%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	3	1	1	0	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	43%	14%	14%	0%	0%	14%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	4	6	8	7	5	11	3	1	18	6	1	4	2	3	4	0	0	86
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.03)	(0.05)	(0.07)	(0.06)	(0.04)	(0.09)	(0.02)	(0.01)	(0.15)	(0.05)	(0.01)	(0.03)	(0.02)	(0.02)	(0.03)	(0.00)	(0.00)	(0.70)
	年齢構成比(%)	0%	0%	3%	5%	7%	9%	8%	6%	13%	3%	1%	21%	7%	1%	5%	2%	3%	5%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	33%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	6	2	5	4	5	3	8	5	3	17	2	3	9	3	1	2	1	0	79
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.02)	(0.04)	(0.03)	(0.04)	(0.02)	(0.07)	(0.04)	(0.02)	(0.14)	(0.02)	(0.02)	(0.07)	(0.02)	(0.01)	(0.02)	(0.01)	(0.00)	(0.65)
	年齢構成比(%)	0%	0%	8%	3%	6%	5%	6%	4%	10%	6%	4%	22%	3%	4%	11%	4%	1%	3%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第21週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	4	4	0	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.01)	(0.05)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	11%	44%	44%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	4	1	4	1	3	1	0	0	0	0	1	0	17
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.01)	(0.05)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.23)
	年齢構成比(%)	0%	12%	24%	6%	24%	6%	18%	6%	0%	0%	0%	0%	6%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	2	0	3	4	10	20	13	19	11	10	10	17	1	7	127
	(定点あたり)	(0.03)	(0.00)	(0.04)	(0.05)	(0.14)	(0.27)	(0.18)	(0.26)	(0.15)	(0.14)	(0.14)	(0.23)	(0.01)	(0.09)	(1.72)
	年齢構成比(%)	2%	0%	2%	3%	8%	16%	10%	15%	9%	8%	8%	13%	1%	6%	100%
感染性胃腸炎	報告数	4	29	75	64	63	71	55	44	24	18	22	59	13	55	596
	(定点あたり)	(0.05)	(0.39)	(1.01)	(0.86)	(0.85)	(0.96)	(0.74)	(0.59)	(0.32)	(0.24)	(0.30)	(0.80)	(0.18)	(0.74)	(8.05)
	年齢構成比(%)	1%	5%	13%	11%	11%	12%	9%	7%	4%	3%	4%	10%	2%	9%	100%
水痘	報告数	1	6	14	12	9	15	7	6	4	0	1	2	0	0	77
	(定点あたり)	(0.01)	(0.08)	(0.19)	(0.16)	(0.12)	(0.20)	(0.09)	(0.08)	(0.05)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(1.04)
	年齢構成比(%)	1%	8%	18%	16%	12%	19%	9%	8%	5%	0%	1%	3%	0%	0%	100%
手足口病	報告数	1	2	9	5	4	3	0	1	0	0	0	0	0	0	25
	(定点あたり)	(0.01)	(0.03)	(0.12)	(0.07)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	4%	8%	36%	20%	16%	12%	0%	4%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	1	0	0	0	0	0	1	0	0	0	0	2	0	0	4
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発しん	報告数	1	13	16	5	0	0	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.01)	(0.18)	(0.22)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比(%)	3%	37%	46%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	5	4	0	1	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	9%	45%	36%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	3	2	0	2	0	1	0	1	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	17%	25%	17%	0%	17%	0%	8%	0%	8%	8%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第21週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	2	2	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	1	1	1	2	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	29%	14%	14%	14%	29%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	1	2	2	8	10	12	4	1	5	9	1	2	58
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.03)	(0.03)	(0.11)	(0.14)	(0.16)	(0.05)	(0.01)	(0.07)	(0.12)	(0.01)	(0.03)	(0.78)
	年齢構成比(%)	2%	0%	2%	3%	3%	14%	17%	21%	7%	2%	9%	16%	2%	3%	100%
感染性胃腸炎	報告数	2	17	46	35	32	41	30	24	14	7	11	31	6	25	321
	(定点あたり)	(0.03)	(0.23)	(0.62)	(0.47)	(0.43)	(0.55)	(0.41)	(0.32)	(0.19)	(0.09)	(0.15)	(0.42)	(0.08)	(0.34)	(4.34)
	年齢構成比(%)	1%	5%	14%	11%	10%	13%	9%	7%	4%	2%	3%	10%	2%	8%	100%
水痘	報告数	0	5	11	9	6	5	5	4	2	0	0	0	0	0	47
	(定点あたり)	(0.00)	(0.07)	(0.15)	(0.12)	(0.08)	(0.07)	(0.07)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	0%	11%	23%	19%	13%	11%	11%	9%	4%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	1	6	3	1	0	0	1	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.01)	(0.08)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	8%	46%	23%	8%	0%	0%	8%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	5	8	3	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.01)	(0.07)	(0.11)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	6%	29%	47%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	3	0	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	50%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	0	1	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	50%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第21週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	2	2	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	20%	40%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	2	0	3	0	1	1	0	0	0	0	1	0	10
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.14)
	年齢構成比(%)	0%	20%	20%	0%	30%	0%	10%	10%	0%	0%	0%	0%	10%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	0	2	2	8	12	3	7	7	9	5	8	0	5	69
	(定点あたり)	(0.01)	(0.00)	(0.03)	(0.03)	(0.11)	(0.16)	(0.04)	(0.09)	(0.09)	(0.12)	(0.07)	(0.11)	(0.00)	(0.07)	(0.93)
	年齢構成比(%)	1%	0%	3%	3%	12%	17%	4%	10%	10%	13%	7%	12%	0%	7%	100%
感染性胃腸炎	報告数	2	12	29	29	31	30	25	20	10	11	11	28	7	30	275
	(定点あたり)	(0.03)	(0.16)	(0.39)	(0.39)	(0.42)	(0.41)	(0.34)	(0.27)	(0.14)	(0.15)	(0.15)	(0.38)	(0.09)	(0.41)	(3.72)
	年齢構成比(%)	1%	4%	11%	11%	11%	11%	9%	7%	4%	4%	4%	10%	3%	11%	100%
水痘	報告数	1	1	3	3	3	10	2	2	2	0	1	2	0	0	30
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.04)	(0.04)	(0.14)	(0.03)	(0.03)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	3%	3%	10%	10%	10%	33%	7%	7%	7%	0%	3%	7%	0%	0%	100%
手足口病	報告数	0	1	3	2	3	3	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	25%	17%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	1	0	0	0	0	0	0	0	0	0	0	2	0	0	3
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	100%
突発性発しん	報告数	0	8	8	2	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.00)	(0.11)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	44%	44%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	3	1	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	20%	60%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	2	0	1	0	1	0	1	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	13%	25%	0%	13%	0%	13%	0%	13%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。