

## 2013年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	3	2	3	1	2	3	1	5	0	12	4	2	5	1	1	1	0	0	46
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.02)	(0.01)	(0.04)	(0.00)	(0.10)	(0.03)	(0.02)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	0%	7%	4%	7%	2%	4%	7%	2%	11%	0%	26%	9%	4%	11%	2%	2%	2%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	33%	0%	17%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	1	1	0	0	1	1	3	0	6	2	1	1	1	0	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.00)	(0.05)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	10%	5%	5%	0%	0%	5%	5%	14%	0%	29%	10%	5%	5%	5%	0%	5%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	1	2	1	2	2	0	2	0	6	2	1	4	0	1	0	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.02)	(0.01)	(0.02)	(0.02)	(0.00)	(0.02)	(0.00)	(0.05)	(0.02)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	0%	4%	4%	8%	4%	8%	8%	0%	8%	0%	24%	8%	4%	16%	0%	4%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	2	1	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	11	7	5	3	4	1	0	2	0	0	1	0	36
	(定点あたり)	(0.00)	(0.03)	(0.15)	(0.09)	(0.07)	(0.04)	(0.05)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.49)
	年齢構成比(%)	0%	6%	31%	19%	14%	8%	11%	3%	0%	6%	0%	0%	3%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	8	11	13	23	12	12	18	7	11	2	8	128
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.11)	(0.15)	(0.18)	(0.31)	(0.16)	(0.16)	(0.24)	(0.09)	(0.15)	(0.03)	(0.11)	(1.73)
	年齢構成比(%)	0%	0%	2%	6%	9%	10%	18%	9%	9%	14%	5%	9%	2%	6%	100%
感染性胃腸炎	報告数	5	25	49	49	42	43	29	34	25	19	22	46	8	41	437
	(定点あたり)	(0.07)	(0.34)	(0.66)	(0.66)	(0.57)	(0.58)	(0.39)	(0.46)	(0.34)	(0.26)	(0.30)	(0.62)	(0.11)	(0.55)	(5.91)
	年齢構成比(%)	1%	6%	11%	11%	10%	10%	7%	8%	6%	4%	5%	11%	2%	9%	100%
水痘	報告数	2	5	10	13	14	13	8	5	3	3	1	2	0	0	79
	(定点あたり)	(0.03)	(0.07)	(0.14)	(0.18)	(0.19)	(0.18)	(0.11)	(0.07)	(0.04)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(1.07)
	年齢構成比(%)	3%	6%	13%	16%	18%	16%	10%	6%	4%	4%	1%	3%	0%	0%	100%
手足口病	報告数	0	2	6	14	7	5	1	1	0	1	0	1	0	0	38
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.19)	(0.09)	(0.07)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.51)
	年齢構成比(%)	0%	5%	16%	37%	18%	13%	3%	3%	0%	3%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	100%
突発性発しん	報告数	0	12	13	2	0	1	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.16)	(0.18)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	43%	46%	7%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	4	4	4	0	1	0	0	0	1	0	1	0	19
	(定点あたり)	(0.00)	(0.05)	(0.05)	(0.05)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.26)
	年齢構成比(%)	0%	21%	21%	21%	21%	0%	5%	0%	0%	0%	5%	0%	5%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	0	2	1	1	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	29%	0%	29%	14%	14%	0%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	5	1	3	2	1	0	1	0	0	1	0	18
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.07)	(0.01)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.24)
	年齢構成比(%)	0%	6%	17%	28%	6%	17%	11%	6%	0%	6%	0%	0%	6%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	4	10	11	3	3	12	4	6	1	2	59
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.05)	(0.14)	(0.15)	(0.04)	(0.04)	(0.16)	(0.05)	(0.08)	(0.01)	(0.03)	(0.80)
	年齢構成比(%)	0%	0%	2%	3%	7%	17%	19%	5%	5%	20%	7%	10%	2%	3%	100%
感染性胃腸炎	報告数	2	9	27	25	26	23	15	25	16	10	12	24	4	10	228
	(定点あたり)	(0.03)	(0.12)	(0.36)	(0.34)	(0.35)	(0.31)	(0.20)	(0.34)	(0.22)	(0.14)	(0.16)	(0.32)	(0.05)	(0.14)	(3.08)
	年齢構成比(%)	1%	4%	12%	11%	11%	10%	7%	11%	7%	4%	5%	11%	2%	4%	100%
水痘	報告数	1	3	3	7	6	9	4	4	2	0	0	1	0	0	40
	(定点あたり)	(0.01)	(0.04)	(0.04)	(0.09)	(0.08)	(0.12)	(0.05)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	3%	8%	8%	18%	15%	23%	10%	10%	5%	0%	0%	3%	0%	0%	100%
手足口病	報告数	0	1	5	8	5	1	1	0	0	1	0	1	0	0	23
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.11)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	4%	22%	35%	22%	4%	4%	0%	0%	4%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	8	1	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.09)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	44%	50%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	2	3	1	0	1	0	0	0	0	0	1	0	10
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.14)
	年齢構成比(%)	0%	20%	20%	30%	10%	0%	10%	0%	0%	0%	0%	0%	10%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	2	0	1	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	25%	25%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第23週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	8	2	4	0	2	0	0	1	0	0	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.03)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	6%	44%	11%	22%	0%	11%	0%	0%	6%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	6	7	3	12	9	9	6	3	5	1	6	69
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.09)	(0.04)	(0.16)	(0.12)	(0.12)	(0.08)	(0.04)	(0.07)	(0.01)	(0.08)	(0.93)
	年齢構成比(%)	0%	0%	3%	9%	10%	4%	17%	13%	13%	9%	4%	7%	1%	9%	100%
感染性胃腸炎	報告数	3	16	22	24	16	20	14	9	9	9	10	22	4	31	209
	(定点あたり)	(0.04)	(0.22)	(0.30)	(0.32)	(0.22)	(0.27)	(0.19)	(0.12)	(0.12)	(0.12)	(0.14)	(0.30)	(0.05)	(0.42)	(2.82)
	年齢構成比(%)	1%	8%	11%	11%	8%	10%	7%	4%	4%	4%	5%	11%	2%	15%	100%
水痘	報告数	1	2	7	6	8	4	4	1	1	3	1	1	0	0	39
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.08)	(0.11)	(0.05)	(0.05)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	3%	5%	18%	15%	21%	10%	10%	3%	3%	8%	3%	3%	0%	0%	100%
手足口病	報告数	0	1	1	6	2	4	0	1	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.08)	(0.03)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	0%	7%	7%	40%	13%	27%	0%	7%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
突発性発しん	報告数	0	5	5	1	0	1	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	42%	42%	8%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	2	1	3	0	0	0	0	0	1	0	0	0	9
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	22%	22%	11%	33%	0%	0%	0%	0%	0%	11%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	0	1	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。