

## 2013年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	6	0	0	1	0	2	1	0	3	1	0	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.01)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	40%	0%	0%	7%	0%	13%	7%	0%	20%	7%	0%	7%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	2	0	0	0	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	4	0	0	1	0	2	0	0	2	1	0	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.02)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	36%	0%	0%	9%	0%	18%	0%	0%	18%	9%	0%	9%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	8	3	1	2	2	2	1	0	0	1	0	1	22
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.04)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.30)
	年齢構成比(%)	0%	5%	36%	14%	5%	9%	9%	9%	5%	0%	0%	5%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	5	7	11	13	16	14	20	8	19	1	10	125
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.09)	(0.15)	(0.18)	(0.22)	(0.19)	(0.27)	(0.11)	(0.26)	(0.01)	(0.14)	(1.69)
	年齢構成比(%)	0%	0%	1%	4%	6%	9%	10%	13%	11%	16%	6%	15%	1%	8%	100%
感染性胃腸炎	報告数	9	27	45	58	29	41	33	21	25	20	16	33	8	35	400
	(定点あたり)	(0.12)	(0.36)	(0.61)	(0.78)	(0.39)	(0.55)	(0.45)	(0.28)	(0.34)	(0.27)	(0.22)	(0.45)	(0.11)	(0.47)	(5.41)
	年齢構成比(%)	2%	7%	11%	15%	7%	10%	8%	5%	6%	5%	4%	8%	2%	9%	100%
水痘	報告数	2	4	20	18	18	12	13	6	2	1	2	1	0	0	99
	(定点あたり)	(0.03)	(0.05)	(0.27)	(0.24)	(0.24)	(0.16)	(0.18)	(0.08)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(1.34)
	年齢構成比(%)	2%	4%	20%	18%	18%	12%	13%	6%	2%	1%	2%	1%	0%	0%	100%
手足口病	報告数	0	2	9	8	4	1	1	0	0	1	1	0	0	0	27
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.11)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	7%	33%	30%	15%	4%	4%	0%	0%	4%	4%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	8	20	2	2	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.11)	(0.27)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比(%)	0%	25%	63%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	10	6	1	1	0	2	0	0	0	1	0	0	25
	(定点あたり)	(0.00)	(0.05)	(0.14)	(0.08)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	0%	16%	40%	24%	4%	4%	0%	8%	0%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	2	1	1	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	13%	25%	0%	25%	13%	13%	0%	0%	0%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	4	3	1	0	2	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	40%	30%	10%	0%	20%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	4	3	7	4	11	5	9	4	9	1	2	59
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.04)	(0.09)	(0.05)	(0.15)	(0.07)	(0.12)	(0.05)	(0.12)	(0.01)	(0.03)	(0.80)
	年齢構成比(%)	0%	0%	0%	7%	5%	12%	7%	19%	8%	15%	7%	15%	2%	3%	100%
感染性胃腸炎	報告数	3	14	24	30	16	28	18	12	14	13	9	22	4	12	219
	(定点あたり)	(0.04)	(0.19)	(0.32)	(0.41)	(0.22)	(0.38)	(0.24)	(0.16)	(0.19)	(0.18)	(0.12)	(0.30)	(0.05)	(0.16)	(2.96)
	年齢構成比(%)	1%	6%	11%	14%	7%	13%	8%	5%	6%	6%	4%	10%	2%	5%	100%
水痘	報告数	2	1	10	7	10	5	10	3	2	1	0	1	0	0	52
	(定点あたり)	(0.03)	(0.01)	(0.14)	(0.09)	(0.14)	(0.07)	(0.14)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.70)
	年齢構成比(%)	4%	2%	19%	13%	19%	10%	19%	6%	4%	2%	0%	2%	0%	0%	100%
手足口病	報告数	0	2	4	6	1	0	0	0	0	0	1	0	0	0	14
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	14%	29%	43%	7%	0%	0%	0%	0%	0%	7%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	9	0	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	23%	69%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	7	2	0	0	0	1	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	23%	54%	15%	0%	0%	0%	8%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	0	1	0	1	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	20%	20%	0%	20%	0%	20%	0%	0%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第24週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	4	0	0	2	0	2	1	0	0	1	0	1	12
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.16)
	年齢構成比(%)	0%	8%	33%	0%	0%	17%	0%	17%	8%	0%	0%	8%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	4	4	9	5	9	11	4	10	0	8	66
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.05)	(0.12)	(0.07)	(0.12)	(0.15)	(0.05)	(0.14)	(0.00)	(0.11)	(0.89)
	年齢構成比(%)	0%	0%	2%	2%	6%	6%	14%	8%	14%	17%	6%	15%	0%	12%	100%
感染性胃腸炎	報告数	6	13	21	28	13	13	15	9	11	7	7	11	4	23	181
	(定点あたり)	(0.08)	(0.18)	(0.28)	(0.38)	(0.18)	(0.18)	(0.20)	(0.12)	(0.15)	(0.09)	(0.09)	(0.15)	(0.05)	(0.31)	(2.45)
	年齢構成比(%)	3%	7%	12%	15%	7%	7%	8%	5%	6%	4%	4%	6%	2%	13%	100%
水痘	報告数	0	3	10	11	8	7	3	3	0	0	2	0	0	0	47
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.15)	(0.11)	(0.09)	(0.04)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	0%	6%	21%	23%	17%	15%	6%	6%	0%	0%	4%	0%	0%	0%	100%
手足口病	報告数	0	0	5	2	3	1	1	0	0	1	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	38%	15%	23%	8%	8%	0%	0%	8%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	11	2	1	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.07)	(0.15)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	26%	58%	11%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	3	4	1	1	0	1	0	0	0	1	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	8%	25%	33%	8%	8%	0%	8%	0%	0%	0%	8%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。