

## 2013年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2	0	0	3	1	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.12)	(0.00)	(0.00)	(0.18)	(0.06)	(0.00)	(0.47)
	年齢構成比(%)	0%	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%	13%	25%	0%	0%	38%	13%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	50%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	0%	0%	25%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	3	5	6	2	1	1	3	1	1	0	2	30
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.07)	(0.09)	(0.03)	(0.01)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.03)	(0.43)
	年齢構成比(%)	0%	0%	17%	10%	17%	20%	7%	3%	3%	10%	3%	3%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	4	6	4	19	5	3	8	5	11	5	4	74
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.09)	(0.06)	(0.27)	(0.07)	(0.04)	(0.11)	(0.07)	(0.16)	(0.07)	(0.06)	(1.06)
	年齢構成比(%)	0%	0%	0%	5%	8%	5%	26%	7%	4%	11%	7%	15%	7%	5%	100%
感染性胃腸炎	報告数	2	16	29	25	17	26	20	8	13	9	13	18	3	31	230
	(定点あたり)	(0.03)	(0.23)	(0.41)	(0.36)	(0.24)	(0.37)	(0.29)	(0.11)	(0.19)	(0.13)	(0.19)	(0.26)	(0.04)	(0.44)	(3.29)
	年齢構成比(%)	1%	7%	13%	11%	7%	11%	9%	3%	6%	4%	6%	8%	1%	13%	100%
水痘	報告数	0	2	5	7	10	8	8	5	1	0	0	1	1	0	48
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.10)	(0.14)	(0.11)	(0.11)	(0.07)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.69)
	年齢構成比(%)	0%	4%	10%	15%	21%	17%	17%	10%	2%	0%	0%	2%	2%	0%	100%
手足口病	報告数	1	22	62	74	33	26	10	10	8	2	2	3	0	3	256
	(定点あたり)	(0.01)	(0.31)	(0.89)	(1.06)	(0.47)	(0.37)	(0.14)	(0.14)	(0.11)	(0.03)	(0.03)	(0.04)	(0.00)	(0.04)	(3.66)
	年齢構成比(%)	0%	9%	24%	29%	13%	10%	4%	4%	3%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	12	13	5	0	1	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.17)	(0.19)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比(%)	0%	39%	42%	16%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	6	34	76	61	39	21	16	5	4	4	2	1	0	3	272
	(定点あたり)	(0.09)	(0.49)	(1.09)	(0.87)	(0.56)	(0.30)	(0.23)	(0.07)	(0.06)	(0.06)	(0.03)	(0.01)	(0.00)	(0.04)	(3.89)
	年齢構成比(%)	2%	13%	28%	22%	14%	8%	6%	2%	1%	1%	1%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	3	1	0	0	0	0	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	17%	0%	0%	50%	17%	0%	0%	0%	0%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	4	1	0	1	1	1	1	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.06)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	17%	0%	33%	8%	0%	8%	8%	8%	8%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	4	0	9	2	1	4	2	4	1	1	31
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.06)	(0.00)	(0.13)	(0.03)	(0.01)	(0.06)	(0.03)	(0.06)	(0.01)	(0.01)	(0.44)
	年齢構成比(%)	0%	0%	0%	10%	13%	0%	29%	6%	3%	13%	6%	13%	3%	3%	100%
感染性胃腸炎	報告数	0	7	12	11	8	17	8	7	5	6	8	11	1	16	117
	(定点あたり)	(0.00)	(0.10)	(0.17)	(0.16)	(0.11)	(0.24)	(0.11)	(0.10)	(0.07)	(0.09)	(0.11)	(0.16)	(0.01)	(0.23)	(1.67)
	年齢構成比(%)	0%	6%	10%	9%	7%	15%	7%	6%	4%	5%	7%	9%	1%	14%	100%
水痘	報告数	0	2	2	2	4	4	4	3	1	0	0	0	0	0	22
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.03)	(0.06)	(0.06)	(0.06)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	9%	9%	9%	18%	18%	18%	14%	5%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	13	30	43	16	16	8	7	5	1	1	1	0	2	143
	(定点あたり)	(0.00)	(0.19)	(0.43)	(0.61)	(0.23)	(0.23)	(0.11)	(0.10)	(0.07)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(2.04)
	年齢構成比(%)	0%	9%	21%	30%	11%	11%	6%	5%	3%	1%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	6	3	0	1	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	33%	40%	20%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	14	42	31	23	12	8	3	2	1	1	1	0	3	142
	(定点あたり)	(0.01)	(0.20)	(0.60)	(0.44)	(0.33)	(0.17)	(0.11)	(0.04)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.04)	(2.03)
	年齢構成比(%)	1%	10%	30%	22%	16%	8%	6%	2%	1%	1%	1%	1%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	1	1	0	0	0	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	25%	0%	0%	25%	25%	0%	0%	0%	0%	25%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	3	3	1	5	2	0	0	2	0	0	0	2	18
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.01)	(0.07)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.26)
	年齢構成比(%)	0%	0%	17%	17%	6%	28%	11%	0%	0%	11%	0%	0%	0%	11%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	2	4	10	3	2	4	3	7	4	3	43
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.06)	(0.14)	(0.04)	(0.03)	(0.06)	(0.04)	(0.10)	(0.06)	(0.04)	(0.61)
	年齢構成比(%)	0%	0%	0%	2%	5%	9%	23%	7%	5%	9%	7%	16%	9%	7%	100%
感染性胃腸炎	報告数	2	9	17	14	9	9	12	1	8	3	5	7	2	15	113
	(定点あたり)	(0.03)	(0.13)	(0.24)	(0.20)	(0.13)	(0.13)	(0.17)	(0.01)	(0.11)	(0.04)	(0.07)	(0.10)	(0.03)	(0.21)	(1.61)
	年齢構成比(%)	2%	8%	15%	12%	8%	8%	11%	1%	7%	3%	4%	6%	2%	13%	100%
水痘	報告数	0	0	3	5	6	4	4	2	0	0	0	1	1	0	26
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.07)	(0.09)	(0.06)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.37)
	年齢構成比(%)	0%	0%	12%	19%	23%	15%	15%	8%	0%	0%	0%	4%	4%	0%	100%
手足口病	報告数	1	9	32	31	17	10	2	3	3	1	1	2	0	1	113
	(定点あたり)	(0.01)	(0.13)	(0.46)	(0.44)	(0.24)	(0.14)	(0.03)	(0.04)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(1.61)
	年齢構成比(%)	1%	8%	28%	27%	15%	9%	2%	3%	3%	1%	1%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	7	7	2	0	0	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.10)	(0.10)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	44%	44%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	5	20	34	30	16	9	8	2	2	3	1	0	0	0	130
	(定点あたり)	(0.07)	(0.29)	(0.49)	(0.43)	(0.23)	(0.13)	(0.11)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(1.86)
	年齢構成比(%)	4%	15%	26%	23%	12%	7%	6%	2%	2%	2%	1%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。