

2013年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	1	1	1	1	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)
	年齢構成比(%)	0%	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	38%	13%	13%	13%	13%	0%	0%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	1	1	1	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	17%	17%	17%	0%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	6	4	5	4	3	1	0	2	0	0	0	0	27
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.06)	(0.07)	(0.06)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.38)
	年齢構成比(%)	0%	7%	22%	15%	19%	15%	11%	4%	0%	7%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	6	4	5	3	9	3	3	0	5	0	4	43
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.08)	(0.06)	(0.07)	(0.04)	(0.13)	(0.04)	(0.04)	(0.00)	(0.07)	(0.00)	(0.06)	(0.60)
	年齢構成比(%)	0%	0%	2%	14%	9%	12%	7%	21%	7%	7%	0%	12%	0%	9%	100%
感染性胃腸炎	報告数	3	9	18	16	15	18	16	10	8	9	7	14	7	22	172
	(定点あたり)	(0.04)	(0.13)	(0.25)	(0.22)	(0.21)	(0.25)	(0.22)	(0.14)	(0.11)	(0.13)	(0.10)	(0.19)	(0.10)	(0.31)	(2.39)
	年齢構成比(%)	2%	5%	10%	9%	9%	10%	9%	6%	5%	5%	4%	8%	4%	13%	100%
水痘	報告数	0	1	4	6	8	8	7	5	0	1	1	1	0	0	42
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.08)	(0.11)	(0.11)	(0.10)	(0.07)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	0%	2%	10%	14%	19%	19%	17%	12%	0%	2%	2%	2%	0%	0%	100%
手足口病	報告数	5	16	67	51	21	31	10	6	3	1	0	5	1	4	221
	(定点あたり)	(0.07)	(0.22)	(0.93)	(0.71)	(0.29)	(0.43)	(0.14)	(0.08)	(0.04)	(0.01)	(0.00)	(0.07)	(0.01)	(0.06)	(3.07)
	年齢構成比(%)	2%	7%	30%	23%	10%	14%	5%	3%	1%	0%	0%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	2	12	9	1	1	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.03)	(0.17)	(0.13)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	8%	48%	36%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	4	17	39	26	33	20	13	6	6	4	0	4	0	3	175
	(定点あたり)	(0.06)	(0.24)	(0.54)	(0.36)	(0.46)	(0.28)	(0.18)	(0.08)	(0.08)	(0.06)	(0.00)	(0.06)	(0.00)	(0.04)	(2.43)
	年齢構成比(%)	2%	10%	22%	15%	19%	11%	7%	3%	3%	2%	0%	2%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	2	0	0	0	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	33%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	33%	33%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	4	4	2	1	0	1	0	0	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.04)	(0.06)	(0.06)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	0%	21%	16%	21%	21%	11%	5%	0%	5%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	2	2	2	3	2	1	0	5	0	2	23
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.07)	(0.00)	(0.03)	(0.32)
	年齢構成比(%)	0%	0%	4%	13%	9%	9%	9%	13%	9%	4%	0%	22%	0%	9%	100%
感染性胃腸炎	報告数	1	6	10	8	10	15	9	6	3	6	4	11	4	12	105
	(定点あたり)	(0.01)	(0.08)	(0.14)	(0.11)	(0.14)	(0.21)	(0.13)	(0.08)	(0.04)	(0.08)	(0.06)	(0.15)	(0.06)	(0.17)	(1.46)
	年齢構成比(%)	1%	6%	10%	8%	10%	14%	9%	6%	3%	6%	4%	10%	4%	11%	100%
水痘	報告数	0	1	2	3	4	5	4	2	0	1	1	0	0	0	23
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.06)	(0.07)	(0.06)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	4%	9%	13%	17%	22%	17%	9%	0%	4%	4%	0%	0%	0%	100%
手足口病	報告数	4	9	38	32	12	12	6	1	3	1	0	2	0	1	121
	(定点あたり)	(0.06)	(0.13)	(0.53)	(0.44)	(0.17)	(0.17)	(0.08)	(0.01)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(1.68)
	年齢構成比(%)	3%	7%	31%	26%	10%	10%	5%	1%	2%	1%	0%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	6	1	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	43%	43%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	7	19	14	19	11	6	2	3	2	0	1	0	0	85
	(定点あたり)	(0.01)	(0.10)	(0.26)	(0.19)	(0.26)	(0.15)	(0.08)	(0.03)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(1.18)
	年齢構成比(%)	1%	8%	22%	16%	22%	13%	7%	2%	4%	2%	0%	1%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	2	1	1	0	1	0	0	1	0	0	0	0	8
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	25%	25%	13%	13%	0%	13%	0%	0%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	2	3	1	6	1	2	0	0	0	2	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.01)	(0.08)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.28)
	年齢構成比(%)	0%	0%	0%	15%	10%	15%	5%	30%	5%	10%	0%	0%	0%	10%	100%
感染性胃腸炎	報告数	2	3	8	8	5	3	7	4	5	3	3	3	3	10	67
	(定点あたり)	(0.03)	(0.04)	(0.11)	(0.11)	(0.07)	(0.04)	(0.10)	(0.06)	(0.07)	(0.04)	(0.04)	(0.04)	(0.04)	(0.14)	(0.93)
	年齢構成比(%)	3%	4%	12%	12%	7%	4%	10%	6%	7%	4%	4%	4%	4%	15%	100%
水痘	報告数	0	0	2	3	4	3	3	3	0	0	0	1	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.06)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	0%	11%	16%	21%	16%	16%	16%	0%	0%	0%	5%	0%	0%	100%
手足口病	報告数	1	7	29	19	9	19	4	5	0	0	0	3	1	3	100
	(定点あたり)	(0.01)	(0.10)	(0.40)	(0.26)	(0.13)	(0.26)	(0.06)	(0.07)	(0.00)	(0.00)	(0.00)	(0.04)	(0.01)	(0.04)	(1.39)
	年齢構成比(%)	1%	7%	29%	19%	9%	19%	4%	5%	0%	0%	0%	3%	1%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	2	6	3	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.03)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	18%	55%	27%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	3	10	20	12	14	9	7	4	3	2	0	3	0	3	90
	(定点あたり)	(0.04)	(0.14)	(0.28)	(0.17)	(0.19)	(0.13)	(0.10)	(0.06)	(0.04)	(0.03)	(0.00)	(0.04)	(0.00)	(0.04)	(1.25)
	年齢構成比(%)	3%	11%	22%	13%	16%	10%	8%	4%	3%	2%	0%	3%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。