

2013年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	3	0	1	2	2	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.06)	(0.11)	(0.11)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	30%	0%	10%	20%	20%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	25%	25%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	1	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	17%	0%	17%	17%	17%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	3	6	2	3	5	2	3	2	0	1	0	0	28
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.08)	(0.03)	(0.04)	(0.07)	(0.03)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	4%	11%	21%	7%	11%	18%	7%	11%	7%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	9	5	6	5	11	7	3	0	6	1	2	60
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.13)	(0.07)	(0.08)	(0.07)	(0.15)	(0.10)	(0.04)	(0.00)	(0.08)	(0.01)	(0.03)	(0.85)
	年齢構成比(%)	0%	0%	8%	15%	8%	10%	8%	18%	12%	5%	0%	10%	2%	3%	100%
感染性胃腸炎	報告数	2	12	27	19	13	12	8	9	6	3	3	8	0	18	140
	(定点あたり)	(0.03)	(0.17)	(0.38)	(0.27)	(0.18)	(0.17)	(0.11)	(0.13)	(0.08)	(0.04)	(0.04)	(0.11)	(0.00)	(0.25)	(1.97)
	年齢構成比(%)	1%	9%	19%	14%	9%	9%	6%	6%	4%	2%	2%	6%	0%	13%	100%
水痘	報告数	0	0	3	5	6	11	6	4	1	1	0	1	0	0	38
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.07)	(0.08)	(0.15)	(0.08)	(0.06)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	0%	0%	8%	13%	16%	29%	16%	11%	3%	3%	0%	3%	0%	0%	100%
手足口病	報告数	2	23	90	78	32	19	18	8	7	5	2	5	1	3	293
	(定点あたり)	(0.03)	(0.32)	(1.27)	(1.10)	(0.45)	(0.27)	(0.25)	(0.11)	(0.10)	(0.07)	(0.03)	(0.07)	(0.01)	(0.04)	(4.13)
	年齢構成比(%)	1%	8%	31%	27%	11%	6%	6%	3%	2%	2%	1%	2%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	11	11	2	0	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.01)	(0.15)	(0.15)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	4%	44%	44%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	4	25	52	57	36	18	16	5	5	2	1	2	0	3	226
	(定点あたり)	(0.06)	(0.35)	(0.73)	(0.80)	(0.51)	(0.25)	(0.23)	(0.07)	(0.07)	(0.03)	(0.01)	(0.03)	(0.00)	(0.04)	(3.18)
	年齢構成比(%)	2%	11%	23%	25%	16%	8%	7%	2%	2%	1%	0%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	2	2	0	1	1	1	1	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	9%	9%	9%	18%	18%	0%	9%	9%	9%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	1	4	1	3	2	0	1	2	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.06)	(0.01)	(0.04)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	0%	7%	7%	27%	7%	20%	13%	0%	7%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	7	4	4	3	7	5	2	0	4	1	1	40
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.10)	(0.06)	(0.06)	(0.04)	(0.10)	(0.07)	(0.03)	(0.00)	(0.06)	(0.01)	(0.01)	(0.56)
	年齢構成比(%)	0%	0%	5%	18%	10%	10%	8%	18%	13%	5%	0%	10%	3%	3%	100%
感染性胃腸炎	報告数	2	5	14	10	3	6	3	7	2	3	3	5	0	9	72
	(定点あたり)	(0.03)	(0.07)	(0.20)	(0.14)	(0.04)	(0.08)	(0.04)	(0.10)	(0.03)	(0.04)	(0.04)	(0.07)	(0.00)	(0.13)	(1.01)
	年齢構成比(%)	3%	7%	19%	14%	4%	8%	4%	10%	3%	4%	4%	7%	0%	13%	100%
水痘	報告数	0	0	2	3	4	9	3	2	0	1	0	1	0	0	25
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.06)	(0.13)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	0%	8%	12%	16%	36%	12%	8%	0%	4%	0%	4%	0%	0%	100%
手足口病	報告数	0	10	51	41	16	10	9	3	4	5	1	2	0	2	154
	(定点あたり)	(0.00)	(0.14)	(0.72)	(0.58)	(0.23)	(0.14)	(0.13)	(0.04)	(0.06)	(0.07)	(0.01)	(0.03)	(0.00)	(0.03)	(2.17)
	年齢構成比(%)	0%	6%	33%	27%	10%	6%	6%	2%	3%	3%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	5	2	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	30%	50%	20%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	11	29	28	19	9	5	5	3	0	0	0	0	1	112
	(定点あたり)	(0.03)	(0.15)	(0.41)	(0.39)	(0.27)	(0.13)	(0.07)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(1.58)
	年齢構成比(%)	2%	10%	26%	25%	17%	8%	4%	4%	3%	0%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	0	2	0	1	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	14%	14%	14%	0%	29%	0%	14%	0%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	2	2	1	0	3	2	2	0	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	15%	15%	8%	0%	23%	15%	15%	0%	0%	8%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	2	1	2	2	4	2	1	0	2	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.03)	(0.03)	(0.06)	(0.03)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.28)
	年齢構成比(%)	0%	0%	15%	10%	5%	10%	10%	20%	10%	5%	0%	10%	0%	5%	100%
感染性胃腸炎	報告数	0	7	13	9	10	6	5	2	4	0	0	3	0	9	68
	(定点あたり)	(0.00)	(0.10)	(0.18)	(0.13)	(0.14)	(0.08)	(0.07)	(0.03)	(0.06)	(0.00)	(0.00)	(0.04)	(0.00)	(0.13)	(0.96)
	年齢構成比(%)	0%	10%	19%	13%	15%	9%	7%	3%	6%	0%	0%	4%	0%	13%	100%
水痘	報告数	0	0	1	2	2	2	3	2	1	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	8%	15%	15%	15%	23%	15%	8%	0%	0%	0%	0%	0%	100%
手足口病	報告数	2	13	39	37	16	9	9	5	3	0	1	3	1	1	139
	(定点あたり)	(0.03)	(0.18)	(0.55)	(0.52)	(0.23)	(0.13)	(0.13)	(0.07)	(0.04)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(1.96)
	年齢構成比(%)	1%	9%	28%	27%	12%	6%	6%	4%	2%	0%	1%	2%	1%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	8	6	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.11)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比(%)	7%	53%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	2	14	23	29	17	9	11	0	2	2	1	2	0	2	114
	(定点あたり)	(0.03)	(0.20)	(0.32)	(0.41)	(0.24)	(0.13)	(0.15)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.03)	(1.61)
	年齢構成比(%)	2%	12%	20%	25%	15%	8%	10%	0%	2%	2%	1%	2%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	2	0	0	0	1	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	50%	0%	0%	0%	25%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。