

2013年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	4	1	3	2	2	0	0	0	0	0	2	1	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.22)	(0.06)	(0.17)	(0.11)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.83)
	年齢構成比(%)	0%	0%	0%	27%	7%	20%	13%	13%	0%	0%	0%	0%	0%	13%	7%	0%	0%	0%	0%	0%	0%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	0	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	0%	0%	0%	33%	0%	33%	0%	17%	0%	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	2	1	1	2	1	0	0	0	0	0	2	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.06)	(0.11)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	22%	11%	11%	22%	11%	0%	0%	0%	0%	0%	22%	0%	0%	0%	0%	0%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	7	10	2	2	1	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.05)	(0.10)	(0.14)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	15%	27%	38%	8%	8%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	2	1	1	1	1	1	0	0	1	0	0	14
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	7%	36%	14%	7%	7%	7%	7%	7%	0%	0%	7%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	2	1	0	4	2	4	1	1	4	5	25
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.05)	(0.03)	(0.05)	(0.01)	(0.01)	(0.05)	(0.07)	(0.34)
	年齢構成比(%)	0%	0%	4%	0%	8%	4%	0%	16%	8%	16%	4%	4%	16%	20%	100%
感染性胃腸炎	報告数	0	10	25	21	12	12	5	4	8	7	5	16	3	22	150
	(定点あたり)	(0.00)	(0.14)	(0.34)	(0.29)	(0.16)	(0.16)	(0.07)	(0.05)	(0.11)	(0.10)	(0.07)	(0.22)	(0.04)	(0.30)	(2.05)
	年齢構成比(%)	0%	7%	17%	14%	8%	8%	3%	3%	5%	5%	3%	11%	2%	15%	100%
水痘	報告数	0	3	13	9	5	6	5	1	0	0	0	0	0	0	42
	(定点あたり)	(0.00)	(0.04)	(0.18)	(0.12)	(0.07)	(0.08)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	0%	7%	31%	21%	12%	14%	12%	2%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	3	24	131	70	41	16	12	4	3	0	2	2	0	4	312
	(定点あたり)	(0.04)	(0.33)	(1.79)	(0.96)	(0.56)	(0.22)	(0.16)	(0.05)	(0.04)	(0.00)	(0.03)	(0.03)	(0.00)	(0.05)	(4.27)
	年齢構成比(%)	1%	8%	42%	22%	13%	5%	4%	1%	1%	0%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	13	15	2	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.01)	(0.18)	(0.21)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	3%	42%	48%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	5	7	7	12	5	2	1	0	0	0	0	1	0	40
	(定点あたり)	(0.00)	(0.07)	(0.10)	(0.10)	(0.16)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.55)
	年齢構成比(%)	0%	13%	18%	18%	30%	13%	5%	3%	0%	0%	0%	0%	3%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	1	2	1	0	1	0	2	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	0%	10%	20%	10%	20%	10%	0%	10%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	4	5	0	2	1	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.05)	(0.07)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	31%	38%	0%	15%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	2	1	1	0	0	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	11%	33%	22%	11%	11%	0%	0%	11%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	2	1	0	2	1	1	0	1	3	2	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.04)	(0.03)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	15%	8%	0%	15%	8%	8%	0%	8%	23%	15%	100%
感染性胃腸炎	報告数	0	7	14	12	5	7	2	2	5	5	3	10	3	10	85
	(定点あたり)	(0.00)	(0.10)	(0.19)	(0.16)	(0.07)	(0.10)	(0.03)	(0.03)	(0.07)	(0.07)	(0.04)	(0.14)	(0.04)	(0.14)	(1.16)
	年齢構成比(%)	0%	8%	16%	14%	6%	8%	2%	2%	6%	6%	4%	12%	4%	12%	100%
水痘	報告数	0	2	4	8	2	3	2	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.11)	(0.03)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	10%	19%	38%	10%	14%	10%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	2	13	79	36	27	7	9	1	1	0	1	2	0	1	179
	(定点あたり)	(0.03)	(0.18)	(1.08)	(0.49)	(0.37)	(0.10)	(0.12)	(0.01)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(2.45)
	年齢構成比(%)	1%	7%	44%	20%	15%	4%	5%	1%	1%	0%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	2	9	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.01)	(0.03)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	17%	75%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	3	4	4	10	3	1	1	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.05)	(0.14)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比(%)	0%	12%	15%	15%	38%	12%	4%	4%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	0	1	0	0	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	25%	25%	0%	25%	0%	0%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第36週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	3	5	2	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.04)	(0.04)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	23%	23%	38%	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	0	0	1	1	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	40%	0%	0%	0%	20%	20%	0%	0%	0%	20%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	0	0	0	0	2	1	3	1	0	1	3	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.04)	(0.01)	(0.00)	(0.01)	(0.04)	(0.16)
	年齢構成比(%)	0%	0%	8%	0%	0%	0%	0%	17%	8%	25%	8%	0%	8%	25%	100%
感染性胃腸炎	報告数	0	3	11	9	7	5	3	2	3	2	2	6	0	12	65
	(定点あたり)	(0.00)	(0.04)	(0.15)	(0.12)	(0.10)	(0.07)	(0.04)	(0.03)	(0.04)	(0.03)	(0.03)	(0.08)	(0.00)	(0.16)	(0.89)
	年齢構成比(%)	0%	5%	17%	14%	11%	8%	5%	3%	5%	3%	3%	9%	0%	18%	100%
水痘	報告数	0	1	9	1	3	3	3	1	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.01)	(0.12)	(0.01)	(0.04)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	0%	5%	43%	5%	14%	14%	14%	5%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	11	52	34	14	9	3	3	2	0	1	0	0	3	133
	(定点あたり)	(0.01)	(0.15)	(0.71)	(0.47)	(0.19)	(0.12)	(0.04)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(1.82)
	年齢構成比(%)	1%	8%	39%	26%	11%	7%	2%	2%	2%	0%	1%	0%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	11	6	2	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.15)	(0.08)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	58%	32%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	2	3	3	2	2	1	0	0	0	0	0	1	0	14
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.19)
	年齢構成比(%)	0%	14%	21%	21%	14%	14%	7%	0%	0%	0%	0%	0%	7%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	1	1	1	0	0	0	2	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	0%	0%	17%	17%	17%	17%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。