

## 2013年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	3	1	2	0	1	1	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.17)	(0.06)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.50)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%	0%	33%	11%	22%	0%	11%	11%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	25%	0%	25%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	20%	20%	20%	0%	0%	20%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	13	11	16	4	0	2	0	0	0	0	0	0	0	0	46
	(定点あたり)	(0.18)	(0.15)	(0.22)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.62)
	年齢構成比(%)	28%	24%	35%	9%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	3	1	4	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	33%	25%	8%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	0	0	2	1	7	3	2	1	3	0	5	25
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.09)	(0.04)	(0.03)	(0.01)	(0.04)	(0.00)	(0.07)	(0.34)
	年齢構成比(%)	0%	4%	0%	0%	0%	8%	4%	28%	12%	8%	4%	12%	0%	20%	100%
感染性胃腸炎	報告数	2	8	24	8	9	9	4	10	7	3	4	13	2	22	125
	(定点あたり)	(0.03)	(0.11)	(0.32)	(0.11)	(0.12)	(0.12)	(0.05)	(0.14)	(0.09)	(0.04)	(0.05)	(0.18)	(0.03)	(0.30)	(1.69)
	年齢構成比(%)	2%	6%	19%	6%	7%	7%	3%	8%	6%	2%	3%	10%	2%	18%	100%
水痘	報告数	0	0	8	7	5	6	5	1	1	2	0	1	0	0	36
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.09)	(0.07)	(0.08)	(0.07)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	0%	0%	22%	19%	14%	17%	14%	3%	3%	6%	0%	3%	0%	0%	100%
手足口病	報告数	3	17	39	24	18	18	3	2	3	1	0	5	1	0	134
	(定点あたり)	(0.04)	(0.23)	(0.53)	(0.32)	(0.24)	(0.24)	(0.04)	(0.03)	(0.04)	(0.01)	(0.00)	(0.07)	(0.01)	(0.00)	(1.81)
	年齢構成比(%)	2%	13%	29%	18%	13%	13%	2%	1%	2%	1%	0%	4%	1%	0%	100%
伝染性紅斑	報告数	0	3	1	1	1	1	0	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	38%	13%	13%	13%	13%	0%	13%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	14	16	1	2	0	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.00)	(0.19)	(0.22)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比(%)	0%	42%	48%	3%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	3	4	0	1	2	0	0	0	1	0	0	0	12
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.05)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	8%	0%	25%	33%	0%	8%	17%	0%	0%	0%	8%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	5	0	1	0	0	1	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	0%	0%	10%	0%	20%	50%	0%	10%	0%	0%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	7	7	12	4	0	1	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.09)	(0.09)	(0.16)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	23%	23%	39%	13%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	1	3	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	17%	17%	17%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	0	0	2	0	5	2	1	0	1	0	3	15
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.07)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.04)	(0.20)
	年齢構成比(%)	0%	7%	0%	0%	0%	13%	0%	33%	13%	7%	0%	7%	0%	20%	100%
感染性胃腸炎	報告数	2	5	14	6	4	8	4	4	3	3	2	8	2	11	76
	(定点あたり)	(0.03)	(0.07)	(0.19)	(0.08)	(0.05)	(0.11)	(0.05)	(0.05)	(0.04)	(0.04)	(0.03)	(0.11)	(0.03)	(0.15)	(1.03)
	年齢構成比(%)	3%	7%	18%	8%	5%	11%	5%	5%	4%	4%	3%	11%	3%	14%	100%
水痘	報告数	0	0	4	1	3	4	1	1	1	1	0	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	25%	6%	19%	25%	6%	6%	6%	6%	0%	0%	0%	0%	100%
手足口病	報告数	2	9	16	13	10	13	2	0	1	1	0	4	0	0	71
	(定点あたり)	(0.03)	(0.12)	(0.22)	(0.18)	(0.14)	(0.18)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.05)	(0.00)	(0.00)	(0.96)
	年齢構成比(%)	3%	13%	23%	18%	14%	18%	3%	0%	1%	1%	0%	6%	0%	0%	100%
伝染性紅斑	報告数	0	2	1	1	0	1	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	17%	17%	0%	17%	0%	17%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	9	8	1	1	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.12)	(0.11)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	47%	42%	5%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	2	0	1	2	0	0	0	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	25%	25%	0%	13%	25%	0%	0%	0%	13%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	2	0	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	0%	20%	40%	0%	20%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	4	4	0	0	1	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.08)	(0.05)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比(%)	40%	27%	27%	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	0	1	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	50%	33%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	0	0	1	2	1	1	1	2	0	2	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.14)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	10%	20%	10%	10%	10%	20%	0%	20%	100%
感染性胃腸炎	報告数	0	3	10	2	5	1	0	6	4	0	2	5	0	11	49
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.03)	(0.07)	(0.01)	(0.00)	(0.08)	(0.05)	(0.00)	(0.03)	(0.07)	(0.00)	(0.15)	(0.66)
	年齢構成比(%)	0%	6%	20%	4%	10%	2%	0%	12%	8%	0%	4%	10%	0%	22%	100%
水痘	報告数	0	0	4	6	2	2	4	0	0	1	0	1	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.08)	(0.03)	(0.03)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	0%	20%	30%	10%	10%	20%	0%	0%	5%	0%	5%	0%	0%	100%
手足口病	報告数	1	8	23	11	8	5	1	2	2	0	0	1	1	0	63
	(定点あたり)	(0.01)	(0.11)	(0.31)	(0.15)	(0.11)	(0.07)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.85)
	年齢構成比(%)	2%	13%	37%	17%	13%	8%	2%	3%	3%	0%	0%	2%	2%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	0	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	36%	57%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	1	2	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	25%	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	3	0	0	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	60%	0%	0%	0%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。