

2013年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	2	0	1	1	0	2	1	0	1	1	1	1	1	0	0	0	0	14
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.11)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.78)
	年齢構成比(%)	0%	7%	7%	14%	0%	7%	7%	0%	14%	7%	0%	7%	7%	7%	7%	7%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	1	1	0	1	1	0	1	0	1	1	1	0	0	0	0	9
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	11%	0%	0%	0%	11%	11%	0%	11%	11%	0%	11%	0%	11%	11%	11%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	1	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	20%	40%	0%	0%	0%	0%	20%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	5	10	20	10	3	0	0	0	0	0	0	0	0	0	48
	(定点あたり)	(0.07)	(0.13)	(0.27)	(0.13)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	10%	21%	42%	21%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	2	3	1	0	1	0	0	1	0	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	0%	18%	18%	27%	9%	0%	9%	0%	0%	9%	0%	0%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	2	8	9	7	4	3	2	4	1	5	47
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.11)	(0.12)	(0.09)	(0.05)	(0.04)	(0.03)	(0.05)	(0.01)	(0.07)	(0.63)
	年齢構成比(%)	0%	0%	0%	4%	4%	17%	19%	15%	9%	6%	4%	9%	2%	11%	100%
感染性胃腸炎	報告数	2	8	25	15	11	10	10	6	9	6	7	12	2	19	142
	(定点あたり)	(0.03)	(0.11)	(0.33)	(0.20)	(0.15)	(0.13)	(0.13)	(0.08)	(0.12)	(0.08)	(0.09)	(0.16)	(0.03)	(0.25)	(1.89)
	年齢構成比(%)	1%	6%	18%	11%	8%	7%	7%	4%	6%	4%	5%	8%	1%	13%	100%
水痘	報告数	0	4	11	12	9	5	4	4	1	0	1	2	0	0	53
	(定点あたり)	(0.00)	(0.05)	(0.15)	(0.16)	(0.12)	(0.07)	(0.05)	(0.05)	(0.01)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.71)
	年齢構成比(%)	0%	8%	21%	23%	17%	9%	8%	8%	2%	0%	2%	4%	0%	0%	100%
手足口病	報告数	2	12	46	27	18	6	2	3	0	2	1	4	0	4	127
	(定点あたり)	(0.03)	(0.16)	(0.61)	(0.36)	(0.24)	(0.08)	(0.03)	(0.04)	(0.00)	(0.03)	(0.01)	(0.05)	(0.00)	(0.05)	(1.69)
	年齢構成比(%)	2%	9%	36%	21%	14%	5%	2%	2%	0%	2%	1%	3%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	18	7	1	0	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.24)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	69%	27%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	5	2	2	1	1	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比(%)	0%	0%	45%	18%	18%	9%	9%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	1	1	4	2	1	1	1	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.05)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	0%	7%	7%	7%	7%	7%	29%	14%	7%	7%	7%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	6	10	5	1	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.05)	(0.08)	(0.13)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	15%	23%	38%	19%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	3	0	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	0%	33%	0%	50%	0%	0%	17%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	4	4	2	0	2	1	4	1	3	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.05)	(0.03)	(0.00)	(0.03)	(0.01)	(0.05)	(0.01)	(0.04)	(0.31)
	年齢構成比(%)	0%	0%	0%	4%	4%	17%	17%	9%	0%	9%	4%	17%	4%	13%	100%
感染性胃腸炎	報告数	1	5	8	7	5	4	5	3	5	4	3	5	2	8	65
	(定点あたり)	(0.01)	(0.07)	(0.11)	(0.09)	(0.07)	(0.05)	(0.07)	(0.04)	(0.07)	(0.05)	(0.04)	(0.07)	(0.03)	(0.11)	(0.87)
	年齢構成比(%)	2%	8%	12%	11%	8%	6%	8%	5%	8%	6%	5%	8%	3%	12%	100%
水痘	報告数	0	3	3	5	4	3	3	0	1	0	0	1	0	0	23
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.07)	(0.05)	(0.04)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.31)
	年齢構成比(%)	0%	13%	13%	22%	17%	13%	13%	0%	4%	0%	0%	4%	0%	0%	100%
手足口病	報告数	2	5	25	15	11	6	1	1	0	1	1	2	0	1	71
	(定点あたり)	(0.03)	(0.07)	(0.33)	(0.20)	(0.15)	(0.08)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.95)
	年齢構成比(%)	3%	7%	35%	21%	15%	8%	1%	1%	0%	1%	1%	3%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	8	3	1	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.11)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	67%	25%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	1	1	1	1	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	50%	13%	13%	13%	13%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	1	0	0	2	0	1	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	14%	14%	14%	0%	0%	29%	0%	14%	0%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第40週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	4	10	5	2	0	0	0	0	0	0	0	0	0	22
	(定点あたり)	(0.01)	(0.05)	(0.13)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	5%	18%	45%	23%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	2	0	1	0	0	0	0	1	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比(%)	0%	0%	0%	40%	0%	20%	0%	0%	0%	0%	20%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	1	4	5	5	4	1	1	0	0	2	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.07)	(0.07)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)	(0.32)
	年齢構成比(%)	0%	0%	0%	4%	4%	17%	21%	21%	17%	4%	4%	0%	0%	8%	100%
感染性胃腸炎	報告数	1	3	17	8	6	6	5	3	4	2	4	7	0	11	77
	(定点あたり)	(0.01)	(0.04)	(0.23)	(0.11)	(0.08)	(0.08)	(0.07)	(0.04)	(0.05)	(0.03)	(0.05)	(0.09)	(0.00)	(0.15)	(1.03)
	年齢構成比(%)	1%	4%	22%	10%	8%	8%	6%	4%	5%	3%	5%	9%	0%	14%	100%
水痘	報告数	0	1	8	7	5	2	1	4	0	0	1	1	0	0	30
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.09)	(0.07)	(0.03)	(0.01)	(0.05)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.40)
	年齢構成比(%)	0%	3%	27%	23%	17%	7%	3%	13%	0%	0%	3%	3%	0%	0%	100%
手足口病	報告数	0	7	21	12	7	0	1	2	0	1	0	2	0	3	56
	(定点あたり)	(0.00)	(0.09)	(0.28)	(0.16)	(0.09)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.75)
	年齢構成比(%)	0%	13%	38%	21%	13%	0%	2%	4%	0%	2%	0%	4%	0%	5%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	10	4	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.13)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	71%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	1	2	2	0	1	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	0%	0%	0%	0%	14%	14%	29%	29%	0%	14%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。