

2013年 第49週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 1 | 0 | 0 | 1 | 5 | 0 | 2 | 6 | 2 | 1 | 1 | 11 | 1 | 3 | 2 | 5 | 1 | 3 | 1 | 2 | 48 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.01) | (0.04) | (0.00) | (0.02) | (0.05) | (0.02) | (0.01) | (0.01) | (0.09) | (0.01) | (0.02) | (0.02) | (0.04) | (0.01) | (0.02) | (0.01) | (0.02) | (0.39) |
| | 年齢構成比(%) | 2% | 0% | 0% | 2% | 10% | 0% | 4% | 13% | 4% | 2% | 2% | 23% | 2% | 6% | 4% | 10% | 2% | 6% | 2% | 4% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 1 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 1 | 1 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.06) | (0.06) | (0.18) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.29) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.88) |
| | 年齢構成比(%) | 7% | 7% | 20% | 0% | 0% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 7% | 7% | 33% | 7% | 7% | 0% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 4 | 0 | 1 | 1 | 7 | 0 | 2 | 0 | 3 | 1 | 0 | 0 | 0 | 23 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.01) | (0.02) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.01) | (0.06) | (0.00) | (0.02) | (0.00) | (0.02) | (0.01) | (0.00) | (0.00) | (0.00) | (0.19) |
| | 年齢構成比(%) | 4% | 0% | 0% | 4% | 9% | 0% | 0% | 17% | 0% | 4% | 4% | 30% | 0% | 9% | 0% | 13% | 4% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.06) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.12) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.29) |
| | 年齢構成比(%) | 20% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 40% | 0% | 0% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 2 | 2 | 0 | 0 | 4 | 1 | 1 | 2 | 2 | 0 | 3 | 1 | 2 | 25 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) | (0.00) | (0.02) | (0.02) | (0.02) | (0.00) | (0.00) | (0.03) | (0.01) | (0.01) | (0.02) | (0.02) | (0.00) | (0.02) | (0.01) | (0.02) | (0.20) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 12% | 0% | 8% | 8% | 8% | 0% | 0% | 16% | 4% | 4% | 8% | 8% | 0% | 12% | 4% | 8% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 1 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.06) | (0.12) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.18) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.59) |
| | 年齢構成比(%) | 0% | 10% | 20% | 0% | 0% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 10% | 30% | 10% | 10% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第49週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 14 | 14 | 17 | 13 | 5 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66 |
| | (定点あたり) | (0.19) | (0.19) | (0.23) | (0.18) | (0.07) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.89) |
| | 年齢構成比(%) | 21% | 21% | 26% | 20% | 8% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 9 | 6 | 7 | 6 | 3 | 6 | 2 | 0 | 0 | 2 | 1 | 4 | 47 |
| | (定点あたり) | (0.00) | (0.01) | (0.12) | (0.08) | (0.09) | (0.08) | (0.04) | (0.08) | (0.03) | (0.00) | (0.00) | (0.03) | (0.01) | (0.05) | (0.64) |
| | 年齢構成比(%) | 0% | 2% | 19% | 13% | 15% | 13% | 6% | 13% | 4% | 0% | 0% | 4% | 2% | 9% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 5 | 6 | 6 | 14 | 5 | 16 | 6 | 7 | 9 | 4 | 14 | 93 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.07) | (0.08) | (0.08) | (0.19) | (0.07) | (0.22) | (0.08) | (0.09) | (0.12) | (0.05) | (0.19) | (1.26) |
| | 年齢構成比(%) | 0% | 0% | 1% | 5% | 6% | 6% | 15% | 5% | 17% | 6% | 8% | 10% | 4% | 15% | 100% |
| 感染性胃腸炎 | 報告数 | 4 | 23 | 91 | 59 | 55 | 57 | 45 | 49 | 23 | 20 | 17 | 35 | 12 | 60 | 550 |
| | (定点あたり) | (0.05) | (0.31) | (1.23) | (0.80) | (0.74) | (0.77) | (0.61) | (0.66) | (0.31) | (0.27) | (0.23) | (0.47) | (0.16) | (0.81) | (7.43) |
| | 年齢構成比(%) | 1% | 4% | 17% | 11% | 10% | 10% | 8% | 9% | 4% | 4% | 3% | 6% | 2% | 11% | 100% |
| 水痘 | 報告数 | 1 | 4 | 19 | 17 | 25 | 16 | 7 | 4 | 3 | 4 | 0 | 0 | 0 | 0 | 100 |
| | (定点あたり) | (0.01) | (0.05) | (0.26) | (0.23) | (0.34) | (0.22) | (0.09) | (0.05) | (0.04) | (0.05) | (0.00) | (0.00) | (0.00) | (0.00) | (1.35) |
| | 年齢構成比(%) | 1% | 4% | 19% | 17% | 25% | 16% | 7% | 4% | 3% | 4% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 8 | 9 | 4 | 1 | 2 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 29 |
| | (定点あたり) | (0.00) | (0.01) | (0.11) | (0.12) | (0.05) | (0.01) | (0.03) | (0.01) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.39) |
| | 年齢構成比(%) | 0% | 3% | 28% | 31% | 14% | 3% | 7% | 3% | 3% | 0% | 3% | 3% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 5 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.01) | (0.07) | (0.11) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.20) |
| | 年齢構成比(%) | 7% | 33% | 53% | 0% | 7% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 25% | 25% | 25% | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) | (0.01) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.09) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 43% | 14% | 14% | 0% | 0% | 14% | 0% | 0% | 0% | 14% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第49週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 9 | 8 | 6 | 3 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33 |
| | (定点あたり) | (0.12) | (0.11) | (0.08) | (0.04) | (0.05) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.45) |
| | 年齢構成比(%) | 27% | 24% | 18% | 9% | 12% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 7 | 1 | 4 | 5 | 2 | 3 | 1 | 0 | 0 | 1 | 0 | 1 | 26 |
| | (定点あたり) | (0.00) | (0.01) | (0.09) | (0.01) | (0.05) | (0.07) | (0.03) | (0.04) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.35) |
| | 年齢構成比(%) | 0% | 4% | 27% | 4% | 15% | 19% | 8% | 12% | 4% | 0% | 0% | 4% | 0% | 4% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 3 | 5 | 3 | 7 | 0 | 7 | 4 | 3 | 6 | 1 | 5 | 45 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.04) | (0.07) | (0.04) | (0.09) | (0.00) | (0.09) | (0.05) | (0.04) | (0.08) | (0.01) | (0.07) | (0.61) |
| | 年齢構成比(%) | 0% | 0% | 2% | 7% | 11% | 7% | 16% | 0% | 16% | 9% | 7% | 13% | 2% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 13 | 48 | 31 | 31 | 29 | 22 | 25 | 12 | 12 | 8 | 18 | 5 | 20 | 275 |
| | (定点あたり) | (0.01) | (0.18) | (0.65) | (0.42) | (0.42) | (0.39) | (0.30) | (0.34) | (0.16) | (0.16) | (0.11) | (0.24) | (0.07) | (0.27) | (3.72) |
| | 年齢構成比(%) | 0% | 5% | 17% | 11% | 11% | 11% | 8% | 9% | 4% | 4% | 3% | 7% | 2% | 7% | 100% |
| 水痘 | 報告数 | 0 | 2 | 13 | 6 | 16 | 10 | 7 | 2 | 2 | 2 | 0 | 0 | 0 | 0 | 60 |
| | (定点あたり) | (0.00) | (0.03) | (0.18) | (0.08) | (0.22) | (0.14) | (0.09) | (0.03) | (0.03) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.81) |
| | 年齢構成比(%) | 0% | 3% | 22% | 10% | 27% | 17% | 12% | 3% | 3% | 3% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 4 | 2 | 3 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.03) | (0.04) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比(%) | 0% | 0% | 33% | 17% | 25% | 8% | 0% | 8% | 0% | 0% | 8% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 75% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 33% | 33% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2013年 第49週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 5 | 6 | 11 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33 |
| | (定点あたり) | (0.07) | (0.08) | (0.15) | (0.14) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.45) |
| | 年齢構成比(%) | 15% | 18% | 33% | 30% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 2 | 5 | 3 | 1 | 1 | 3 | 1 | 0 | 0 | 1 | 1 | 3 | 21 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.07) | (0.04) | (0.01) | (0.01) | (0.04) | (0.01) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.28) |
| | 年齢構成比(%) | 0% | 0% | 10% | 24% | 14% | 5% | 5% | 14% | 5% | 0% | 0% | 5% | 5% | 14% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 0 | 2 | 1 | 3 | 7 | 5 | 9 | 2 | 4 | 3 | 3 | 9 | 48 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.03) | (0.01) | (0.04) | (0.09) | (0.07) | (0.12) | (0.03) | (0.05) | (0.04) | (0.04) | (0.12) | (0.65) |
| | 年齢構成比(%) | 0% | 0% | 0% | 4% | 2% | 6% | 15% | 10% | 19% | 4% | 8% | 6% | 6% | 19% | 100% |
| 感染性胃腸炎 | 報告数 | 3 | 10 | 43 | 28 | 24 | 28 | 23 | 24 | 11 | 8 | 9 | 17 | 7 | 40 | 275 |
| | (定点あたり) | (0.04) | (0.14) | (0.58) | (0.38) | (0.32) | (0.38) | (0.31) | (0.32) | (0.15) | (0.11) | (0.12) | (0.23) | (0.09) | (0.54) | (3.72) |
| | 年齢構成比(%) | 1% | 4% | 16% | 10% | 9% | 10% | 8% | 9% | 4% | 3% | 3% | 6% | 3% | 15% | 100% |
| 水痘 | 報告数 | 1 | 2 | 6 | 11 | 9 | 6 | 0 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 40 |
| | (定点あたり) | (0.01) | (0.03) | (0.08) | (0.15) | (0.12) | (0.08) | (0.00) | (0.03) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.54) |
| | 年齢構成比(%) | 3% | 5% | 15% | 28% | 23% | 15% | 0% | 5% | 3% | 5% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 1 | 4 | 7 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 17 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.09) | (0.01) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.23) |
| | 年齢構成比(%) | 0% | 6% | 24% | 41% | 6% | 0% | 12% | 0% | 6% | 0% | 0% | 6% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 突発性発しん | 報告数 | 1 | 2 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| | (定点あたり) | (0.01) | (0.03) | (0.09) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.15) |
| | 年齢構成比(%) | 9% | 18% | 64% | 0% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 33% | 33% | 0% | 0% | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 50% | 0% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。