

## 2013年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	3	4	13	2	5	8	6	4	4	28	2	19	24	15	6	5	2	4	155
	(定点あたり)	(0.00)	(0.01)	(0.02)	(0.03)	(0.11)	(0.02)	(0.04)	(0.07)	(0.05)	(0.03)	(0.03)	(0.23)	(0.02)	(0.16)	(0.20)	(0.12)	(0.05)	(0.04)	(0.02)	(0.03)	(1.28)
	年齢構成比(%)	0%	1%	2%	3%	8%	1%	3%	5%	4%	3%	3%	18%	1%	12%	15%	10%	4%	3%	1%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	1	1	0	2	0	0	0	0	0	0	7	4	0	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)	(0.24)	(0.00)	(0.06)	(0.00)	(0.00)	(1.00)
	年齢構成比(%)	0%	0%	0%	6%	6%	6%	0%	12%	0%	0%	0%	0%	0%	0%	41%	24%	0%	6%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	2	2	10	2	4	4	3	1	3	11	1	10	12	8	4	3	1	1	82
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.08)	(0.02)	(0.03)	(0.03)	(0.02)	(0.01)	(0.02)	(0.09)	(0.01)	(0.08)	(0.10)	(0.07)	(0.03)	(0.02)	(0.01)	(0.01)	(0.68)
	年齢構成比(%)	0%	0%	2%	2%	12%	2%	5%	5%	4%	1%	4%	13%	1%	12%	15%	10%	5%	4%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	1	1	0	0	2	0	0	0	0	0	0	5	3	0	1	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)	(0.18)	(0.00)	(0.06)	(0.00)	(0.00)	(0.76)
	年齢構成比(%)	0%	0%	0%	8%	8%	0%	0%	15%	0%	0%	0%	0%	0%	0%	38%	23%	0%	8%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	1	1	2	3	0	1	4	3	3	1	17	1	9	12	7	2	2	1	3	73
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.02)	(0.02)	(0.00)	(0.01)	(0.03)	(0.02)	(0.02)	(0.01)	(0.14)	(0.01)	(0.07)	(0.10)	(0.06)	(0.02)	(0.02)	(0.01)	(0.02)	(0.60)
	年齢構成比(%)	0%	1%	1%	3%	4%	0%	1%	5%	4%	4%	1%	23%	1%	12%	16%	10%	3%	3%	1%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	6	9	9	2	3	1	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.08)	(0.12)	(0.12)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比(%)	20%	30%	30%	7%	10%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	3	8	9	7	8	9	3	1	1	3	0	4	59
	(定点あたり)	(0.00)	(0.04)	(0.04)	(0.11)	(0.12)	(0.10)	(0.11)	(0.12)	(0.04)	(0.01)	(0.01)	(0.04)	(0.00)	(0.05)	(0.81)
	年齢構成比(%)	0%	5%	5%	14%	15%	12%	14%	15%	5%	2%	2%	5%	0%	7%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	7	18	11	10	17	10	7	6	12	1	11	112
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.10)	(0.25)	(0.15)	(0.14)	(0.23)	(0.14)	(0.10)	(0.08)	(0.16)	(0.01)	(0.15)	(1.53)
	年齢構成比(%)	0%	0%	2%	6%	16%	10%	9%	15%	9%	6%	5%	11%	1%	10%	100%
感染性胃腸炎	報告数	5	36	114	83	67	67	56	45	34	22	31	54	24	91	729
	(定点あたり)	(0.07)	(0.49)	(1.56)	(1.14)	(0.92)	(0.92)	(0.77)	(0.62)	(0.47)	(0.30)	(0.42)	(0.74)	(0.33)	(1.25)	(9.99)
	年齢構成比(%)	1%	5%	16%	11%	9%	9%	8%	6%	5%	3%	4%	7%	3%	12%	100%
水痘	報告数	1	6	13	24	21	18	14	6	4	1	2	2	0	0	112
	(定点あたり)	(0.01)	(0.08)	(0.18)	(0.33)	(0.29)	(0.25)	(0.19)	(0.08)	(0.05)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(1.53)
	年齢構成比(%)	1%	5%	12%	21%	19%	16%	13%	5%	4%	1%	2%	2%	0%	0%	100%
手足口病	報告数	0	5	4	3	3	2	0	0	0	0	0	1	0	1	19
	(定点あたり)	(0.00)	(0.07)	(0.05)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.26)
	年齢構成比(%)	0%	26%	21%	16%	16%	11%	0%	0%	0%	0%	0%	5%	0%	5%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	8	0	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比(%)	0%	36%	57%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	1	1	0	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	33%	33%	0%	0%	0%	0%	0%	33%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	0	1	0	2	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	20%	0%	20%	0%	40%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	6	4	0	3	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.05)	(0.08)	(0.05)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	24%	35%	24%	0%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	6	7	5	1	7	2	0	0	1	0	2	36
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.08)	(0.10)	(0.07)	(0.01)	(0.10)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.49)
	年齢構成比(%)	0%	6%	8%	17%	19%	14%	3%	19%	6%	0%	0%	3%	0%	6%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	6	12	4	7	5	7	3	4	4	0	5	59
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.16)	(0.05)	(0.10)	(0.07)	(0.10)	(0.04)	(0.05)	(0.05)	(0.00)	(0.07)	(0.81)
	年齢構成比(%)	0%	0%	3%	10%	20%	7%	12%	8%	12%	5%	7%	7%	0%	8%	100%
感染性胃腸炎	報告数	4	17	65	38	37	33	33	30	19	13	16	36	12	27	380
	(定点あたり)	(0.05)	(0.23)	(0.89)	(0.52)	(0.51)	(0.45)	(0.45)	(0.41)	(0.26)	(0.18)	(0.22)	(0.49)	(0.16)	(0.37)	(5.21)
	年齢構成比(%)	1%	4%	17%	10%	10%	9%	9%	8%	5%	3%	4%	9%	3%	7%	100%
水痘	報告数	0	4	6	10	7	8	9	4	1	0	1	1	0	0	51
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.14)	(0.10)	(0.11)	(0.12)	(0.05)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.70)
	年齢構成比(%)	0%	8%	12%	20%	14%	16%	18%	8%	2%	0%	2%	2%	0%	0%	100%
手足口病	報告数	0	3	1	1	1	1	0	0	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	38%	13%	13%	13%	13%	0%	0%	0%	0%	0%	13%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	5	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	38%	63%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2013年 第52週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	3	5	2	0	1	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.03)	(0.04)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	15%	23%	38%	15%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	0	2	2	2	7	2	1	1	1	2	0	2	23
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.03)	(0.10)	(0.03)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.32)
	年齢構成比(%)	0%	4%	0%	9%	9%	9%	30%	9%	4%	4%	4%	9%	0%	9%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	6	7	3	12	3	4	2	8	1	6	53
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)	(0.10)	(0.04)	(0.16)	(0.04)	(0.05)	(0.03)	(0.11)	(0.01)	(0.08)	(0.73)
	年齢構成比(%)	0%	0%	0%	2%	11%	13%	6%	23%	6%	8%	4%	15%	2%	11%	100%
感染性胃腸炎	報告数	1	19	49	45	30	34	23	15	15	9	15	18	12	64	349
	(定点あたり)	(0.01)	(0.26)	(0.67)	(0.62)	(0.41)	(0.47)	(0.32)	(0.21)	(0.21)	(0.12)	(0.21)	(0.25)	(0.16)	(0.88)	(4.78)
	年齢構成比(%)	0%	5%	14%	13%	9%	10%	7%	4%	4%	3%	4%	5%	3%	18%	100%
水痘	報告数	1	2	7	14	14	10	5	2	3	1	1	1	0	0	61
	(定点あたり)	(0.01)	(0.03)	(0.10)	(0.19)	(0.19)	(0.14)	(0.07)	(0.03)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.84)
	年齢構成比(%)	2%	3%	11%	23%	23%	16%	8%	3%	5%	2%	2%	2%	0%	0%	100%
手足口病	報告数	0	2	3	2	2	1	0	0	0	0	0	0	0	1	11
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比(%)	0%	18%	27%	18%	18%	9%	0%	0%	0%	0%	0%	0%	0%	9%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	2	3	0	1	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比(%)	0%	33%	50%	0%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	0	1	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	33%	0%	33%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。