

2014年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	1	0	2	0	0	0	0	1	0	1	2	0	1	1	0	0	10
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.11)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.56)
	年齢構成比(%)	0%	10%	0%	0%	10%	0%	20%	0%	0%	0%	0%	10%	0%	10%	20%	0%	10%	10%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	0	0	1	0	0	0	0	1	0	0	1	0	1	0	0	0	5
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	20%	0%	0%	0%	0%	20%	0%	0%	0%	0%	20%	0%	0%	20%	0%	20%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	20%	0%	0%	0%	0%	0%	0%	20%	20%	0%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	4	13	13	6	4	4	5	0	0	1	1	0	1	52
	(定点あたり)	(0.00)	(0.05)	(0.18)	(0.18)	(0.08)	(0.05)	(0.05)	(0.07)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.70)
	年齢構成比(%)	0%	8%	25%	25%	12%	8%	8%	10%	0%	0%	2%	2%	0%	2%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	9	11	11	15	10	8	6	3	7	2	15	102
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.12)	(0.15)	(0.15)	(0.20)	(0.14)	(0.11)	(0.08)	(0.04)	(0.09)	(0.03)	(0.20)	(1.38)
	年齢構成比(%)	0%	0%	5%	9%	11%	11%	15%	10%	8%	6%	3%	7%	2%	15%	100%
感染性胃腸炎	報告数	4	20	40	36	26	36	32	22	18	16	9	26	4	49	338
	(定点あたり)	(0.05)	(0.27)	(0.54)	(0.49)	(0.35)	(0.49)	(0.43)	(0.30)	(0.24)	(0.22)	(0.12)	(0.35)	(0.05)	(0.66)	(4.57)
	年齢構成比(%)	1%	6%	12%	11%	8%	11%	9%	7%	5%	5%	3%	8%	1%	14%	100%
水痘	報告数	0	2	3	5	11	4	5	6	5	2	0	1	0	0	44
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.07)	(0.15)	(0.05)	(0.07)	(0.08)	(0.07)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.59)
	年齢構成比(%)	0%	5%	7%	11%	25%	9%	11%	14%	11%	5%	0%	2%	0%	0%	100%
手足口病	報告数	0	1	1	2	2	0	0	0	1	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	14%	14%	29%	29%	0%	0%	0%	14%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	4	3	1	2	1	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	0%	0%	0%	0%	8%	33%	25%	8%	17%	8%	0%	0%	0%	100%
突発性発しん	報告数	0	18	21	7	1	0	0	0	0	0	0	0	0	0	47
	(定点あたり)	(0.00)	(0.24)	(0.28)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	0%	38%	45%	15%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	10	43	37	21	25	9	5	2	2	0	0	0	1	157
	(定点あたり)	(0.03)	(0.14)	(0.58)	(0.50)	(0.28)	(0.34)	(0.12)	(0.07)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(2.12)
	年齢構成比(%)	1%	6%	27%	24%	13%	16%	6%	3%	1%	1%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	2	3	0	1	1	1	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	11%	0%	0%	22%	33%	0%	11%	11%	11%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	6	7	4	4	2	1	0	0	0	1	0	1	27
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.09)	(0.05)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.36)
	年齢構成比(%)	0%	4%	22%	26%	15%	15%	7%	4%	0%	0%	0%	4%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	6	4	6	9	3	2	3	1	5	1	8	51
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.08)	(0.05)	(0.08)	(0.12)	(0.04)	(0.03)	(0.04)	(0.01)	(0.07)	(0.01)	(0.11)	(0.69)
	年齢構成比(%)	0%	0%	6%	12%	8%	12%	18%	6%	4%	6%	2%	10%	2%	16%	100%
感染性胃腸炎	報告数	3	11	22	23	11	19	19	14	11	8	6	14	2	18	181
	(定点あたり)	(0.04)	(0.15)	(0.30)	(0.31)	(0.15)	(0.26)	(0.26)	(0.19)	(0.15)	(0.11)	(0.08)	(0.19)	(0.03)	(0.24)	(2.45)
	年齢構成比(%)	2%	6%	12%	13%	6%	10%	10%	8%	6%	4%	3%	8%	1%	10%	100%
水痘	報告数	0	1	1	4	5	0	4	3	2	1	0	1	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.05)	(0.07)	(0.00)	(0.05)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	5%	5%	18%	23%	0%	18%	14%	9%	5%	0%	5%	0%	0%	100%
手足口病	報告数	0	0	0	1	1	0	0	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	33%	0%	0%	0%	33%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	2	2	1	2	1	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	25%	13%	25%	13%	0%	0%	0%	100%
突発性発しん	報告数	0	11	10	4	1	0	0	0	0	0	0	0	0	0	26
	(定点あたり)	(0.00)	(0.15)	(0.14)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.35)
	年齢構成比(%)	0%	42%	38%	15%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	6	29	18	11	18	5	1	0	1	0	0	0	1	92
	(定点あたり)	(0.03)	(0.08)	(0.39)	(0.24)	(0.15)	(0.24)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(1.24)
	年齢構成比(%)	2%	7%	32%	20%	12%	20%	5%	1%	0%	1%	0%	0%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	1	2	0	0	1	1	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	0%	20%	40%	0%	0%	20%	20%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第26週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	3	7	6	2	0	2	4	0	0	1	0	0	0	25
	(定点あたり)	(0.00)	(0.04)	(0.09)	(0.08)	(0.03)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	0%	12%	28%	24%	8%	0%	8%	16%	0%	0%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	7	5	6	7	6	3	2	2	1	7	51
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.09)	(0.07)	(0.08)	(0.09)	(0.08)	(0.04)	(0.03)	(0.03)	(0.01)	(0.09)	(0.69)
	年齢構成比(%)	0%	0%	4%	6%	14%	10%	12%	14%	12%	6%	4%	4%	2%	14%	100%
感染性胃腸炎	報告数	1	9	18	13	15	17	13	8	7	8	3	12	2	31	157
	(定点あたり)	(0.01)	(0.12)	(0.24)	(0.18)	(0.20)	(0.23)	(0.18)	(0.11)	(0.09)	(0.11)	(0.04)	(0.16)	(0.03)	(0.42)	(2.12)
	年齢構成比(%)	1%	6%	11%	8%	10%	11%	8%	5%	4%	5%	2%	8%	1%	20%	100%
水痘	報告数	0	1	2	1	6	4	1	3	3	1	0	0	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.08)	(0.05)	(0.01)	(0.04)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	5%	9%	5%	27%	18%	5%	14%	14%	5%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	1	1	1	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	1	2	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	50%	25%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	11	3	0	0	0	0	0	0	0	0	0	0	21
	(定点あたり)	(0.00)	(0.09)	(0.15)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	33%	52%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	14	19	10	7	4	4	2	1	0	0	0	0	65
	(定点あたり)	(0.00)	(0.05)	(0.19)	(0.26)	(0.14)	(0.09)	(0.05)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.88)
	年齢構成比(%)	0%	6%	22%	29%	15%	11%	6%	6%	3%	2%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	0	1	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	25%	0%	0%	25%	25%	0%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。