

2014年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	0	0	2	0	1	2	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	0%	33%	0%	17%	33%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	2	1	0	4	0	2	1	0	2	0	3	0	1	4	0	1	0	1	0	22
	(定点あたり)	(0.00)	(0.11)	(0.06)	(0.00)	(0.22)	(0.00)	(0.11)	(0.06)	(0.00)	(0.11)	(0.00)	(0.17)	(0.00)	(0.06)	(0.22)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(1.22)
	年齢構成比(%)	0%	9%	5%	0%	18%	0%	9%	5%	0%	9%	0%	14%	0%	5%	18%	0%	5%	0%	5%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	50%	0%	25%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	1	0	2	0	2	0	0	1	0	1	0	1	2	0	1	0	1	0	13
	(定点あたり)	(0.00)	(0.06)	(0.06)	(0.00)	(0.11)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.06)	(0.11)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.72)
	年齢構成比(%)	0%	8%	8%	0%	15%	0%	15%	0%	0%	8%	0%	8%	0%	8%	15%	0%	8%	0%	8%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	1	0	0	2	0	0	1	0	1	0	2	0	0	2	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.50)
	年齢構成比(%)	0%	11%	0%	0%	22%	0%	0%	11%	0%	11%	0%	22%	0%	0%	22%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	1	0	0	1	1	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	25%	25%	0%	0%	25%	25%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	5	10	9	6	3	0	2	2	1	0	0	44
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.07)	(0.14)	(0.12)	(0.08)	(0.04)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.60)
	年齢構成比(%)	0%	2%	11%	11%	23%	20%	14%	7%	0%	5%	5%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	2	10	8	13	7	2	6	4	8	0	13	77
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.14)	(0.11)	(0.18)	(0.10)	(0.03)	(0.08)	(0.05)	(0.11)	(0.00)	(0.18)	(1.05)
	年齢構成比(%)	0%	1%	4%	3%	13%	10%	17%	9%	3%	8%	5%	10%	0%	17%	100%
感染性胃腸炎	報告数	0	24	29	19	35	31	10	12	13	15	4	26	8	32	258
	(定点あたり)	(0.00)	(0.33)	(0.40)	(0.26)	(0.48)	(0.42)	(0.14)	(0.16)	(0.18)	(0.21)	(0.05)	(0.36)	(0.11)	(0.44)	(3.53)
	年齢構成比(%)	0%	9%	11%	7%	14%	12%	4%	5%	5%	6%	2%	10%	3%	12%	100%
水痘	報告数	1	2	3	8	7	6	8	4	3	1	2	1	0	0	46
	(定点あたり)	(0.01)	(0.03)	(0.04)	(0.11)	(0.10)	(0.08)	(0.11)	(0.05)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.63)
	年齢構成比(%)	2%	4%	7%	17%	15%	13%	17%	9%	7%	2%	4%	2%	0%	0%	100%
手足口病	報告数	1	0	7	4	4	2	0	1	1	0	0	1	0	0	21
	(定点あたり)	(0.01)	(0.00)	(0.10)	(0.05)	(0.05)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.29)
	年齢構成比(%)	5%	0%	33%	19%	19%	10%	0%	5%	5%	0%	0%	5%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	2	2	0	1	0	2	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.10)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	29%	29%	0%	14%	0%	29%	0%	0%	100%
突発性発しん	報告数	1	6	8	3	1	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.01)	(0.08)	(0.11)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	5%	32%	42%	16%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	2	26	69	44	36	19	14	6	5	0	3	4	0	2	230
	(定点あたり)	(0.03)	(0.36)	(0.95)	(0.60)	(0.49)	(0.26)	(0.19)	(0.08)	(0.07)	(0.00)	(0.04)	(0.05)	(0.00)	(0.03)	(3.15)
	年齢構成比(%)	1%	11%	30%	19%	16%	8%	6%	3%	2%	0%	1%	2%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	2	1	2	1	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	13%	0%	25%	13%	25%	13%	0%	13%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	0	0	0	0	1	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	3	7	5	4	3	0	1	1	0	0	0	27
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.04)	(0.10)	(0.07)	(0.05)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比(%)	0%	4%	7%	11%	26%	19%	15%	11%	0%	4%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	1	7	3	8	3	0	3	3	4	0	4	39
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.10)	(0.04)	(0.11)	(0.04)	(0.00)	(0.04)	(0.04)	(0.05)	(0.00)	(0.05)	(0.53)
	年齢構成比(%)	0%	3%	5%	3%	18%	8%	21%	8%	0%	8%	8%	10%	0%	10%	100%
感染性胃腸炎	報告数	0	16	15	8	23	18	2	8	5	9	2	22	5	12	145
	(定点あたり)	(0.00)	(0.22)	(0.21)	(0.11)	(0.32)	(0.25)	(0.03)	(0.11)	(0.07)	(0.12)	(0.03)	(0.30)	(0.07)	(0.16)	(1.99)
	年齢構成比(%)	0%	11%	10%	6%	16%	12%	1%	6%	3%	6%	1%	15%	3%	8%	100%
水痘	報告数	0	1	2	2	5	3	4	3	0	1	1	0	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.07)	(0.04)	(0.05)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比(%)	0%	5%	9%	9%	23%	14%	18%	14%	0%	5%	5%	0%	0%	0%	100%
手足口病	報告数	1	0	3	4	3	1	0	1	0	0	0	0	0	0	13
	(定点あたり)	(0.01)	(0.00)	(0.04)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	0%	23%	31%	23%	8%	0%	8%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	1	0	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	25%	25%	0%	25%	0%	25%	0%	0%	100%
突発性発しん	報告数	0	3	4	2	0	0	0	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	33%	44%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	11	42	21	20	8	6	3	2	0	2	2	0	0	118
	(定点あたり)	(0.01)	(0.15)	(0.58)	(0.29)	(0.27)	(0.11)	(0.08)	(0.04)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(1.62)
	年齢構成比(%)	1%	9%	36%	18%	17%	7%	5%	3%	2%	0%	2%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	2	0	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	67%	0%	0%	0%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	3	4	2	0	0	1	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.05)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比(%)	0%	0%	18%	12%	18%	24%	12%	0%	0%	6%	6%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	3	5	5	4	2	3	1	4	0	9	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.07)	(0.07)	(0.05)	(0.03)	(0.04)	(0.01)	(0.05)	(0.00)	(0.12)	(0.52)
	年齢構成比(%)	0%	0%	3%	3%	8%	13%	13%	11%	5%	8%	3%	11%	0%	24%	100%
感染性胃腸炎	報告数	0	8	14	11	12	13	8	4	8	6	2	4	3	20	113
	(定点あたり)	(0.00)	(0.11)	(0.19)	(0.15)	(0.16)	(0.18)	(0.11)	(0.05)	(0.11)	(0.08)	(0.03)	(0.05)	(0.04)	(0.27)	(1.55)
	年齢構成比(%)	0%	7%	12%	10%	11%	12%	7%	4%	7%	5%	2%	4%	3%	18%	100%
水痘	報告数	1	1	1	6	2	3	4	1	3	0	1	1	0	0	24
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.08)	(0.03)	(0.04)	(0.05)	(0.01)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.33)
	年齢構成比(%)	4%	4%	4%	25%	8%	13%	17%	4%	13%	0%	4%	4%	0%	0%	100%
手足口病	報告数	0	0	4	0	1	1	0	0	1	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	50%	0%	13%	13%	0%	0%	13%	0%	0%	13%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	1	0	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	0%	33%	0%	0%	100%
突発性発しん	報告数	1	3	4	1	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.01)	(0.04)	(0.05)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	10%	30%	40%	10%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	15	27	23	16	11	8	3	3	0	1	2	0	2	112
	(定点あたり)	(0.01)	(0.21)	(0.37)	(0.32)	(0.22)	(0.15)	(0.11)	(0.04)	(0.04)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(1.53)
	年齢構成比(%)	1%	13%	24%	21%	14%	10%	7%	3%	3%	0%	1%	2%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	0	0	1	2	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	0%	20%	40%	20%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。