

2014年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	4	3	22	17	43	71	65	65	85	75	69	379	38	40	50	45	20	16	15	7	1129
	(定点あたり)	(0.03)	(0.02)	(0.18)	(0.14)	(0.35)	(0.58)	(0.53)	(0.53)	(0.69)	(0.61)	(0.56)	(3.08)	(0.31)	(0.33)	(0.41)	(0.37)	(0.16)	(0.13)	(0.12)	(0.06)	(9.18)
	年齢構成比(%)	0%	0%	2%	2%	4%	6%	6%	6%	8%	7%	6%	34%	3%	4%	4%	4%	2%	1%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	33%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	2	17	8	14	37	35	32	46	38	36	217	21	18	18	14	5	5	8	2	574
	(定点あたり)	(0.01)	(0.02)	(0.14)	(0.07)	(0.11)	(0.30)	(0.28)	(0.26)	(0.37)	(0.31)	(0.29)	(1.76)	(0.17)	(0.15)	(0.15)	(0.11)	(0.04)	(0.04)	(0.07)	(0.02)	(4.67)
	年齢構成比(%)	0%	0%	3%	1%	2%	6%	6%	6%	8%	7%	6%	38%	4%	3%	3%	2%	1%	1%	1%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	3	1	5	9	29	34	30	33	39	37	33	162	17	22	32	31	15	11	7	5	555
	(定点あたり)	(0.02)	(0.01)	(0.04)	(0.07)	(0.24)	(0.28)	(0.24)	(0.27)	(0.32)	(0.30)	(0.27)	(1.32)	(0.14)	(0.18)	(0.26)	(0.25)	(0.12)	(0.09)	(0.06)	(0.04)	(4.51)
	年齢構成比(%)	1%	0%	1%	2%	5%	6%	5%	6%	7%	7%	6%	29%	3%	4%	6%	6%	3%	2%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	15	24	45	24	6	1	4	0	0	0	0	0	0	0	119
	(定点あたり)	(0.20)	(0.32)	(0.61)	(0.32)	(0.08)	(0.01)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.61)
	年齢構成比(%)	13%	20%	38%	20%	5%	1%	3%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	8	6	8	5	2	2	1	1	1	0	0	39
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.11)	(0.08)	(0.11)	(0.07)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.53)
	年齢構成比(%)	0%	0%	13%	21%	15%	21%	13%	5%	5%	3%	3%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	7	10	9	25	13	11	7	11	0	10	105
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.09)	(0.14)	(0.12)	(0.34)	(0.18)	(0.15)	(0.09)	(0.15)	(0.00)	(0.14)	(1.42)
	年齢構成比(%)	0%	0%	0%	2%	7%	10%	9%	24%	12%	10%	7%	10%	0%	10%	100%
感染性胃腸炎	報告数	4	32	109	60	68	65	47	53	35	38	18	38	7	65	639
	(定点あたり)	(0.05)	(0.43)	(1.47)	(0.81)	(0.92)	(0.88)	(0.64)	(0.72)	(0.47)	(0.51)	(0.24)	(0.51)	(0.09)	(0.88)	(8.64)
	年齢構成比(%)	1%	5%	17%	9%	11%	10%	7%	8%	5%	6%	3%	6%	1%	10%	100%
水痘	報告数	0	3	9	14	12	7	9	7	6	6	3	2	1	1	80
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.19)	(0.16)	(0.09)	(0.12)	(0.09)	(0.08)	(0.08)	(0.04)	(0.03)	(0.01)	(0.01)	(1.08)
	年齢構成比(%)	0%	4%	11%	18%	15%	9%	11%	9%	8%	8%	4%	3%	1%	1%	100%
手足口病	報告数	1	1	7	10	14	10	4	2	0	3	0	2	0	0	54
	(定点あたり)	(0.01)	(0.01)	(0.09)	(0.14)	(0.19)	(0.14)	(0.05)	(0.03)	(0.00)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.73)
	年齢構成比(%)	2%	2%	13%	19%	26%	19%	7%	4%	0%	6%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	1	0	2	1	0	1	0	2	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	13%	13%	0%	25%	13%	0%	13%	0%	25%	0%	0%	100%
突発性発しん	報告数	0	9	6	5	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.12)	(0.08)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	45%	30%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	1	1	0	1	0	0	0	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比(%)	0%	20%	20%	20%	0%	20%	0%	0%	0%	0%	0%	0%	0%	20%	100%
流行性耳下腺炎	報告数	0	0	1	5	2	3	1	2	1	0	3	0	0	1	19
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.07)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.26)
	年齢構成比(%)	0%	0%	5%	26%	11%	16%	5%	11%	5%	0%	16%	0%	0%	5%	100%

2014年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

(2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	11	14	25	14	5	0	3	0	0	0	0	0	0	0	72
	(定点あたり)	(0.15)	(0.19)	(0.34)	(0.19)	(0.07)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.97)
	年齢構成比(%)	15%	19%	35%	19%	7%	0%	4%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	6	3	3	2	2	1	0	1	1	0	0	21
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.08)	(0.04)	(0.04)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.28)
	年齢構成比(%)	0%	0%	10%	29%	14%	14%	10%	10%	5%	0%	5%	5%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	4	8	6	11	4	7	7	6	0	1	56
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.05)	(0.11)	(0.08)	(0.15)	(0.05)	(0.09)	(0.09)	(0.08)	(0.00)	(0.01)	(0.76)
	年齢構成比(%)	0%	0%	0%	4%	7%	14%	11%	20%	7%	13%	13%	11%	0%	2%	100%
感染性胃腸炎	報告数	2	14	64	33	29	30	26	27	19	22	10	22	4	23	325
	(定点あたり)	(0.03)	(0.19)	(0.86)	(0.45)	(0.39)	(0.41)	(0.35)	(0.36)	(0.26)	(0.30)	(0.14)	(0.30)	(0.05)	(0.31)	(4.39)
	年齢構成比(%)	1%	4%	20%	10%	9%	9%	8%	8%	6%	7%	3%	7%	1%	7%	100%
水痘	報告数	0	0	7	6	6	4	4	7	0	4	2	1	0	0	41
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.08)	(0.08)	(0.05)	(0.05)	(0.09)	(0.00)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.55)
	年齢構成比(%)	0%	0%	17%	15%	15%	10%	10%	17%	0%	10%	5%	2%	0%	0%	100%
手足口病	報告数	0	0	4	5	8	5	1	2	0	3	0	1	0	0	29
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.07)	(0.11)	(0.07)	(0.01)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.39)
	年齢構成比(%)	0%	0%	14%	17%	28%	17%	3%	7%	0%	10%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	1	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	0%	0%	0%	33%	0%	0%	0%	33%	0%	33%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	4	4	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.07)	(0.05)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	0%	38%	31%	31%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	0	1	0	1	0	0	0	0	0	0	0	1	4
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.05)
	年齢構成比(%)	0%	25%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	0%	25%	100%
流行性耳下腺炎	報告数	0	0	1	3	2	2	1	1	0	0	3	0	0	1	14
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比(%)	0%	0%	7%	21%	14%	14%	7%	7%	0%	0%	21%	0%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2014年 第50週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	4	10	20	10	1	1	1	0	0	0	0	0	0	0	47
	(定点あたり)	(0.05)	(0.14)	(0.27)	(0.14)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比(%)	9%	21%	43%	21%	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	3	5	3	0	1	1	0	0	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.07)	(0.04)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	0%	0%	17%	11%	17%	28%	17%	0%	6%	6%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	3	2	3	14	9	4	0	5	0	9	49
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.19)	(0.12)	(0.05)	(0.00)	(0.07)	(0.00)	(0.12)	(0.66)
	年齢構成比(%)	0%	0%	0%	0%	6%	4%	6%	29%	18%	8%	0%	10%	0%	18%	100%
感染性胃腸炎	報告数	2	18	45	27	39	35	21	26	16	16	8	16	3	42	314
	(定点あたり)	(0.03)	(0.24)	(0.61)	(0.36)	(0.53)	(0.47)	(0.28)	(0.35)	(0.22)	(0.22)	(0.11)	(0.22)	(0.04)	(0.57)	(4.24)
	年齢構成比(%)	1%	6%	14%	9%	12%	11%	7%	8%	5%	5%	3%	5%	1%	13%	100%
水痘	報告数	0	3	2	8	6	3	5	0	6	2	1	1	1	1	39
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.11)	(0.08)	(0.04)	(0.07)	(0.00)	(0.08)	(0.03)	(0.01)	(0.01)	(0.01)	(0.01)	(0.53)
	年齢構成比(%)	0%	8%	5%	21%	15%	8%	13%	0%	15%	5%	3%	3%	3%	3%	100%
手足口病	報告数	1	1	3	5	6	5	3	0	0	0	0	1	0	0	25
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.07)	(0.08)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.34)
	年齢構成比(%)	4%	4%	12%	20%	24%	20%	12%	0%	0%	0%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	1	0	2	0	0	0	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	0%	20%	0%	40%	0%	0%	0%	0%	40%	0%	0%	100%
突発性発しん	報告数	0	4	2	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比(%)	0%	57%	29%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	1	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	40%	0%	20%	0%	20%	20%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。