

2015年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 1 | 1 | 7 | 11 | 18 | 9 | 19 | 29 | 16 | 13 | 21 | 74 | 12 | 17 | 33 | 42 | 29 | 14 | 9 | 15 | 390 |
| | (定点あたり) | (0.01) | (0.01) | (0.06) | (0.09) | (0.15) | (0.07) | (0.16) | (0.24) | (0.13) | (0.11) | (0.17) | (0.61) | (0.10) | (0.14) | (0.27) | (0.34) | (0.24) | (0.11) | (0.07) | (0.12) | (3.20) |
| | 年齢構成比(%) | 0% | 0% | 2% | 3% | 5% | 2% | 5% | 7% | 4% | 3% | 5% | 19% | 3% | 4% | 8% | 11% | 7% | 4% | 2% | 4% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 1 | 0 | 5 | 4 | 11 | 5 | 10 | 15 | 10 | 4 | 15 | 33 | 6 | 5 | 13 | 14 | 13 | 5 | 3 | 6 | 178 |
| | (定点あたり) | (0.01) | (0.00) | (0.04) | (0.03) | (0.09) | (0.04) | (0.08) | (0.12) | (0.08) | (0.03) | (0.12) | (0.27) | (0.05) | (0.04) | (0.11) | (0.11) | (0.11) | (0.04) | (0.02) | (0.05) | (1.46) |
| | 年齢構成比(%) | 1% | 0% | 3% | 2% | 6% | 3% | 6% | 8% | 6% | 2% | 8% | 19% | 3% | 3% | 7% | 8% | 7% | 3% | 2% | 3% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 1 | 2 | 7 | 7 | 4 | 9 | 14 | 6 | 9 | 6 | 41 | 6 | 12 | 20 | 28 | 16 | 9 | 6 | 9 | 212 |
| | (定点あたり) | (0.00) | (0.01) | (0.02) | (0.06) | (0.06) | (0.03) | (0.07) | (0.11) | (0.05) | (0.07) | (0.05) | (0.34) | (0.05) | (0.10) | (0.16) | (0.23) | (0.13) | (0.07) | (0.05) | (0.07) | (1.74) |
| | 年齢構成比(%) | 0% | 0% | 1% | 3% | 3% | 2% | 4% | 7% | 3% | 4% | 3% | 19% | 3% | 6% | 9% | 13% | 8% | 4% | 3% | 4% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 0% | 75% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 4 | 3 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.03) | (0.05) | (0.04) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比(%) | 0% | 17% | 33% | 25% | 8% | 8% | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 1 | 4 | 10 | 17 | 12 | 20 | 9 | 11 | 6 | 5 | 12 | 1 | 9 | 117 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.14) | (0.23) | (0.16) | (0.27) | (0.12) | (0.15) | (0.08) | (0.07) | (0.16) | (0.01) | (0.12) | (1.60) |
| | 年齢構成比(%) | 0% | 1% | 3% | 9% | 15% | 10% | 17% | 8% | 9% | 5% | 4% | 10% | 1% | 8% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 19 | 47 | 38 | 47 | 47 | 36 | 35 | 22 | 15 | 16 | 41 | 8 | 61 | 434 |
| | (定点あたり) | (0.03) | (0.26) | (0.64) | (0.52) | (0.64) | (0.64) | (0.49) | (0.48) | (0.30) | (0.21) | (0.22) | (0.56) | (0.11) | (0.84) | (5.95) |
| | 年齢構成比(%) | 0% | 4% | 11% | 9% | 11% | 11% | 8% | 8% | 5% | 3% | 4% | 9% | 2% | 14% | 100% |
| 水痘 | 報告数 | 1 | 1 | 0 | 1 | 2 | 0 | 4 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 12 |
| | (定点あたり) | (0.01) | (0.01) | (0.00) | (0.01) | (0.03) | (0.00) | (0.05) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比(%) | 8% | 8% | 0% | 8% | 17% | 0% | 33% | 8% | 17% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 3 | 7 | 5 | 4 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| | (定点あたり) | (0.00) | (0.04) | (0.10) | (0.07) | (0.05) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比(%) | 0% | 13% | 30% | 22% | 17% | 9% | 4% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 3 | 2 | 1 | 5 | 2 | 7 | 0 | 2 | 2 | 1 | 0 | 0 | 25 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.03) | (0.01) | (0.07) | (0.03) | (0.10) | (0.00) | (0.03) | (0.03) | (0.01) | (0.00) | (0.00) | (0.34) |
| | 年齢構成比(%) | 0% | 0% | 12% | 8% | 4% | 20% | 8% | 28% | 0% | 8% | 8% | 4% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 8 | 8 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.11) | (0.11) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比(%) | 0% | 44% | 44% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.04) | (0.01) | (0.07) | (0.00) | (0.05) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.18) |
| | 年齢構成比(%) | 0% | 0% | 0% | 23% | 8% | 38% | 0% | 31% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 3 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.03) | (0.04) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比(%) | 0% | 25% | 38% | 13% | 0% | 13% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 1 | 4 | 5 | 11 | 6 | 9 | 6 | 4 | 4 | 1 | 9 | 0 | 2 | 62 |
| | (定点あたり) | (0.00) | (0.01) | (0.05) | (0.07) | (0.15) | (0.08) | (0.12) | (0.08) | (0.05) | (0.05) | (0.01) | (0.12) | (0.00) | (0.03) | (0.85) |
| | 年齢構成比(%) | 0% | 2% | 6% | 8% | 18% | 10% | 15% | 10% | 6% | 6% | 2% | 15% | 0% | 3% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 11 | 25 | 20 | 29 | 27 | 20 | 21 | 16 | 10 | 7 | 22 | 5 | 25 | 239 |
| | (定点あたり) | (0.01) | (0.15) | (0.34) | (0.27) | (0.40) | (0.37) | (0.27) | (0.29) | (0.22) | (0.14) | (0.10) | (0.30) | (0.07) | (0.34) | (3.27) |
| | 年齢構成比(%) | 0% | 5% | 10% | 8% | 12% | 11% | 8% | 9% | 7% | 4% | 3% | 9% | 2% | 10% | 100% |
| 水痘 | 報告数 | 0 | 1 | 0 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.03) | (0.00) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.10) |
| | 年齢構成比(%) | 0% | 14% | 0% | 0% | 29% | 0% | 29% | 0% | 29% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 3 | 5 | 3 | 1 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.04) | (0.07) | (0.04) | (0.01) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比(%) | 0% | 19% | 31% | 19% | 6% | 13% | 6% | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 4 | 0 | 0 | 2 | 1 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.03) | (0.00) | (0.05) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.15) |
| | 年齢構成比(%) | 0% | 0% | 9% | 9% | 0% | 18% | 0% | 36% | 0% | 0% | 18% | 9% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 33% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 3 | 1 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.04) | (0.01) | (0.05) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比(%) | 0% | 0% | 0% | 33% | 11% | 44% | 0% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第12週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比(%) | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 0% | 25% | 50% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 0 | 5 | 6 | 6 | 11 | 3 | 7 | 2 | 4 | 3 | 1 | 7 | 55 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.07) | (0.08) | (0.08) | (0.15) | (0.04) | (0.10) | (0.03) | (0.05) | (0.04) | (0.01) | (0.10) | (0.75) |
| | 年齢構成比(%) | 0% | 0% | 0% | 9% | 11% | 11% | 20% | 5% | 13% | 4% | 7% | 5% | 2% | 13% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 8 | 22 | 18 | 18 | 20 | 16 | 14 | 6 | 5 | 9 | 19 | 3 | 36 | 195 |
| | (定点あたり) | (0.01) | (0.11) | (0.30) | (0.25) | (0.25) | (0.27) | (0.22) | (0.19) | (0.08) | (0.07) | (0.12) | (0.26) | (0.04) | (0.49) | (2.67) |
| | 年齢構成比(%) | 1% | 4% | 11% | 9% | 9% | 10% | 8% | 7% | 3% | 3% | 5% | 10% | 2% | 18% | 100% |
| 水痘 | 報告数 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比(%) | 20% | 0% | 0% | 20% | 0% | 0% | 40% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 0 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.10) |
| | 年齢構成比(%) | 0% | 0% | 29% | 29% | 43% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 2 | 1 | 1 | 3 | 2 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.01) | (0.01) | (0.04) | (0.03) | (0.04) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.19) |
| | 年齢構成比(%) | 0% | 0% | 14% | 7% | 7% | 21% | 14% | 21% | 0% | 14% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 7 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.00) | (0.10) | (0.08) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比(%) | 0% | 47% | 40% | 13% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比(%) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比(%) | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 75% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。