

## 2015年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	2	0	2	7	2	8	3	26	27	10	13	37	10	5	15	21	13	11	5	2	219
	(定点あたり)	(0.02)	(0.00)	(0.02)	(0.06)	(0.02)	(0.07)	(0.02)	(0.21)	(0.22)	(0.08)	(0.11)	(0.30)	(0.08)	(0.04)	(0.12)	(0.17)	(0.11)	(0.09)	(0.04)	(0.02)	(1.78)
	年齢構成比(%)	1%	0%	1%	3%	1%	4%	1%	12%	12%	5%	6%	17%	5%	2%	7%	10%	6%	5%	2%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	0%	0%	33%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	1	5	1	4	1	10	13	3	5	17	4	3	4	11	8	5	4	1	101
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.04)	(0.01)	(0.03)	(0.01)	(0.08)	(0.11)	(0.02)	(0.04)	(0.14)	(0.03)	(0.02)	(0.03)	(0.09)	(0.07)	(0.04)	(0.03)	(0.01)	(0.82)
	年齢構成比(%)	1%	0%	1%	5%	1%	4%	1%	10%	13%	3%	5%	17%	4%	3%	4%	11%	8%	5%	4%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	1	0	1	2	1	4	2	16	14	7	8	20	6	2	11	10	5	6	1	1	118
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.02)	(0.01)	(0.03)	(0.02)	(0.13)	(0.11)	(0.06)	(0.07)	(0.16)	(0.05)	(0.02)	(0.09)	(0.08)	(0.04)	(0.05)	(0.01)	(0.01)	(0.96)
	年齢構成比(%)	1%	0%	1%	2%	1%	3%	2%	14%	12%	6%	7%	17%	5%	2%	9%	8%	4%	5%	1%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比(%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	1	1	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比(%)	33%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	12	1	5	7	2	1	2	0	0	1	0	0	34
	(定点あたり)	(0.00)	(0.04)	(0.16)	(0.01)	(0.07)	(0.09)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.46)
	年齢構成比(%)	0%	9%	35%	3%	15%	21%	6%	3%	6%	0%	0%	3%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	9	8	14	19	19	19	13	4	8	13	2	9	139
	(定点あたり)	(0.00)	(0.03)	(0.12)	(0.11)	(0.19)	(0.26)	(0.26)	(0.26)	(0.18)	(0.05)	(0.11)	(0.18)	(0.03)	(0.12)	(1.88)
	年齢構成比(%)	0%	1%	6%	6%	10%	14%	14%	14%	9%	3%	6%	9%	1%	6%	100%
感染性胃腸炎	報告数	8	43	58	43	37	38	29	24	20	18	14	42	8	51	433
	(定点あたり)	(0.11)	(0.58)	(0.78)	(0.58)	(0.50)	(0.51)	(0.39)	(0.32)	(0.27)	(0.24)	(0.19)	(0.57)	(0.11)	(0.69)	(5.85)
	年齢構成比(%)	2%	10%	13%	10%	9%	9%	7%	6%	5%	4%	3%	10%	2%	12%	100%
水痘	報告数	2	2	3	6	1	7	2	2	2	2	2	0	0	0	31
	(定点あたり)	(0.03)	(0.03)	(0.04)	(0.08)	(0.01)	(0.09)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	6%	6%	10%	19%	3%	23%	6%	6%	6%	6%	6%	0%	0%	0%	100%
手足口病	報告数	1	4	19	21	14	13	3	1	4	1	2	0	0	0	83
	(定点あたり)	(0.01)	(0.05)	(0.26)	(0.28)	(0.19)	(0.18)	(0.04)	(0.01)	(0.05)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(1.12)
	年齢構成比(%)	1%	5%	23%	25%	17%	16%	4%	1%	5%	1%	2%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	3	8	6	5	5	3	3	2	0	0	36
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.11)	(0.08)	(0.07)	(0.07)	(0.04)	(0.04)	(0.03)	(0.00)	(0.00)	(0.49)
	年齢構成比(%)	0%	0%	0%	3%	8%	22%	17%	14%	14%	8%	8%	6%	0%	0%	100%
突発性発しん	報告数	0	11	19	1	0	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.15)	(0.26)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比(%)	0%	35%	61%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	1	1	2	1	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比(%)	0%	0%	0%	11%	0%	22%	11%	11%	22%	11%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比(%)	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	10	1	4	5	0	1	0	0	0	1	0	0	24
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.01)	(0.05)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比(%)	0%	8%	42%	4%	17%	21%	0%	4%	0%	0%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	8	7	8	10	11	12	10	1	3	8	1	2	82
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.09)	(0.11)	(0.14)	(0.15)	(0.16)	(0.14)	(0.01)	(0.04)	(0.11)	(0.01)	(0.03)	(1.11)
	年齢構成比(%)	0%	1%	10%	9%	10%	12%	13%	15%	12%	1%	4%	10%	1%	2%	100%
感染性胃腸炎	報告数	4	20	32	20	16	21	13	11	7	10	7	25	6	20	212
	(定点あたり)	(0.05)	(0.27)	(0.43)	(0.27)	(0.22)	(0.28)	(0.18)	(0.15)	(0.09)	(0.14)	(0.09)	(0.34)	(0.08)	(0.27)	(2.86)
	年齢構成比(%)	2%	9%	15%	9%	8%	10%	6%	5%	3%	5%	3%	12%	3%	9%	100%
水痘	報告数	1	2	2	2	1	3	0	0	1	0	1	0	0	0	13
	(定点あたり)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比(%)	8%	15%	15%	15%	8%	23%	0%	0%	8%	0%	8%	0%	0%	0%	100%
手足口病	報告数	1	2	9	11	8	6	2	1	1	0	2	0	0	0	43
	(定点あたり)	(0.01)	(0.03)	(0.12)	(0.15)	(0.11)	(0.08)	(0.03)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.58)
	年齢構成比(%)	2%	5%	21%	26%	19%	14%	5%	2%	2%	0%	5%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	5	3	2	1	1	2	1	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.07)	(0.04)	(0.03)	(0.01)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比(%)	0%	0%	0%	6%	0%	31%	19%	13%	6%	6%	13%	6%	0%	0%	100%
突発性発しん	報告数	0	5	13	1	0	0	0	0	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.07)	(0.18)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比(%)	0%	26%	68%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	0	1	0	0	1	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.07)
	年齢構成比(%)	0%	0%	0%	20%	0%	20%	20%	0%	20%	0%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2015年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	2	0	1	2	2	0	2	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.03)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比(%)	0%	10%	20%	0%	10%	20%	20%	0%	20%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	1	6	9	8	7	3	3	5	5	1	7	57
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.08)	(0.12)	(0.11)	(0.09)	(0.04)	(0.04)	(0.07)	(0.07)	(0.01)	(0.09)	(0.77)
	年齢構成比(%)	0%	2%	2%	2%	11%	16%	14%	12%	5%	5%	9%	9%	2%	12%	100%
感染性胃腸炎	報告数	4	23	26	23	21	17	16	13	13	8	7	17	2	31	221
	(定点あたり)	(0.05)	(0.31)	(0.35)	(0.31)	(0.28)	(0.23)	(0.22)	(0.18)	(0.18)	(0.11)	(0.09)	(0.23)	(0.03)	(0.42)	(2.99)
	年齢構成比(%)	2%	10%	12%	10%	10%	8%	7%	6%	6%	4%	3%	8%	1%	14%	100%
水痘	報告数	1	0	1	4	0	4	2	2	1	2	1	0	0	0	18
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.05)	(0.00)	(0.05)	(0.03)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比(%)	6%	0%	6%	22%	0%	22%	11%	11%	6%	11%	6%	0%	0%	0%	100%
手足口病	報告数	0	2	10	10	6	7	1	0	3	1	0	0	0	0	40
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.14)	(0.08)	(0.09)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.54)
	年齢構成比(%)	0%	5%	25%	25%	15%	18%	3%	0%	8%	3%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	3	3	3	3	4	2	1	1	0	0	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.04)	(0.04)	(0.04)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.27)
	年齢構成比(%)	0%	0%	0%	0%	15%	15%	15%	15%	20%	10%	5%	5%	0%	0%	100%
突発性発しん	報告数	0	6	6	0	0	0	0	0	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.08)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比(%)	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比(%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	1	0	1	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比(%)	0%	0%	0%	0%	0%	25%	0%	25%	25%	25%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。