

2015年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 33% | 0% | 0% | 0% | 0% | 33% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 1 | 1 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.11) | (0.06) | (0.06) | (0.06) | (0.06) | (0.00) | (0.39) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 14% | 0% | 29% | 14% | 14% | 14% | 14% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.06) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 25% | 25% | 0% | 0% | 25% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20～29歳 | 30～39歳 | 40～49歳 | 50～59歳 | 60～69歳 | 70～79歳 | 80歳以上 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.02) |
| | 年齢構成比 | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.06) | (0.06) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 0% | 33% | 33% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 6 | 2 | 3 | 2 | 2 | 1 | 1 | 2 | 0 | 2 | 0 | 0 | 22 |
| | (定点あたり) | (0.00) | (0.01) | (0.08) | (0.03) | (0.04) | (0.03) | (0.03) | (0.01) | (0.01) | (0.03) | (0.00) | (0.03) | (0.00) | (0.00) | (0.30) |
| | 年齢構成比 | 0% | 5% | 27% | 9% | 14% | 9% | 9% | 5% | 5% | 9% | 0% | 9% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 3 | 4 | 10 | 6 | 6 | 5 | 4 | 3 | 12 | 10 | 0 | 9 | 72 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.05) | (0.14) | (0.08) | (0.08) | (0.07) | (0.05) | (0.04) | (0.16) | (0.14) | (0.00) | (0.12) | (0.99) |
| | 年齢構成比 | 0% | 0% | 4% | 6% | 14% | 8% | 8% | 7% | 6% | 4% | 17% | 14% | 0% | 13% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 12 | 47 | 33 | 25 | 21 | 21 | 19 | 22 | 17 | 10 | 21 | 7 | 36 | 293 |
| | (定点あたり) | (0.03) | (0.16) | (0.64) | (0.45) | (0.34) | (0.29) | (0.29) | (0.26) | (0.30) | (0.23) | (0.14) | (0.29) | (0.10) | (0.49) | (4.01) |
| | 年齢構成比 | 1% | 4% | 16% | 11% | 9% | 7% | 7% | 6% | 8% | 6% | 3% | 7% | 2% | 12% | 100% |
| 水痘 | 報告数 | 0 | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 12 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.01) | (0.03) | (0.04) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.16) |
| | 年齢構成比 | 0% | 8% | 8% | 8% | 17% | 25% | 8% | 17% | 0% | 0% | 0% | 8% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 16 | 139 | 381 | 235 | 201 | 169 | 99 | 65 | 20 | 14 | 6 | 12 | 2 | 17 | 1376 |
| | (定点あたり) | (0.22) | (1.90) | (5.22) | (3.22) | (2.75) | (2.32) | (1.36) | (0.89) | (0.27) | (0.19) | (0.08) | (0.16) | (0.03) | (0.23) | (18.85) |
| | 年齢構成比 | 1% | 10% | 28% | 17% | 15% | 12% | 7% | 5% | 1% | 1% | 0% | 1% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 6 | 1 | 6 | 12 | 13 | 1 | 6 | 5 | 5 | 3 | 0 | 0 | 59 |
| | (定点あたり) | (0.00) | (0.01) | (0.08) | (0.01) | (0.08) | (0.16) | (0.18) | (0.01) | (0.08) | (0.07) | (0.07) | (0.04) | (0.00) | (0.00) | (0.81) |
| | 年齢構成比 | 0% | 2% | 10% | 2% | 10% | 20% | 22% | 2% | 10% | 8% | 8% | 5% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 15 | 16 | 5 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 |
| | (定点あたり) | (0.00) | (0.21) | (0.22) | (0.07) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.51) |
| | 年齢構成比 | 0% | 41% | 43% | 14% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 8 | 29 | 18 | 22 | 14 | 8 | 5 | 1 | 3 | 1 | 1 | 1 | 1 | 112 |
| | (定点あたり) | (0.00) | (0.11) | (0.40) | (0.25) | (0.30) | (0.19) | (0.11) | (0.07) | (0.01) | (0.04) | (0.01) | (0.01) | (0.01) | (0.01) | (1.53) |
| | 年齢構成比 | 0% | 7% | 26% | 16% | 20% | 13% | 7% | 4% | 1% | 3% | 1% | 1% | 1% | 1% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 1 | 1 | 5 | 5 | 5 | 4 | 3 | 7 | 1 | 1 | 4 | 0 | 1 | 38 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.07) | (0.07) | (0.07) | (0.05) | (0.04) | (0.10) | (0.01) | (0.01) | (0.05) | (0.00) | (0.01) | (0.52) |
| | 年齢構成比 | 0% | 3% | 3% | 13% | 13% | 13% | 11% | 8% | 18% | 3% | 3% | 11% | 0% | 3% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 14 |
| | (定点あたり) | (0.00) | (0.01) | (0.04) | (0.01) | (0.03) | (0.01) | (0.01) | (0.01) | (0.01) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.19) |
| | 年齢構成比 | 0% | 7% | 21% | 7% | 14% | 7% | 7% | 7% | 7% | 14% | 0% | 7% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 3 | 6 | 5 | 5 | 0 | 2 | 3 | 4 | 6 | 0 | 3 | 39 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.04) | (0.08) | (0.07) | (0.07) | (0.00) | (0.03) | (0.04) | (0.05) | (0.08) | (0.00) | (0.04) | (0.53) |
| | 年齢構成比 | 0% | 0% | 5% | 8% | 15% | 13% | 13% | 0% | 5% | 8% | 10% | 15% | 0% | 8% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 6 | 26 | 18 | 12 | 13 | 10 | 13 | 9 | 12 | 4 | 14 | 6 | 17 | 161 |
| | (定点あたり) | (0.01) | (0.08) | (0.36) | (0.25) | (0.16) | (0.18) | (0.14) | (0.18) | (0.12) | (0.16) | (0.05) | (0.19) | (0.08) | (0.23) | (2.21) |
| | 年齢構成比 | 1% | 4% | 16% | 11% | 7% | 8% | 6% | 8% | 6% | 7% | 2% | 9% | 4% | 11% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.00) | (0.03) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 0% | 0% | 0% | 17% | 17% | 17% | 0% | 33% | 0% | 0% | 0% | 17% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 10 | 84 | 219 | 133 | 100 | 99 | 62 | 42 | 14 | 5 | 2 | 7 | 2 | 7 | 786 |
| | (定点あたり) | (0.14) | (1.15) | (3.00) | (1.82) | (1.37) | (1.36) | (0.85) | (0.58) | (0.19) | (0.07) | (0.03) | (0.10) | (0.03) | (0.10) | (10.77) |
| | 年齢構成比 | 1% | 11% | 28% | 17% | 13% | 13% | 8% | 5% | 2% | 1% | 0% | 1% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 2 | 0 | 3 | 5 | 8 | 1 | 5 | 2 | 3 | 2 | 0 | 0 | 32 |
| | (定点あたり) | (0.00) | (0.01) | (0.03) | (0.00) | (0.04) | (0.07) | (0.11) | (0.01) | (0.07) | (0.03) | (0.04) | (0.03) | (0.00) | (0.00) | (0.44) |
| | 年齢構成比 | 0% | 3% | 6% | 0% | 9% | 16% | 25% | 3% | 16% | 6% | 9% | 6% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 12 | 12 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.16) | (0.16) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.37) |
| | 年齢構成比 | 0% | 44% | 44% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 5 | 11 | 9 | 9 | 9 | 4 | 3 | 1 | 3 | 1 | 1 | 0 | 0 | 56 |
| | (定点あたり) | (0.00) | (0.07) | (0.15) | (0.12) | (0.12) | (0.12) | (0.05) | (0.04) | (0.01) | (0.04) | (0.01) | (0.01) | (0.00) | (0.00) | (0.77) |
| | 年齢構成比 | 0% | 9% | 20% | 16% | 16% | 16% | 7% | 5% | 2% | 5% | 2% | 2% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 1 | 0 | 3 | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 1 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.04) | (0.04) | (0.04) | (0.03) | (0.01) | (0.04) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比 | 0% | 6% | 0% | 17% | 17% | 17% | 11% | 6% | 17% | 0% | 6% | 6% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2015年 第29週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 5ヶ月以下 | 11ヶ月以下 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～14歳 | 15～19歳 | 20歳以上 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| RSウイルス感染症 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 3 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 8 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.11) |
| | 年齢構成比 | 0% | 0% | 38% | 13% | 13% | 13% | 13% | 0% | 0% | 0% | 0% | 13% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 1 | 4 | 1 | 1 | 5 | 2 | 0 | 8 | 4 | 0 | 6 | 33 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.05) | (0.01) | (0.01) | (0.07) | (0.03) | (0.00) | (0.11) | (0.05) | (0.00) | (0.08) | (0.45) |
| | 年齢構成比 | 0% | 0% | 3% | 3% | 12% | 3% | 3% | 15% | 6% | 0% | 24% | 12% | 0% | 18% | 100% |
| 感染性胃腸炎 | 報告数 | 1 | 6 | 21 | 15 | 13 | 8 | 11 | 6 | 13 | 5 | 6 | 7 | 1 | 19 | 132 |
| | (定点あたり) | (0.01) | (0.08) | (0.29) | (0.21) | (0.18) | (0.11) | (0.15) | (0.08) | (0.18) | (0.07) | (0.08) | (0.10) | (0.01) | (0.26) | (1.81) |
| | 年齢構成比 | 1% | 5% | 16% | 11% | 10% | 6% | 8% | 5% | 10% | 4% | 5% | 5% | 1% | 14% | 100% |
| 水痘 | 報告数 | 0 | 1 | 1 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 0% | 17% | 17% | 0% | 17% | 33% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 6 | 55 | 162 | 102 | 101 | 70 | 37 | 23 | 6 | 9 | 4 | 5 | 0 | 10 | 590 |
| | (定点あたり) | (0.08) | (0.75) | (2.22) | (1.40) | (1.38) | (0.96) | (0.51) | (0.32) | (0.08) | (0.12) | (0.05) | (0.07) | (0.00) | (0.14) | (8.08) |
| | 年齢構成比 | 1% | 9% | 27% | 17% | 17% | 12% | 6% | 4% | 1% | 2% | 1% | 1% | 0% | 2% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 4 | 1 | 3 | 7 | 5 | 0 | 1 | 3 | 2 | 1 | 0 | 0 | 27 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.01) | (0.04) | (0.10) | (0.07) | (0.00) | (0.01) | (0.04) | (0.03) | (0.01) | (0.00) | (0.00) | (0.37) |
| | 年齢構成比 | 0% | 0% | 15% | 4% | 11% | 26% | 19% | 0% | 4% | 11% | 7% | 4% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| | (定点あたり) | (0.00) | (0.04) | (0.05) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.14) |
| | 年齢構成比 | 0% | 30% | 40% | 20% | 10% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 3 | 18 | 9 | 13 | 5 | 4 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 56 |
| | (定点あたり) | (0.00) | (0.04) | (0.25) | (0.12) | (0.18) | (0.07) | (0.05) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.77) |
| | 年齢構成比 | 0% | 5% | 32% | 16% | 23% | 9% | 7% | 4% | 0% | 0% | 0% | 0% | 2% | 2% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 1 | 0 | 3 | 0 | 1 | 20 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.03) | (0.03) | (0.03) | (0.03) | (0.05) | (0.01) | (0.00) | (0.04) | (0.00) | (0.01) | (0.27) |
| | 年齢構成比 | 0% | 0% | 5% | 10% | 10% | 10% | 10% | 10% | 20% | 5% | 0% | 15% | 0% | 5% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。