

## 2015年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)	(0.18)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	43%	43%	0%	0%	14%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70～79歳	80歳以上	合計
インフルエンザ	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)	(0.18)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	40%	60%	0%	0%	0%	0%	0%	100%

## 2015年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	3	6	14	5	4	1	0	0	0	0	0	0	0	0	33
	(定点あたり)	(0.04)	(0.08)	(0.20)	(0.07)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	9%	18%	42%	15%	12%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	2	3	0	2	0	2	0	1	2	0	1	19
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.03)	(0.04)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.27)
	年齢構成比	0%	0%	32%	11%	16%	0%	11%	0%	11%	0%	5%	11%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	2	4	10	12	6	10	2	4	8	4	6	71
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.06)	(0.14)	(0.17)	(0.08)	(0.14)	(0.03)	(0.06)	(0.11)	(0.06)	(0.08)	(1.00)
	年齢構成比	0%	1%	3%	3%	6%	14%	17%	8%	14%	3%	6%	11%	6%	8%	100%
感染性胃腸炎	報告数	3	25	37	32	21	18	14	13	9	8	3	28	7	32	250
	(定点あたり)	(0.04)	(0.35)	(0.52)	(0.45)	(0.30)	(0.25)	(0.20)	(0.18)	(0.13)	(0.11)	(0.04)	(0.39)	(0.10)	(0.45)	(3.52)
	年齢構成比	1%	10%	15%	13%	8%	7%	6%	5%	4%	3%	1%	11%	3%	13%	100%
水痘	報告数	1	1	0	6	0	2	3	2	5	1	0	0	0	0	21
	(定点あたり)	(0.01)	(0.01)	(0.00)	(0.08)	(0.00)	(0.03)	(0.04)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	5%	5%	0%	29%	0%	10%	14%	10%	24%	5%	0%	0%	0%	0%	100%
手足口病	報告数	1	7	21	9	6	1	0	1	5	3	1	0	0	3	58
	(定点あたり)	(0.01)	(0.10)	(0.30)	(0.13)	(0.08)	(0.01)	(0.00)	(0.01)	(0.07)	(0.04)	(0.01)	(0.00)	(0.00)	(0.04)	(0.82)
	年齢構成比	2%	12%	36%	16%	10%	2%	0%	2%	9%	5%	2%	0%	0%	5%	100%
伝染性紅斑	報告数	0	0	0	2	4	3	3	0	6	0	1	0	0	1	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.06)	(0.04)	(0.04)	(0.00)	(0.08)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.28)
	年齢構成比	0%	0%	0%	10%	20%	15%	15%	0%	30%	0%	5%	0%	0%	5%	100%
突発性発しん	報告数	0	18	10	2	0	0	0	0	0	0	0	0	0	0	30
	(定点あたり)	(0.00)	(0.25)	(0.14)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.42)
	年齢構成比	0%	60%	33%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	3	1	2	5	0	1	0	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.07)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	25%	8%	17%	42%	0%	8%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	5	3	3	2	3	0	4	3	1	3	1	1	29
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.04)	(0.04)	(0.03)	(0.04)	(0.00)	(0.06)	(0.04)	(0.01)	(0.04)	(0.01)	(0.01)	(0.41)
	年齢構成比	0%	0%	17%	10%	10%	7%	10%	0%	14%	10%	3%	10%	3%	3%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2015年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	2	2	7	2	2	1	0	0	0	0	0	0	0	0	16
	(定点あたり)	(0.03)	(0.03)	(0.10)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	13%	13%	44%	13%	13%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	4	2	0	0	1	0	2	0	1	1	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.17)
	年齢構成比	0%	0%	33%	17%	0%	0%	8%	0%	17%	0%	8%	8%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	1	3	7	10	3	6	0	3	4	3	3	43
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.10)	(0.14)	(0.04)	(0.08)	(0.00)	(0.04)	(0.06)	(0.04)	(0.04)	(0.61)
	年齢構成比	0%	0%	0%	2%	7%	16%	23%	7%	14%	0%	7%	9%	7%	7%	100%
感染性胃腸炎	報告数	3	13	15	19	14	8	10	5	5	6	3	16	2	13	132
	(定点あたり)	(0.04)	(0.18)	(0.21)	(0.27)	(0.20)	(0.11)	(0.14)	(0.07)	(0.07)	(0.08)	(0.04)	(0.23)	(0.03)	(0.18)	(1.86)
	年齢構成比	2%	10%	11%	14%	11%	6%	8%	4%	4%	5%	2%	12%	2%	10%	100%
水痘	報告数	0	1	0	3	0	1	3	2	2	0	0	0	0	0	12
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.04)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	8%	0%	25%	0%	8%	25%	17%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	3	10	6	4	0	0	0	3	2	1	0	0	1	31
	(定点あたり)	(0.01)	(0.04)	(0.14)	(0.08)	(0.06)	(0.00)	(0.00)	(0.00)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.44)
	年齢構成比	3%	10%	32%	19%	13%	0%	0%	0%	10%	6%	3%	0%	0%	3%	100%
伝染性紅斑	報告数	0	0	0	1	2	0	3	0	5	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.04)	(0.00)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	0%	0%	9%	18%	0%	27%	0%	45%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	5	0	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	1	1	1	0	1	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	33%	17%	17%	17%	0%	17%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	4	3	1	0	2	0	3	2	1	2	1	0	19
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.04)	(0.01)	(0.00)	(0.03)	(0.00)	(0.04)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.27)
	年齢構成比	0%	0%	21%	16%	5%	0%	11%	0%	16%	11%	5%	11%	5%	0%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。

## 2015年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	5ヶ月以下	11ヶ月以下	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～14歳	15～19歳	20歳以上	合計
RSウイルス感染症	報告数	1	4	7	3	2	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.01)	(0.06)	(0.10)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	6%	24%	41%	18%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	0	3	0	1	0	0	0	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	29%	0%	43%	0%	14%	0%	0%	0%	0%	14%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	2	1	1	3	2	3	4	2	1	4	1	3	28
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.01)	(0.04)	(0.03)	(0.04)	(0.06)	(0.03)	(0.01)	(0.06)	(0.01)	(0.04)	(0.39)
	年齢構成比	0%	4%	7%	4%	4%	11%	7%	11%	14%	7%	4%	14%	4%	11%	100%
感染性胃腸炎	報告数	0	12	22	13	7	10	4	8	4	2	0	12	5	19	118
	(定点あたり)	(0.00)	(0.17)	(0.31)	(0.18)	(0.10)	(0.14)	(0.06)	(0.11)	(0.06)	(0.03)	(0.00)	(0.17)	(0.07)	(0.27)	(1.66)
	年齢構成比	0%	10%	19%	11%	6%	8%	3%	7%	3%	2%	0%	10%	4%	16%	100%
水痘	報告数	1	0	0	3	0	1	0	0	3	1	0	0	0	0	9
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	11%	0%	0%	33%	0%	11%	0%	0%	33%	11%	0%	0%	0%	0%	100%
手足口病	報告数	0	4	11	3	2	1	0	1	2	1	0	0	0	2	27
	(定点あたり)	(0.00)	(0.06)	(0.15)	(0.04)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)	(0.38)
	年齢構成比	0%	15%	41%	11%	7%	4%	0%	4%	7%	4%	0%	0%	0%	7%	100%
伝染性紅斑	報告数	0	0	0	1	2	3	0	0	1	0	1	0	0	1	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.13)
	年齢構成比	0%	0%	0%	11%	22%	33%	0%	0%	11%	0%	11%	0%	0%	11%	100%
突発性発しん	報告数	0	13	5	2	0	0	0	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.18)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	0%	65%	25%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	0	1	4	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	0%	17%	67%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	2	1	0	1	1	0	1	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.14)
	年齢構成比	0%	0%	10%	0%	20%	20%	10%	0%	10%	10%	0%	10%	0%	10%	100%

☆☆☆ このデータは速報性を重視していますので、今後若干の修正等が行われる可能性があります。ご了承ください。