

2016年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	7	3	4	8	9	8	4	3	2	28	16	9	8	13	11	5	6	9	153
	(定点あたり)	(0.00)	(0.00)	(0.06)	(0.02)	(0.03)	(0.06)	(0.07)	(0.06)	(0.03)	(0.02)	(0.02)	(0.22)	(0.13)	(0.07)	(0.06)	(0.10)	(0.09)	(0.04)	(0.05)	(0.07)	(1.22)
	年齢構成比	0%	0%	5%	2%	3%	5%	6%	5%	3%	2%	1%	18%	10%	6%	5%	8%	7%	3%	4%	6%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	33%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	4	1	3	3	7	5	1	3	1	16	11	4	2	4	5	1	4	1	76
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.02)	(0.02)	(0.06)	(0.04)	(0.01)	(0.02)	(0.01)	(0.13)	(0.09)	(0.03)	(0.02)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.61)
	年齢構成比	0%	0%	5%	1%	4%	4%	9%	7%	1%	4%	1%	21%	14%	5%	3%	5%	7%	1%	5%	1%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.18)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	33%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	3	2	1	5	2	3	3	0	1	12	5	5	6	9	6	4	2	8	77
	(定点あたり)	(0.00)	(0.00)	(0.02)	(0.02)	(0.01)	(0.04)	(0.02)	(0.02)	(0.02)	(0.00)	(0.01)	(0.10)	(0.04)	(0.04)	(0.05)	(0.07)	(0.05)	(0.03)	(0.02)	(0.06)	(0.62)
	年齢構成比	0%	0%	4%	3%	1%	6%	3%	4%	4%	0%	1%	16%	6%	6%	8%	12%	8%	5%	3%	10%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	9	1	2	0	0	0	0	2	0	0	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	64%	7%	14%	0%	0%	0%	0%	14%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	3	2	3	12	12	9	11	13	9	8	5	1	9	97
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.04)	(0.16)	(0.16)	(0.12)	(0.14)	(0.17)	(0.12)	(0.11)	(0.07)	(0.01)	(0.12)	(1.28)
	年齢構成比	0%	3%	2%	3%	12%	12%	9%	11%	13%	9%	8%	5%	1%	9%	100%
感染性胃腸炎	報告数	7	40	86	74	70	41	38	33	23	14	20	37	7	57	547
	(定点あたり)	(0.09)	(0.53)	(1.13)	(0.97)	(0.92)	(0.54)	(0.50)	(0.43)	(0.30)	(0.18)	(0.26)	(0.49)	(0.09)	(0.75)	(7.20)
	年齢構成比	1%	7%	16%	14%	13%	7%	7%	6%	4%	3%	4%	7%	1%	10%	100%
水痘	報告数	0	1	1	2	2	8	7	3	3	1	2	1	0	0	31
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.11)	(0.09)	(0.04)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	3%	3%	6%	6%	26%	23%	10%	10%	3%	6%	3%	0%	0%	100%
手足口病	報告数	0	0	6	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	86%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	1	1	4	4	4	4	1	0	2	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.05)	(0.05)	(0.05)	(0.05)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	5%	0%	5%	5%	18%	18%	18%	18%	5%	0%	9%	0%	0%	100%
突発性発しん	報告数	0	12	17	1	1	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.16)	(0.22)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	39%	55%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	3	6	6	2	13	3	5	5	0	0	44
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.08)	(0.08)	(0.03)	(0.17)	(0.04)	(0.07)	(0.07)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	0%	0%	2%	7%	14%	14%	5%	30%	7%	11%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	1	2	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	50%	17%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	2	1	0	9	8	5	4	8	4	5	2	1	4	53
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.12)	(0.11)	(0.07)	(0.05)	(0.11)	(0.05)	(0.07)	(0.03)	(0.01)	(0.05)	(0.70)
	年齢構成比	0%	4%	2%	0%	17%	15%	9%	8%	15%	8%	9%	4%	2%	8%	100%
感染性胃腸炎	報告数	5	26	41	37	37	26	17	17	13	5	12	21	4	23	284
	(定点あたり)	(0.07)	(0.34)	(0.54)	(0.49)	(0.49)	(0.34)	(0.22)	(0.22)	(0.17)	(0.07)	(0.16)	(0.28)	(0.05)	(0.30)	(3.74)
	年齢構成比	2%	9%	14%	13%	13%	9%	6%	6%	5%	2%	4%	7%	1%	8%	100%
水痘	報告数	0	1	1	0	2	2	6	1	1	0	2	0	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.08)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	6%	6%	0%	13%	13%	38%	6%	6%	0%	13%	0%	0%	0%	100%
手足口病	報告数	0	0	3	1	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	1	1	3	2	0	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	11%	0%	11%	11%	33%	22%	0%	0%	11%	0%	0%	100%
突発性発しん	報告数	0	5	8	0	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	36%	57%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	2	1	4	2	4	2	3	3	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.05)	(0.03)	(0.05)	(0.03)	(0.04)	(0.04)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	0%	5%	9%	5%	18%	9%	18%	9%	14%	14%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第17週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	0	6	0	0	0	0	0	0	2	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	75%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	1	3	3	4	4	7	5	5	3	3	0	5	44
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.05)	(0.05)	(0.09)	(0.07)	(0.07)	(0.04)	(0.04)	(0.00)	(0.07)	(0.58)
	年齢構成比	0%	2%	2%	7%	7%	9%	9%	16%	11%	11%	7%	7%	0%	11%	100%
感染性胃腸炎	報告数	2	14	45	37	33	15	21	16	10	9	8	16	3	34	263
	(定点あたり)	(0.03)	(0.18)	(0.59)	(0.49)	(0.43)	(0.20)	(0.28)	(0.21)	(0.13)	(0.12)	(0.11)	(0.21)	(0.04)	(0.45)	(3.46)
	年齢構成比	1%	5%	17%	14%	13%	6%	8%	6%	4%	3%	3%	6%	1%	13%	100%
水痘	報告数	0	0	0	2	0	6	1	2	2	1	0	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.08)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	0%	0%	13%	0%	40%	7%	13%	13%	7%	0%	7%	0%	0%	100%
手足口病	報告数	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	3	3	1	2	1	0	1	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.04)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	8%	0%	0%	8%	23%	23%	8%	15%	8%	0%	8%	0%	0%	100%
突発性発しん	報告数	0	7	9	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	41%	53%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	1	5	2	0	9	1	2	2	0	0	22
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)	(0.03)	(0.00)	(0.12)	(0.01)	(0.03)	(0.03)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	0%	0%	0%	5%	23%	9%	0%	41%	5%	9%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。