

## 2016年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	1	3	3	2	0	1	3	0	6	9	4	2	8	4	1	0	2	49
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.02)	(0.02)	(0.00)	(0.01)	(0.02)	(0.00)	(0.05)	(0.07)	(0.03)	(0.02)	(0.07)	(0.03)	(0.01)	(0.00)	(0.02)	(0.40)
	年齢構成比	0%	0%	0%	2%	6%	6%	4%	0%	2%	6%	0%	12%	18%	8%	4%	16%	8%	2%	0%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	33%	0%	0%	0%	0%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	2	1	0	1	2	0	1	6	1	2	5	1	0	0	1	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.01)	(0.02)	(0.00)	(0.01)	(0.05)	(0.01)	(0.02)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.19)
	年齢構成比	0%	0%	0%	0%	0%	9%	4%	0%	4%	9%	0%	4%	26%	4%	9%	22%	4%	0%	0%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	1	3	1	1	0	0	1	0	5	3	3	0	3	3	1	0	1	26
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.02)	(0.02)	(0.00)	(0.02)	(0.02)	(0.01)	(0.00)	(0.01)	(0.21)
	年齢構成比	0%	0%	0%	4%	12%	4%	4%	0%	0%	4%	0%	19%	12%	12%	0%	12%	12%	4%	0%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	3	10	6	2	2	2	0	0	1	0	1	1	0	28
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.08)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.38)
	年齢構成比	0%	11%	36%	21%	7%	7%	7%	0%	0%	4%	0%	4%	4%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	5	7	9	13	15	13	7	10	4	10	4	8	105
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.10)	(0.12)	(0.18)	(0.21)	(0.18)	(0.10)	(0.14)	(0.05)	(0.14)	(0.05)	(0.11)	(1.44)
	年齢構成比	0%	0%	5%	7%	9%	12%	14%	12%	7%	10%	4%	10%	4%	8%	100%
感染性胃腸炎	報告数	4	37	82	68	55	55	40	39	34	16	15	41	8	50	544
	(定点あたり)	(0.05)	(0.51)	(1.12)	(0.93)	(0.75)	(0.75)	(0.55)	(0.53)	(0.47)	(0.22)	(0.21)	(0.56)	(0.11)	(0.68)	(7.45)
	年齢構成比	1%	7%	15%	13%	10%	10%	7%	7%	6%	3%	3%	8%	1%	9%	100%
水痘	報告数	0	1	3	0	0	8	4	1	2	2	1	0	0	0	22
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.11)	(0.05)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	5%	14%	0%	0%	36%	18%	5%	9%	9%	5%	0%	0%	0%	100%
手足口病	報告数	0	0	9	0	0	0	0	1	0	0	0	0	0	1	11
	(定点あたり)	(0.00)	(0.00)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.15)
	年齢構成比	0%	0%	82%	0%	0%	0%	0%	9%	0%	0%	0%	0%	0%	9%	100%
伝染性紅斑	報告数	0	3	2	0	2	3	2	1	1	2	0	1	0	0	17
	(定点あたり)	(0.00)	(0.04)	(0.03)	(0.00)	(0.03)	(0.04)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	18%	12%	0%	12%	18%	12%	6%	6%	12%	0%	6%	0%	0%	100%
突発性発しん	報告数	0	10	14	3	2	0	0	0	0	0	0	0	0	0	29
	(定点あたり)	(0.00)	(0.14)	(0.19)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.40)
	年齢構成比	0%	34%	48%	10%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	7	1	2	1	1	0	0	0	0	1	0	1	15
	(定点あたり)	(0.00)	(0.01)	(0.10)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.21)
	年齢構成比	0%	7%	47%	7%	13%	7%	7%	0%	0%	0%	0%	7%	0%	7%	100%
流行性耳下腺炎	報告数	0	0	2	1	5	9	16	7	9	8	6	4	0	0	67
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.07)	(0.12)	(0.22)	(0.10)	(0.12)	(0.11)	(0.08)	(0.05)	(0.00)	(0.00)	(0.92)
	年齢構成比	0%	0%	3%	1%	7%	13%	24%	10%	13%	12%	9%	6%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	2	5	4	0	0	0	0	0	0	0	0	1	0	12
	(定点あたり)	(0.00)	(0.03)	(0.07)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.16)
	年齢構成比	0%	17%	42%	33%	0%	0%	0%	0%	0%	0%	0%	0%	8%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	5	4	5	6	3	3	1	6	3	3	46
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.07)	(0.05)	(0.07)	(0.08)	(0.04)	(0.04)	(0.01)	(0.08)	(0.04)	(0.04)	(0.63)
	年齢構成比	0%	0%	7%	9%	11%	9%	11%	13%	7%	7%	2%	13%	7%	7%	100%
感染性胃腸炎	報告数	2	20	47	34	33	24	19	19	16	7	7	22	3	18	271
	(定点あたり)	(0.03)	(0.27)	(0.64)	(0.47)	(0.45)	(0.33)	(0.26)	(0.26)	(0.22)	(0.10)	(0.10)	(0.30)	(0.04)	(0.25)	(3.71)
	年齢構成比	1%	7%	17%	13%	12%	9%	7%	7%	6%	3%	3%	8%	1%	7%	100%
水痘	報告数	0	0	3	0	0	2	3	1	1	2	0	0	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	25%	0%	0%	17%	25%	8%	8%	17%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	5	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	2	2	0	2	2	0	1	1	1	0	0	0	0	11
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.15)
	年齢構成比	0%	18%	18%	0%	18%	18%	0%	9%	9%	9%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	2	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	33%	53%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	4	1	1	1	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	57%	14%	14%	14%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	0	2	6	9	3	3	4	3	3	0	0	34
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.08)	(0.12)	(0.04)	(0.04)	(0.05)	(0.04)	(0.04)	(0.00)	(0.00)	(0.47)
	年齢構成比	0%	0%	3%	0%	6%	18%	26%	9%	9%	12%	9%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第19週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	5	2	2	2	2	0	0	1	0	1	0	0	16
	(定点あたり)	(0.00)	(0.01)	(0.07)	(0.03)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	6%	31%	13%	13%	13%	13%	0%	0%	6%	0%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	3	4	9	10	7	4	7	3	4	1	5	59
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.05)	(0.12)	(0.14)	(0.10)	(0.05)	(0.10)	(0.04)	(0.05)	(0.01)	(0.07)	(0.81)
	年齢構成比	0%	0%	3%	5%	7%	15%	17%	12%	7%	12%	5%	7%	2%	8%	100%
感染性胃腸炎	報告数	2	17	35	34	22	31	21	20	18	9	8	19	5	32	273
	(定点あたり)	(0.03)	(0.23)	(0.48)	(0.47)	(0.30)	(0.42)	(0.29)	(0.27)	(0.25)	(0.12)	(0.11)	(0.26)	(0.07)	(0.44)	(3.74)
	年齢構成比	1%	6%	13%	12%	8%	11%	8%	7%	7%	3%	3%	7%	2%	12%	100%
水痘	報告数	0	1	0	0	0	6	1	0	1	0	1	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.08)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	0%	0%	0%	60%	10%	0%	10%	0%	10%	0%	0%	0%	100%
手足口病	報告数	0	0	4	0	0	0	0	1	0	0	0	0	0	1	6
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比	0%	0%	67%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	17%	100%
伝染性紅斑	報告数	0	1	0	0	0	1	2	0	0	1	0	1	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	0%	0%	0%	17%	33%	0%	0%	17%	0%	17%	0%	0%	100%
突発性発しん	報告数	0	5	6	1	2	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.08)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	36%	43%	7%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	1	3	0	1	0	1	0	0	0	0	1	0	1	8
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.11)
	年齢構成比	0%	13%	38%	0%	13%	0%	13%	0%	0%	0%	0%	13%	0%	13%	100%
流行性耳下腺炎	報告数	0	0	1	1	3	3	7	4	6	4	3	1	0	0	33
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.04)	(0.04)	(0.10)	(0.05)	(0.08)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	0%	3%	3%	9%	9%	21%	12%	18%	12%	9%	3%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。