

2016年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1	1	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.28)
	年齢構成比	0%	0%	0%	0%	20%	0%	0%	0%	0%	0%	0%	20%	0%	0%	20%	0%	0%	20%	20%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	50%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	0	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	8	1	3	3	1	2	1	0	0	2	0	1	23
	(定点あたり)	(0.00)	(0.01)	(0.11)	(0.01)	(0.04)	(0.04)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.31)
	年齢構成比	0%	4%	35%	4%	13%	13%	4%	9%	4%	0%	0%	9%	0%	4%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	4	9	11	15	14	11	13	10	1	10	2	7	108
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.12)	(0.15)	(0.20)	(0.19)	(0.15)	(0.17)	(0.13)	(0.01)	(0.13)	(0.03)	(0.09)	(1.44)
	年齢構成比	0%	1%	4%	8%	10%	14%	13%	10%	12%	9%	1%	9%	2%	6%	100%
感染性胃腸炎	報告数	4	35	61	28	33	28	22	20	17	13	10	29	9	44	353
	(定点あたり)	(0.05)	(0.47)	(0.81)	(0.37)	(0.44)	(0.37)	(0.29)	(0.27)	(0.23)	(0.17)	(0.13)	(0.39)	(0.12)	(0.59)	(4.71)
	年齢構成比	1%	10%	17%	8%	9%	8%	6%	6%	5%	4%	3%	8%	3%	12%	100%
水痘	報告数	1	0	1	5	6	8	7	4	2	2	1	1	0	0	38
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.07)	(0.08)	(0.11)	(0.09)	(0.05)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.51)
	年齢構成比	3%	0%	3%	13%	16%	21%	18%	11%	5%	5%	3%	3%	0%	0%	100%
手足口病	報告数	2	10	42	21	19	16	10	4	5	3	1	1	0	1	135
	(定点あたり)	(0.03)	(0.13)	(0.56)	(0.28)	(0.25)	(0.21)	(0.13)	(0.05)	(0.07)	(0.04)	(0.01)	(0.01)	(0.00)	(0.01)	(1.80)
	年齢構成比	1%	7%	31%	16%	14%	12%	7%	3%	4%	2%	1%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	2	0	1	2	1	2	0	1	1	1	0	1	12
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	0%	17%	0%	8%	17%	8%	17%	0%	8%	8%	8%	0%	8%	100%
突発性発しん	報告数	0	11	16	2	2	0	0	0	0	0	0	0	0	0	31
	(定点あたり)	(0.00)	(0.15)	(0.21)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	35%	52%	6%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	11	68	48	32	37	19	8	3	5	4	3	0	2	241
	(定点あたり)	(0.01)	(0.15)	(0.91)	(0.64)	(0.43)	(0.49)	(0.25)	(0.11)	(0.04)	(0.07)	(0.05)	(0.04)	(0.00)	(0.03)	(3.21)
	年齢構成比	0%	5%	28%	20%	13%	15%	8%	3%	1%	2%	2%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	2	9	17	14	14	3	9	8	5	6	1	5	93
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.12)	(0.23)	(0.19)	(0.19)	(0.04)	(0.12)	(0.11)	(0.07)	(0.08)	(0.01)	(0.07)	(1.24)
	年齢構成比	0%	0%	2%	10%	18%	15%	15%	3%	10%	9%	5%	6%	1%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	6	1	3	3	0	2	0	0	0	2	0	0	18
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.01)	(0.04)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	6%	33%	6%	17%	17%	0%	11%	0%	0%	0%	11%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	3	5	5	8	7	6	8	6	1	8	1	2	61
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.07)	(0.07)	(0.11)	(0.09)	(0.08)	(0.11)	(0.08)	(0.01)	(0.11)	(0.01)	(0.03)	(0.81)
	年齢構成比	0%	2%	5%	8%	8%	13%	11%	10%	13%	10%	2%	13%	2%	3%	100%
感染性胃腸炎	報告数	3	19	30	16	15	18	14	12	9	8	3	15	6	18	186
	(定点あたり)	(0.04)	(0.25)	(0.40)	(0.21)	(0.20)	(0.24)	(0.19)	(0.16)	(0.12)	(0.11)	(0.04)	(0.20)	(0.08)	(0.24)	(2.48)
	年齢構成比	2%	10%	16%	9%	8%	10%	8%	6%	5%	4%	2%	8%	3%	10%	100%
水痘	報告数	1	0	1	4	3	4	2	3	1	2	0	0	0	0	21
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.05)	(0.04)	(0.05)	(0.03)	(0.04)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.28)
	年齢構成比	5%	0%	5%	19%	14%	19%	10%	14%	5%	10%	0%	0%	0%	0%	100%
手足口病	報告数	2	5	22	7	10	12	6	2	2	2	1	0	0	0	71
	(定点あたり)	(0.03)	(0.07)	(0.29)	(0.09)	(0.13)	(0.16)	(0.08)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.95)
	年齢構成比	3%	7%	31%	10%	14%	17%	8%	3%	3%	3%	1%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	5	8	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.11)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	36%	57%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	37	23	18	20	14	5	1	3	0	2	0	0	128
	(定点あたり)	(0.00)	(0.07)	(0.49)	(0.31)	(0.24)	(0.27)	(0.19)	(0.07)	(0.01)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(1.71)
	年齢構成比	0%	4%	29%	18%	14%	16%	11%	4%	1%	2%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	10	7	6	2	2	5	5	4	1	3	49
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.13)	(0.09)	(0.08)	(0.03)	(0.03)	(0.07)	(0.07)	(0.05)	(0.01)	(0.04)	(0.65)
	年齢構成比	0%	0%	2%	6%	20%	14%	12%	4%	4%	10%	10%	8%	2%	6%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第28週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
咽頭結膜熱	報告数	0	0	2	0	0	0	1	0	1	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.07)
	年齢構成比	0%	0%	40%	0%	0%	0%	20%	0%	20%	0%	0%	0%	0%	20%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	4	6	7	7	5	5	4	0	2	1	5	47
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.05)	(0.08)	(0.09)	(0.09)	(0.07)	(0.07)	(0.05)	(0.00)	(0.03)	(0.01)	(0.07)	(0.63)
	年齢構成比	0%	0%	2%	9%	13%	15%	15%	11%	11%	9%	0%	4%	2%	11%	100%
感染性胃腸炎	報告数	1	16	31	12	18	10	8	8	8	5	7	14	3	26	167
	(定点あたり)	(0.01)	(0.21)	(0.41)	(0.16)	(0.24)	(0.13)	(0.11)	(0.11)	(0.11)	(0.07)	(0.09)	(0.19)	(0.04)	(0.35)	(2.23)
	年齢構成比	1%	10%	19%	7%	11%	6%	5%	5%	5%	3%	4%	8%	2%	16%	100%
水痘	報告数	0	0	0	1	3	4	5	1	1	0	1	1	0	0	17
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.07)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	0%	0%	6%	18%	24%	29%	6%	6%	0%	6%	6%	0%	0%	100%
手足口病	報告数	0	5	20	14	9	4	4	2	3	1	0	1	0	1	64
	(定点あたり)	(0.00)	(0.07)	(0.27)	(0.19)	(0.12)	(0.05)	(0.05)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.85)
	年齢構成比	0%	8%	31%	22%	14%	6%	6%	3%	5%	2%	0%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	2	0	1	2	0	2	0	0	1	1	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.13)
	年齢構成比	0%	0%	20%	0%	10%	20%	0%	20%	0%	0%	10%	10%	0%	10%	100%
突発性発しん	報告数	0	6	8	1	2	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.08)	(0.11)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	35%	47%	6%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	6	31	25	14	17	5	3	2	2	4	1	0	2	113
	(定点あたり)	(0.01)	(0.08)	(0.41)	(0.33)	(0.19)	(0.23)	(0.07)	(0.04)	(0.03)	(0.03)	(0.05)	(0.01)	(0.00)	(0.03)	(1.51)
	年齢構成比	1%	5%	27%	22%	12%	15%	4%	3%	2%	2%	4%	1%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	1	6	7	7	8	1	7	3	0	2	0	2	44
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.08)	(0.09)	(0.09)	(0.11)	(0.01)	(0.09)	(0.04)	(0.00)	(0.03)	(0.00)	(0.03)	(0.59)
	年齢構成比	0%	0%	2%	14%	16%	16%	18%	2%	16%	7%	0%	5%	0%	5%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。