

2016年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	4	3	1	2	5	5	1	1	0	1	0	0	24
	(定点あたり)	(0.00)	(0.01)	(0.05)	(0.04)	(0.01)	(0.03)	(0.07)	(0.07)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	4%	17%	13%	4%	8%	21%	21%	4%	4%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	3	7	11	8	6	4	6	3	4	1	9	65
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.04)	(0.09)	(0.14)	(0.11)	(0.08)	(0.05)	(0.08)	(0.04)	(0.05)	(0.01)	(0.12)	(0.86)
	年齢構成比	0%	0%	5%	5%	11%	17%	12%	9%	6%	9%	5%	6%	2%	14%	100%
感染性胃腸炎	報告数	6	26	41	38	19	12	20	14	7	11	18	22	6	37	277
	(定点あたり)	(0.08)	(0.34)	(0.54)	(0.50)	(0.25)	(0.16)	(0.26)	(0.18)	(0.09)	(0.14)	(0.24)	(0.29)	(0.08)	(0.49)	(3.64)
	年齢構成比	2%	9%	15%	14%	7%	4%	7%	5%	3%	4%	6%	8%	2%	13%	100%
水痘	報告数	0	0	1	3	2	2	5	2	1	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.07)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	6%	19%	13%	13%	31%	13%	6%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	5	32	21	11	12	22	9	2	0	3	4	0	0	121
	(定点あたり)	(0.00)	(0.07)	(0.42)	(0.28)	(0.14)	(0.16)	(0.29)	(0.12)	(0.03)	(0.00)	(0.04)	(0.05)	(0.00)	(0.00)	(1.59)
	年齢構成比	0%	4%	26%	17%	9%	10%	18%	7%	2%	0%	2%	3%	0%	0%	100%
伝染性紅斑	報告数	0	1	1	0	1	3	3	0	0	0	0	0	0	1	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.13)
	年齢構成比	0%	10%	10%	0%	10%	30%	30%	0%	0%	0%	0%	0%	0%	10%	100%
突発性発しん	報告数	0	12	14	1	1	0	0	0	0	0	0	0	0	0	28
	(定点あたり)	(0.00)	(0.16)	(0.18)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	0%	43%	50%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	9	31	24	12	10	6	2	2	2	0	2	3	8	111
	(定点あたり)	(0.00)	(0.12)	(0.41)	(0.32)	(0.16)	(0.13)	(0.08)	(0.03)	(0.03)	(0.03)	(0.00)	(0.03)	(0.04)	(0.11)	(1.46)
	年齢構成比	0%	8%	28%	22%	11%	9%	5%	2%	2%	2%	0%	2%	3%	7%	100%
流行性耳下腺炎	報告数	0	0	3	4	13	10	16	11	10	6	2	8	1	0	84
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.17)	(0.13)	(0.21)	(0.14)	(0.13)	(0.08)	(0.03)	(0.11)	(0.01)	(0.00)	(1.11)
	年齢構成比	0%	0%	4%	5%	15%	12%	19%	13%	12%	7%	2%	10%	1%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	2	0	1	4	3	0	0	0	1	0	0	14
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.00)	(0.01)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	0%	21%	14%	0%	7%	29%	21%	0%	0%	0%	7%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	1	4	5	5	3	2	1	2	4	1	3	32
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.05)	(0.07)	(0.07)	(0.04)	(0.03)	(0.01)	(0.03)	(0.05)	(0.01)	(0.04)	(0.42)
	年齢構成比	0%	0%	3%	3%	13%	16%	16%	9%	6%	3%	6%	13%	3%	9%	100%
感染性胃腸炎	報告数	4	12	23	27	9	6	9	6	3	7	12	10	3	17	148
	(定点あたり)	(0.05)	(0.16)	(0.30)	(0.36)	(0.12)	(0.08)	(0.12)	(0.08)	(0.04)	(0.09)	(0.16)	(0.13)	(0.04)	(0.22)	(1.95)
	年齢構成比	3%	8%	16%	18%	6%	4%	6%	4%	2%	5%	8%	7%	2%	11%	100%
水痘	報告数	0	0	0	2	1	0	3	1	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	0%	29%	14%	0%	43%	14%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	18	13	7	5	11	4	1	0	2	4	0	0	68
	(定点あたり)	(0.00)	(0.04)	(0.24)	(0.17)	(0.09)	(0.07)	(0.14)	(0.05)	(0.01)	(0.00)	(0.03)	(0.05)	(0.00)	(0.00)	(0.89)
	年齢構成比	0%	4%	26%	19%	10%	7%	16%	6%	1%	0%	3%	6%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	2	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	0%	0%	25%	50%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	7	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.09)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	10	10	7	6	3	2	0	1	0	1	2	3	49
	(定点あたり)	(0.00)	(0.05)	(0.13)	(0.13)	(0.09)	(0.08)	(0.04)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.03)	(0.04)	(0.64)
	年齢構成比	0%	8%	20%	20%	14%	12%	6%	4%	0%	2%	0%	2%	4%	6%	100%
流行性耳下腺炎	報告数	0	0	2	3	8	6	8	5	4	3	1	4	0	0	44
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.04)	(0.11)	(0.08)	(0.11)	(0.07)	(0.05)	(0.04)	(0.01)	(0.05)	(0.00)	(0.00)	(0.58)
	年齢構成比	0%	0%	5%	7%	18%	14%	18%	11%	9%	7%	2%	9%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第31週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	1	1	1	1	1	2	1	1	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	10%	10%	10%	10%	10%	20%	10%	10%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	3	6	3	3	2	5	1	0	0	6	33
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.04)	(0.08)	(0.04)	(0.04)	(0.03)	(0.07)	(0.01)	(0.00)	(0.00)	(0.08)	(0.43)
	年齢構成比	0%	0%	6%	6%	9%	18%	9%	9%	6%	15%	3%	0%	0%	18%	100%
感染性胃腸炎	報告数	2	14	18	11	10	6	11	8	4	4	6	12	3	20	129
	(定点あたり)	(0.03)	(0.18)	(0.24)	(0.14)	(0.13)	(0.08)	(0.14)	(0.11)	(0.05)	(0.05)	(0.08)	(0.16)	(0.04)	(0.26)	(1.70)
	年齢構成比	2%	11%	14%	9%	8%	5%	9%	6%	3%	3%	5%	9%	2%	16%	100%
水痘	報告数	0	0	1	1	1	2	2	1	1	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	11%	11%	11%	22%	22%	11%	11%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	2	14	8	4	7	11	5	1	0	1	0	0	0	53
	(定点あたり)	(0.00)	(0.03)	(0.18)	(0.11)	(0.05)	(0.09)	(0.14)	(0.07)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.70)
	年齢構成比	0%	4%	26%	15%	8%	13%	21%	9%	2%	0%	2%	0%	0%	0%	100%
伝染性紅斑	報告数	0	1	0	0	1	2	1	0	0	0	0	0	0	1	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.08)
	年齢構成比	0%	17%	0%	0%	17%	33%	17%	0%	0%	0%	0%	0%	0%	17%	100%
突発性発しん	報告数	0	5	7	1	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.07)	(0.09)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	36%	50%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	5	21	14	5	4	3	0	2	1	0	1	1	5	62
	(定点あたり)	(0.00)	(0.07)	(0.28)	(0.18)	(0.07)	(0.05)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.07)	(0.82)
	年齢構成比	0%	8%	34%	23%	8%	6%	5%	0%	3%	2%	0%	2%	2%	8%	100%
流行性耳下腺炎	報告数	0	0	1	1	5	4	8	6	6	3	1	4	1	0	40
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.07)	(0.05)	(0.11)	(0.08)	(0.08)	(0.04)	(0.01)	(0.05)	(0.01)	(0.00)	(0.53)
	年齢構成比	0%	0%	3%	3%	13%	10%	20%	15%	15%	8%	3%	10%	3%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。