

## 2016年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	2	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.17)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	43%	0%	29%	0%	14%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.11)	(0.00)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	50%	0%	25%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	1	4	2	1	2	1	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.01)	(0.05)	(0.03)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	7%	20%	7%	27%	13%	7%	13%	7%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	12	7	9	6	4	0	5	1	10	59
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.16)	(0.09)	(0.12)	(0.08)	(0.05)	(0.00)	(0.07)	(0.01)	(0.14)	(0.80)
	年齢構成比	0%	0%	0%	3%	5%	20%	12%	15%	10%	7%	0%	8%	2%	17%	100%
感染性胃腸炎	報告数	0	27	32	26	21	16	8	8	5	6	3	16	7	22	197
	(定点あたり)	(0.00)	(0.36)	(0.43)	(0.35)	(0.28)	(0.22)	(0.11)	(0.11)	(0.07)	(0.08)	(0.04)	(0.22)	(0.09)	(0.30)	(2.66)
	年齢構成比	0%	14%	16%	13%	11%	8%	4%	4%	3%	3%	2%	8%	4%	11%	100%
水痘	報告数	2	1	1	4	3	3	3	1	1	1	0	0	0	0	20
	(定点あたり)	(0.03)	(0.01)	(0.01)	(0.05)	(0.04)	(0.04)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.27)
	年齢構成比	10%	5%	5%	20%	15%	15%	15%	5%	5%	5%	0%	0%	0%	0%	100%
手足口病	報告数	2	8	27	12	10	9	6	4	0	2	1	1	0	0	82
	(定点あたり)	(0.03)	(0.11)	(0.36)	(0.16)	(0.14)	(0.12)	(0.08)	(0.05)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(1.11)
	年齢構成比	2%	10%	33%	15%	12%	11%	7%	5%	0%	2%	1%	1%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	0	2	2	1	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	13%	13%	0%	25%	25%	13%	0%	0%	0%	13%	0%	0%	100%
突発性発しん	報告数	0	13	18	1	0	0	0	0	0	0	0	0	0	0	32
	(定点あたり)	(0.00)	(0.18)	(0.24)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.43)
	年齢構成比	0%	41%	56%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	7	19	11	4	1	2	0	3	0	0	2	1	0	50
	(定点あたり)	(0.00)	(0.09)	(0.26)	(0.15)	(0.05)	(0.01)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.68)
	年齢構成比	0%	14%	38%	22%	8%	2%	4%	0%	6%	0%	0%	4%	2%	0%	100%
流行性耳下腺炎	報告数	0	0	2	5	6	7	9	17	10	2	3	9	0	1	71
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.07)	(0.08)	(0.09)	(0.12)	(0.23)	(0.14)	(0.03)	(0.04)	(0.12)	(0.00)	(0.01)	(0.96)
	年齢構成比	0%	0%	3%	7%	8%	10%	13%	24%	14%	3%	4%	13%	0%	1%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
咽頭結膜熱	報告数	0	1	2	1	2	2	1	1	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.01)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	10%	20%	10%	20%	20%	10%	10%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	2	10	5	5	3	4	0	2	1	4	38
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.03)	(0.14)	(0.07)	(0.07)	(0.04)	(0.05)	(0.00)	(0.03)	(0.01)	(0.05)	(0.51)
	年齢構成比	0%	0%	0%	5%	5%	26%	13%	13%	8%	11%	0%	5%	3%	11%	100%
感染性胃腸炎	報告数	0	14	21	14	8	10	4	4	3	5	2	11	6	11	113
	(定点あたり)	(0.00)	(0.19)	(0.28)	(0.19)	(0.11)	(0.14)	(0.05)	(0.05)	(0.04)	(0.07)	(0.03)	(0.15)	(0.08)	(0.15)	(1.53)
	年齢構成比	0%	12%	19%	12%	7%	9%	4%	4%	3%	4%	2%	10%	5%	10%	100%
水痘	報告数	2	1	0	4	0	2	3	1	0	1	0	0	0	0	14
	(定点あたり)	(0.03)	(0.01)	(0.00)	(0.05)	(0.00)	(0.03)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	14%	7%	0%	29%	0%	14%	21%	7%	0%	7%	0%	0%	0%	0%	100%
手足口病	報告数	2	5	17	4	6	5	4	3	0	1	0	1	0	0	48
	(定点あたり)	(0.03)	(0.07)	(0.23)	(0.05)	(0.08)	(0.07)	(0.05)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.65)
	年齢構成比	4%	10%	35%	8%	13%	10%	8%	6%	0%	2%	0%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	50%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	7	9	1	0	0	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	41%	53%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	11	4	1	0	0	0	1	0	0	1	1	0	24
	(定点あたり)	(0.00)	(0.07)	(0.15)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.32)
	年齢構成比	0%	21%	46%	17%	4%	0%	0%	0%	4%	0%	0%	4%	4%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	4	3	5	8	5	0	2	2	0	0	33
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.04)	(0.07)	(0.11)	(0.07)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	0%	3%	9%	12%	9%	15%	24%	15%	0%	6%	6%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	0	2	0	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	0%	40%	0%	0%	20%	20%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	0	1	2	2	4	3	0	0	3	0	6	21
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.05)	(0.04)	(0.00)	(0.00)	(0.04)	(0.00)	(0.08)	(0.28)
	年齢構成比	0%	0%	0%	0%	5%	10%	10%	19%	14%	0%	0%	14%	0%	29%	100%
感染性胃腸炎	報告数	0	13	11	12	13	6	4	4	2	1	1	5	1	11	84
	(定点あたり)	(0.00)	(0.18)	(0.15)	(0.16)	(0.18)	(0.08)	(0.05)	(0.05)	(0.03)	(0.01)	(0.01)	(0.07)	(0.01)	(0.15)	(1.14)
	年齢構成比	0%	15%	13%	14%	15%	7%	5%	5%	2%	1%	1%	6%	1%	13%	100%
水痘	報告数	0	0	1	0	3	1	0	0	1	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.04)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	0%	50%	17%	0%	0%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	3	10	8	4	4	2	1	0	1	1	0	0	0	34
	(定点あたり)	(0.00)	(0.04)	(0.14)	(0.11)	(0.05)	(0.05)	(0.03)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	0%	9%	29%	24%	12%	12%	6%	3%	0%	3%	3%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	2	2	0	0	0	0	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	0%	0%	33%	33%	0%	0%	0%	0%	17%	0%	0%	100%
突発性発しん	報告数	0	6	9	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.08)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	40%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	8	7	3	1	2	0	2	0	0	1	0	0	26
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.09)	(0.04)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.35)
	年齢構成比	0%	8%	31%	27%	12%	4%	8%	0%	8%	0%	0%	4%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	2	4	4	9	5	2	1	7	0	1	38
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.03)	(0.05)	(0.05)	(0.12)	(0.07)	(0.03)	(0.01)	(0.09)	(0.00)	(0.01)	(0.51)
	年齢構成比	0%	0%	3%	5%	5%	11%	11%	24%	13%	5%	3%	18%	0%	3%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。