

2016年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.11) | (0.00) | (0.00) | (0.00) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 25% | 50% | 0% | 0% | 0% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.06) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.17) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 33% | 33% | 33% | 0% | 0% | 0% | 0% | 100% |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20～ 29歳 | 30～ 39歳 | 40～ 49歳 | 50～ 59歳 | 60～ 69歳 | 70～ 79歳 | 80歳 以上 | 合計 |
|----------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|--------|
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | | 14歳 | 19歳 | |
| RSウイルス感染症 | 報告数 | 6 | 7 | 25 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 46 |
| | (定点あたり) | (0.08) | (0.09) | (0.33) | (0.08) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.61) |
| | 年齢構成比 | 13% | 15% | 54% | 13% | 2% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 16 | 10 | 7 | 4 | 5 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 46 |
| | (定点あたり) | (0.00) | (0.03) | (0.21) | (0.13) | (0.09) | (0.05) | (0.07) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.61) |
| | 年齢構成比 | 0% | 4% | 35% | 22% | 15% | 9% | 11% | 0% | 2% | 0% | 2% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 3 | 6 | 4 | 13 | 11 | 7 | 7 | 3 | 4 | 7 | 2 | 12 | 79 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.08) | (0.05) | (0.17) | (0.15) | (0.09) | (0.09) | (0.04) | (0.05) | (0.09) | (0.03) | (0.16) | (1.05) |
| | 年齢構成比 | 0% | 0% | 4% | 8% | 5% | 16% | 14% | 9% | 9% | 4% | 5% | 9% | 3% | 15% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 17 | 25 | 28 | 28 | 18 | 13 | 21 | 14 | 11 | 6 | 22 | 11 | 47 | 263 |
| | (定点あたり) | (0.03) | (0.23) | (0.33) | (0.37) | (0.37) | (0.24) | (0.17) | (0.28) | (0.19) | (0.15) | (0.08) | (0.29) | (0.15) | (0.63) | (3.51) |
| | 年齢構成比 | 1% | 6% | 10% | 11% | 11% | 7% | 5% | 8% | 5% | 4% | 2% | 8% | 4% | 18% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 2 | 3 | 3 | 5 | 2 | 6 | 2 | 1 | 1 | 0 | 0 | 26 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.04) | (0.04) | (0.07) | (0.03) | (0.08) | (0.03) | (0.01) | (0.01) | (0.00) | (0.00) | (0.35) |
| | 年齢構成比 | 0% | 0% | 4% | 8% | 12% | 12% | 19% | 8% | 23% | 8% | 4% | 4% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 5 | 22 | 16 | 10 | 6 | 8 | 0 | 2 | 0 | 1 | 1 | 0 | 1 | 73 |
| | (定点あたり) | (0.01) | (0.07) | (0.29) | (0.21) | (0.13) | (0.08) | (0.11) | (0.00) | (0.03) | (0.00) | (0.01) | (0.01) | (0.00) | (0.01) | (0.97) |
| | 年齢構成比 | 1% | 7% | 30% | 22% | 14% | 8% | 11% | 0% | 3% | 0% | 1% | 1% | 0% | 1% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 2 | 1 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.03) | (0.01) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 22% | 11% | 11% | 11% | 11% | 11% | 0% | 0% | 0% | 11% | 11% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 1 | 12 | 22 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 |
| | (定点あたり) | (0.01) | (0.16) | (0.29) | (0.09) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.57) |
| | 年齢構成比 | 2% | 28% | 51% | 16% | 0% | 2% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 2 | 9 | 3 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| | (定点あたり) | (0.00) | (0.03) | (0.12) | (0.04) | (0.05) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.27) |
| | 年齢構成比 | 0% | 10% | 45% | 15% | 20% | 5% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 3 | 6 | 19 | 16 | 11 | 10 | 5 | 6 | 7 | 0 | 2 | 86 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.04) | (0.08) | (0.25) | (0.21) | (0.15) | (0.13) | (0.07) | (0.08) | (0.09) | (0.00) | (0.03) | (1.15) |
| | 年齢構成比 | 0% | 0% | 1% | 3% | 7% | 22% | 19% | 13% | 12% | 6% | 7% | 8% | 0% | 2% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 2 | 3 | 13 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| | (定点あたり) | (0.03) | (0.04) | (0.17) | (0.04) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.29) |
| | 年齢構成比 | 9% | 14% | 59% | 14% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 0 | 3 | 7 | 1 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.09) | (0.01) | (0.05) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比 | 0% | 0% | 19% | 44% | 6% | 25% | 0% | 0% | 0% | 0% | 6% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 4 | 4 | 10 | 6 | 2 | 2 | 2 | 2 | 5 | 1 | 5 | 45 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.05) | (0.05) | (0.13) | (0.08) | (0.03) | (0.03) | (0.03) | (0.03) | (0.07) | (0.01) | (0.07) | (0.60) |
| | 年齢構成比 | 0% | 0% | 4% | 9% | 9% | 22% | 13% | 4% | 4% | 4% | 4% | 11% | 2% | 11% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 11 | 16 | 12 | 15 | 11 | 7 | 11 | 7 | 4 | 6 | 15 | 8 | 18 | 141 |
| | (定点あたり) | (0.00) | (0.15) | (0.21) | (0.16) | (0.20) | (0.15) | (0.09) | (0.15) | (0.09) | (0.05) | (0.08) | (0.20) | (0.11) | (0.24) | (1.88) |
| | 年齢構成比 | 0% | 8% | 11% | 9% | 11% | 8% | 5% | 8% | 5% | 3% | 4% | 11% | 6% | 13% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 4 | 1 | 1 | 0 | 0 | 0 | 15 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.03) | (0.03) | (0.03) | (0.05) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.20) |
| | 年齢構成比 | 0% | 0% | 0% | 7% | 13% | 13% | 13% | 13% | 27% | 7% | 7% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 4 | 16 | 10 | 6 | 4 | 2 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 45 |
| | (定点あたり) | (0.00) | (0.05) | (0.21) | (0.13) | (0.08) | (0.05) | (0.03) | (0.00) | (0.01) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.60) |
| | 年齢構成比 | 0% | 9% | 36% | 22% | 13% | 9% | 4% | 0% | 2% | 0% | 2% | 2% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 25% | 0% | 0% | 0% | 25% | 0% | 0% | 0% | 0% | 25% | 25% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 6 | 11 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| | (定点あたり) | (0.00) | (0.08) | (0.15) | (0.05) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.29) |
| | 年齢構成比 | 0% | 27% | 50% | 18% | 0% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ヘルパンギーナ | 報告数 | 0 | 1 | 6 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.01) | (0.08) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.15) |
| | 年齢構成比 | 0% | 9% | 55% | 9% | 9% | 9% | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 3 | 1 | 11 | 9 | 3 | 5 | 1 | 5 | 3 | 0 | 1 | 42 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.04) | (0.01) | (0.15) | (0.12) | (0.04) | (0.07) | (0.01) | (0.07) | (0.04) | (0.00) | (0.01) | (0.56) |
| | 年齢構成比 | 0% | 0% | 0% | 7% | 2% | 26% | 21% | 7% | 12% | 2% | 12% | 7% | 0% | 2% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2016年 第37週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ 5ヶ月 | 6～ 11ヶ月 | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ 14歳 | 15～ 19歳 | 20歳 以上 | 合計 |
|---------------|---------|-----------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|------------|-----------|--------|
| RSウイルス感染症 | 報告数 | 4 | 4 | 12 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| | (定点あたり) | (0.05) | (0.05) | (0.16) | (0.04) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.32) |
| | 年齢構成比 | 17% | 17% | 50% | 13% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 13 | 3 | 6 | 0 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 30 |
| | (定点あたり) | (0.00) | (0.03) | (0.17) | (0.04) | (0.08) | (0.00) | (0.07) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.40) |
| | 年齢構成比 | 0% | 7% | 43% | 10% | 20% | 0% | 17% | 0% | 3% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 1 | 2 | 0 | 3 | 5 | 5 | 5 | 1 | 2 | 2 | 1 | 7 | 34 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.04) | (0.07) | (0.07) | (0.07) | (0.01) | (0.03) | (0.03) | (0.01) | (0.09) | (0.45) |
| | 年齢構成比 | 0% | 0% | 3% | 6% | 0% | 9% | 15% | 15% | 15% | 3% | 6% | 6% | 3% | 21% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 6 | 9 | 16 | 13 | 7 | 6 | 10 | 7 | 7 | 0 | 7 | 3 | 29 | 122 |
| | (定点あたり) | (0.03) | (0.08) | (0.12) | (0.21) | (0.17) | (0.09) | (0.08) | (0.13) | (0.09) | (0.09) | (0.00) | (0.09) | (0.04) | (0.39) | (1.63) |
| | 年齢構成比 | 2% | 5% | 7% | 13% | 11% | 6% | 5% | 8% | 6% | 6% | 0% | 6% | 2% | 24% | 100% |
| 水痘 | 報告数 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 0 | 2 | 1 | 0 | 1 | 0 | 0 | 11 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.01) | (0.04) | (0.00) | (0.03) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.15) |
| | 年齢構成比 | 0% | 0% | 9% | 9% | 9% | 9% | 27% | 0% | 18% | 9% | 0% | 9% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 1 | 6 | 6 | 4 | 2 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 28 |
| | (定点あたり) | (0.01) | (0.01) | (0.08) | (0.08) | (0.05) | (0.03) | (0.08) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.37) |
| | 年齢構成比 | 4% | 4% | 21% | 21% | 14% | 7% | 21% | 0% | 4% | 0% | 0% | 0% | 0% | 4% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.07) |
| | 年齢構成比 | 0% | 20% | 20% | 20% | 20% | 0% | 20% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 1 | 6 | 11 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| | (定点あたり) | (0.01) | (0.08) | (0.15) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.28) |
| | 年齢構成比 | 5% | 29% | 52% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 百日咳 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 1 | 3 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.00) | (0.01) | (0.04) | (0.03) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 0% | 11% | 33% | 22% | 33% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 1 | 0 | 5 | 8 | 7 | 8 | 5 | 4 | 1 | 4 | 0 | 1 | 44 |
| | (定点あたり) | (0.00) | (0.00) | (0.01) | (0.00) | (0.07) | (0.11) | (0.09) | (0.11) | (0.07) | (0.05) | (0.01) | (0.05) | (0.00) | (0.01) | (0.59) |
| | 年齢構成比 | 0% | 0% | 2% | 0% | 11% | 18% | 16% | 18% | 11% | 9% | 2% | 9% | 0% | 2% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。