

## 2016年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	2	2	3	1	0	1	0	11
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.17)	(0.06)	(0.00)	(0.06)	(0.00)	(0.61)
	年齢構成比	0%	0%	18%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	18%	18%	27%	9%	0%	9%	0%	100%

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.06)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	0%	25%	0%	100%

## (3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20～ 29歳	30～ 39歳	40～ 49歳	50～ 59歳	60～ 69歳	70～ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	2	0	0	0	0	0	0	0	0	0	0	2	1	2	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	29%	14%	29%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	11	12	36	14	7	1	0	0	0	0	0	0	0	0	81
	(定点あたり)	(0.15)	(0.16)	(0.48)	(0.19)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.08)
	年齢構成比	14%	15%	44%	17%	9%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	8	9	8	4	2	1	0	1	2	1	0	2	40
	(定点あたり)	(0.00)	(0.03)	(0.11)	(0.12)	(0.11)	(0.05)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.03)	(0.53)
	年齢構成比	0%	5%	20%	23%	20%	10%	5%	3%	0%	3%	5%	3%	0%	5%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	4	8	7	12	6	7	2	5	10	1	7	71
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.11)	(0.09)	(0.16)	(0.08)	(0.09)	(0.03)	(0.07)	(0.13)	(0.01)	(0.09)	(0.95)
	年齢構成比	0%	0%	3%	6%	11%	10%	17%	8%	10%	3%	7%	14%	1%	10%	100%
感染性胃腸炎	報告数	4	12	30	30	20	16	24	19	20	13	9	23	10	25	255
	(定点あたり)	(0.05)	(0.16)	(0.40)	(0.40)	(0.27)	(0.21)	(0.32)	(0.25)	(0.27)	(0.17)	(0.12)	(0.31)	(0.13)	(0.33)	(3.40)
	年齢構成比	2%	5%	12%	12%	8%	6%	9%	7%	8%	5%	4%	9%	4%	10%	100%
水痘	報告数	2	1	4	4	2	4	4	3	5	0	0	0	0	0	29
	(定点あたり)	(0.03)	(0.01)	(0.05)	(0.05)	(0.03)	(0.05)	(0.05)	(0.04)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	7%	3%	14%	14%	7%	14%	14%	10%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	3	9	11	5	2	5	4	0	1	1	1	0	0	43
	(定点あたり)	(0.01)	(0.04)	(0.12)	(0.15)	(0.07)	(0.03)	(0.07)	(0.05)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.57)
	年齢構成比	2%	7%	21%	26%	12%	5%	12%	9%	0%	2%	2%	2%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	12	13	1	1	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.00)	(0.16)	(0.17)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.36)
	年齢構成比	0%	44%	48%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	5	12	5	3	3	1	0	1	0	0	1	0	0	31
	(定点あたり)	(0.00)	(0.07)	(0.16)	(0.07)	(0.04)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.41)
	年齢構成比	0%	16%	39%	16%	10%	10%	3%	0%	3%	0%	0%	3%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	4	6	8	17	16	8	9	3	10	1	2	86
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.08)	(0.11)	(0.23)	(0.21)	(0.11)	(0.12)	(0.04)	(0.13)	(0.01)	(0.03)	(1.15)
	年齢構成比	0%	0%	2%	5%	7%	9%	20%	19%	9%	10%	3%	12%	1%	2%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	3	8	20	4	6	1	0	0	0	0	0	0	0	0	42
	(定点あたり)	(0.04)	(0.11)	(0.27)	(0.05)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.56)
	年齢構成比	7%	19%	48%	10%	14%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	5	2	2	0	0	0	0	2	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.07)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	31%	31%	13%	13%	0%	0%	0%	0%	13%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	5	4	6	3	4	1	2	4	1	2	35
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.07)	(0.05)	(0.08)	(0.04)	(0.05)	(0.01)	(0.03)	(0.05)	(0.01)	(0.03)	(0.47)
	年齢構成比	0%	0%	3%	6%	14%	11%	17%	9%	11%	3%	6%	11%	3%	6%	100%
感染性胃腸炎	報告数	1	8	16	17	9	9	8	12	11	6	6	16	6	10	135
	(定点あたり)	(0.01)	(0.11)	(0.21)	(0.23)	(0.12)	(0.12)	(0.11)	(0.16)	(0.15)	(0.08)	(0.08)	(0.21)	(0.08)	(0.13)	(1.80)
	年齢構成比	1%	6%	12%	13%	7%	7%	6%	9%	8%	4%	4%	12%	4%	7%	100%
水痘	報告数	2	0	1	2	0	1	1	3	2	0	0	0	0	0	12
	(定点あたり)	(0.03)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.16)
	年齢構成比	17%	0%	8%	17%	0%	8%	8%	25%	17%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	2	7	4	3	1	3	2	0	0	1	0	0	0	24
	(定点あたり)	(0.01)	(0.03)	(0.09)	(0.05)	(0.04)	(0.01)	(0.04)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	4%	8%	29%	17%	13%	4%	13%	8%	0%	0%	4%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	8	0	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.08)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	43%	57%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	6	1	3	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.05)	(0.08)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	0%	29%	43%	7%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	3	4	3	13	11	5	6	3	6	1	0	56
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.05)	(0.04)	(0.17)	(0.15)	(0.07)	(0.08)	(0.04)	(0.08)	(0.01)	(0.00)	(0.75)
	年齢構成比	0%	0%	2%	5%	7%	5%	23%	20%	9%	11%	5%	11%	2%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

## 2016年 第39週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

## (3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	8	4	16	10	1	0	0	0	0	0	0	0	0	0	39
	(定点あたり)	(0.11)	(0.05)	(0.21)	(0.13)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.52)
	年齢構成比	21%	10%	41%	26%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	4	6	2	2	1	0	1	0	1	0	2	24
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.05)	(0.08)	(0.03)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.32)
	年齢構成比	0%	8%	13%	17%	25%	8%	8%	4%	0%	4%	0%	4%	0%	8%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	2	3	3	6	3	3	1	3	6	0	5	36
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.04)	(0.04)	(0.08)	(0.04)	(0.04)	(0.01)	(0.04)	(0.08)	(0.00)	(0.07)	(0.48)
	年齢構成比	0%	0%	3%	6%	8%	8%	17%	8%	8%	3%	8%	17%	0%	14%	100%
感染性胃腸炎	報告数	3	4	14	13	11	7	16	7	9	7	3	7	4	15	120
	(定点あたり)	(0.04)	(0.05)	(0.19)	(0.17)	(0.15)	(0.09)	(0.21)	(0.09)	(0.12)	(0.09)	(0.04)	(0.09)	(0.05)	(0.20)	(1.60)
	年齢構成比	3%	3%	12%	11%	9%	6%	13%	6%	8%	6%	3%	6%	3%	13%	100%
水痘	報告数	0	1	3	2	2	3	3	0	3	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.03)	(0.03)	(0.04)	(0.04)	(0.00)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	6%	18%	12%	12%	18%	18%	0%	18%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	2	7	2	1	2	2	0	1	0	1	0	0	19
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.09)	(0.03)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	5%	11%	37%	11%	5%	11%	11%	0%	5%	0%	5%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	5	1	1	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.08)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	46%	38%	8%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	6	4	0	3	1	0	1	0	0	1	0	0	17
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.05)	(0.00)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	6%	35%	24%	0%	18%	6%	0%	6%	0%	0%	6%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	1	2	5	4	5	3	3	0	4	0	2	30
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.07)	(0.05)	(0.07)	(0.04)	(0.04)	(0.00)	(0.05)	(0.00)	(0.03)	(0.40)
	年齢構成比	0%	0%	3%	3%	7%	17%	13%	17%	10%	10%	0%	13%	0%	7%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。