

2017年 第09週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計	
インフルエンザ	報告数	6	20	58	66	68	73	64	69	48	53	54	184	74	79	115	122	65	61	53	64	1396	
	(定点あたり)	(0.05)	(0.16)	(0.46)	(0.53)	(0.54)	(0.58)	(0.51)	(0.55)	(0.38)	(0.42)	(0.43)	(1.47)	(0.59)	(0.63)	(0.92)	(0.98)	(0.52)	(0.49)	(0.42)	(0.51)	(11.17)	
	年齢構成比	0%	1%	4%	5%	5%	5%	5%	5%	5%	3%	4%	4%	13%	5%	6%	8%	9%	5%	4%	4%	5%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計	
インフルエンザ	報告数	3	9	33	32	32	39	30	41	22	26	22	100	46	31	36	53	32	31	22	19	659	
	(定点あたり)	(0.02)	(0.07)	(0.26)	(0.26)	(0.26)	(0.31)	(0.24)	(0.33)	(0.18)	(0.21)	(0.18)	(0.80)	(0.37)	(0.25)	(0.29)	(0.42)	(0.26)	(0.25)	(0.18)	(0.15)	(5.27)	
	年齢構成比	0%	1%	5%	5%	5%	6%	5%	6%	3%	4%	3%	15%	7%	5%	5%	8%	5%	5%	3%	3%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計	
インフルエンザ	報告数	3	11	25	34	36	34	34	28	26	27	32	84	28	48	79	69	33	30	31	45	737	
	(定点あたり)	(0.02)	(0.09)	(0.20)	(0.27)	(0.29)	(0.27)	(0.27)	(0.22)	(0.21)	(0.22)	(0.26)	(0.67)	(0.22)	(0.38)	(0.63)	(0.55)	(0.26)	(0.24)	(0.25)	(0.36)	(5.90)	
	年齢構成比	0%	1%	3%	5%	5%	5%	5%	4%	4%	4%	4%	11%	4%	7%	11%	9%	4%	4%	4%	6%	100%	
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第09週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	3	1	0	0	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	75%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	10	4	3	6	8	0	0	1	1	0	0	0	35
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.05)	(0.04)	(0.08)	(0.11)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	0%	6%	29%	11%	9%	17%	23%	0%	0%	3%	3%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	6	9	11	10	19	4	10	1	4	1	8	87
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.08)	(0.12)	(0.14)	(0.13)	(0.25)	(0.05)	(0.13)	(0.01)	(0.05)	(0.01)	(0.11)	(1.14)
	年齢構成比	0%	0%	5%	7%	10%	13%	11%	22%	5%	11%	1%	5%	1%	9%	100%
感染性胃腸炎	報告数	3	7	32	26	24	39	30	25	17	13	9	22	14	46	307
	(定点あたり)	(0.04)	(0.09)	(0.42)	(0.34)	(0.32)	(0.51)	(0.39)	(0.33)	(0.22)	(0.17)	(0.12)	(0.29)	(0.18)	(0.61)	(4.04)
	年齢構成比	1%	2%	10%	8%	8%	13%	10%	8%	6%	4%	3%	7%	5%	15%	100%
水痘	報告数	0	0	1	0	0	0	1	2	0	2	0	2	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	13%	0%	0%	0%	13%	25%	0%	25%	0%	25%	0%	0%	100%
手足口病	報告数	0	0	6	4	0	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	60%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	1	0	2	0	0	0	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	20%	0%	40%	0%	0%	0%	20%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	8	16	1	0	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.00)	(0.11)	(0.21)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	32%	64%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	1	2	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	1	1	0	0	1	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	33%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	1	2	3	6	2	4	3	3	3	0	0	29
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.01)	(0.03)	(0.04)	(0.08)	(0.03)	(0.05)	(0.04)	(0.04)	(0.04)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	0%	7%	3%	7%	10%	21%	7%	14%	10%	10%	10%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第09週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	7	4	1	4	5	0	0	1	1	0	0	0	24
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.05)	(0.01)	(0.05)	(0.07)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	0%	4%	29%	17%	4%	17%	21%	0%	0%	4%	4%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	2	4	3	7	7	2	8	0	3	0	4	42
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.05)	(0.04)	(0.09)	(0.09)	(0.03)	(0.11)	(0.00)	(0.04)	(0.00)	(0.05)	(0.55)
	年齢構成比	0%	0%	5%	5%	10%	7%	17%	17%	5%	19%	0%	7%	0%	10%	100%
感染性胃腸炎	報告数	1	5	20	10	13	19	15	17	10	9	4	9	7	18	157
	(定点あたり)	(0.01)	(0.07)	(0.26)	(0.13)	(0.17)	(0.25)	(0.20)	(0.22)	(0.13)	(0.12)	(0.05)	(0.12)	(0.09)	(0.24)	(2.07)
	年齢構成比	1%	3%	13%	6%	8%	12%	10%	11%	6%	6%	3%	6%	4%	11%	100%
水痘	報告数	0	0	1	0	0	0	1	1	0	1	0	2	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	0%	0%	0%	17%	17%	0%	17%	0%	33%	0%	0%	100%
手足口病	報告数	0	0	5	1	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	83%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	6	5	0	0	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.08)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	55%	45%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	1	2	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	67%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	4	2	4	2	2	3	0	0	19
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.05)	(0.03)	(0.05)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	0%	0%	5%	0%	5%	21%	11%	21%	11%	11%	16%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第09週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月											14歳	19歳	
RSウイルス感染症	報告数	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	3	0	2	2	3	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.01)	(0.04)	(0.00)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	9%	27%	0%	18%	18%	27%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	2	4	5	8	3	12	2	2	1	1	1	4	45
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.07)	(0.11)	(0.04)	(0.16)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.05)	(0.59)
	年齢構成比	0%	0%	4%	9%	11%	18%	7%	27%	4%	4%	2%	2%	2%	9%	100%
感染性胃腸炎	報告数	2	2	12	16	11	20	15	8	7	4	5	13	7	28	150
	(定点あたり)	(0.03)	(0.03)	(0.16)	(0.21)	(0.14)	(0.26)	(0.20)	(0.11)	(0.09)	(0.05)	(0.07)	(0.17)	(0.09)	(0.37)	(1.97)
	年齢構成比	1%	1%	8%	11%	7%	13%	10%	5%	5%	3%	3%	9%	5%	19%	100%
水痘	報告数	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	50%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	1	3	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	25%	75%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	1	0	1	0	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	33%	0%	33%	0%	0%	0%	33%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	11	1	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	14%	79%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	50%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	2	2	2	0	0	1	1	0	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	20%	0%	20%	20%	20%	0%	0%	10%	10%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。