

2017年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	2	0	1	4	11	10	10	17	7	1	23	22	11	13	11	11	5	4	11	174
	(定点あたり)	(0.00)	(0.02)	(0.00)	(0.01)	(0.03)	(0.09)	(0.08)	(0.08)	(0.14)	(0.06)	(0.01)	(0.18)	(0.18)	(0.09)	(0.10)	(0.09)	(0.09)	(0.04)	(0.03)	(0.09)	(1.39)
	年齢構成比	0%	1%	0%	1%	2%	6%	6%	6%	6%	10%	4%	1%	13%	13%	6%	7%	6%	6%	3%	2%	6%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	1	1	2	5	5	7	4	0	10	14	5	5	5	7	4	3	4	83
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.02)	(0.04)	(0.04)	(0.06)	(0.03)	(0.00)	(0.08)	(0.11)	(0.04)	(0.04)	(0.04)	(0.06)	(0.03)	(0.02)	(0.03)	(0.66)
	年齢構成比	0%	1%	0%	1%	1%	2%	6%	6%	6%	8%	5%	0%	12%	17%	6%	6%	6%	8%	5%	4%	5%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	1	0	0	3	9	5	5	10	3	1	13	8	6	8	6	4	1	1	7	91
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.02)	(0.07)	(0.04)	(0.04)	(0.08)	(0.02)	(0.01)	(0.10)	(0.06)	(0.05)	(0.06)	(0.05)	(0.03)	(0.01)	(0.01)	(0.06)	(0.73)
	年齢構成比	0%	1%	0%	0%	3%	10%	5%	5%	5%	11%	3%	1%	14%	9%	7%	9%	7%	4%	1%	1%	8%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	2	3	2	1	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.03)	(0.04)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	25%	38%	25%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	10	3	4	4	4	2	2	2	1	0	0	0	34
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.04)	(0.05)	(0.05)	(0.05)	(0.03)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.45)
	年齢構成比	0%	6%	29%	9%	12%	12%	12%	6%	6%	6%	3%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	6	13	9	16	15	8	11	5	14	4	7	111
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.08)	(0.17)	(0.12)	(0.21)	(0.20)	(0.11)	(0.14)	(0.07)	(0.18)	(0.05)	(0.09)	(1.46)
	年齢構成比	0%	0%	3%	5%	12%	8%	14%	14%	7%	10%	5%	13%	4%	6%	100%
感染性胃腸炎	報告数	3	29	51	42	44	34	18	16	18	8	7	19	7	37	333
	(定点あたり)	(0.04)	(0.38)	(0.67)	(0.55)	(0.58)	(0.45)	(0.24)	(0.21)	(0.24)	(0.11)	(0.09)	(0.25)	(0.09)	(0.49)	(4.38)
	年齢構成比	1%	9%	15%	13%	13%	10%	5%	5%	5%	2%	2%	6%	2%	11%	100%
水痘	報告数	0	0	2	0	1	0	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	40%	0%	20%	0%	0%	20%	20%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	15	61	21	7	1	0	0	0	0	0	0	0	0	105
	(定点あたり)	(0.00)	(0.20)	(0.80)	(0.28)	(0.09)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.38)
	年齢構成比	0%	14%	58%	20%	7%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	5	9	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.01)	(0.07)	(0.12)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	7%	33%	60%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	6	3	0	0	0	0	0	0	0	1	0	1	13
	(定点あたり)	(0.00)	(0.03)	(0.08)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.17)
	年齢構成比	0%	15%	46%	23%	0%	0%	0%	0%	0%	0%	0%	8%	0%	8%	100%
流行性耳下腺炎	報告数	0	0	2	2	2	2	3	1	0	2	2	2	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.03)	(0.03)	(0.04)	(0.01)	(0.00)	(0.03)	(0.03)	(0.03)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	11%	11%	11%	11%	17%	6%	0%	11%	11%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	3	1	1	0	0	0	0	0	0	0	0	0	0	6
	(定点あたり)	(0.01)	(0.04)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	17%	50%	17%	17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	7	2	3	2	2	0	1	0	1	0	0	0	18
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.03)	(0.04)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	0%	0%	39%	11%	17%	11%	11%	0%	6%	0%	6%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	8	5	9	5	4	7	3	12	3	2	60
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.11)	(0.07)	(0.12)	(0.07)	(0.05)	(0.09)	(0.04)	(0.16)	(0.04)	(0.03)	(0.79)
	年齢構成比	0%	0%	0%	3%	13%	8%	15%	8%	7%	12%	5%	20%	5%	3%	100%
感染性胃腸炎	報告数	2	18	29	22	26	19	7	10	7	4	6	9	4	14	177
	(定点あたり)	(0.03)	(0.24)	(0.38)	(0.29)	(0.34)	(0.25)	(0.09)	(0.13)	(0.09)	(0.05)	(0.08)	(0.12)	(0.05)	(0.18)	(2.33)
	年齢構成比	1%	10%	16%	12%	15%	11%	4%	6%	4%	2%	3%	5%	2%	8%	100%
水痘	報告数	0	0	2	0	0	0	0	0	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	67%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	5	36	10	4	1	0	0	0	0	0	0	0	0	56
	(定点あたり)	(0.00)	(0.07)	(0.47)	(0.13)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.74)
	年齢構成比	0%	9%	64%	18%	7%	2%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.07)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	71%	29%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	0	4	3	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	57%	43%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	2	0	1	1	1	1	0	2	0	2	0	0	10
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	0%	20%	0%	10%	10%	10%	10%	0%	20%	0%	20%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第18週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	50%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	2	3	1	1	2	2	2	1	2	0	0	0	0	16
	(定点あたり)	(0.00)	(0.03)	(0.04)	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	13%	19%	6%	6%	13%	13%	13%	6%	13%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	5	4	7	10	4	4	2	2	1	5	51
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.07)	(0.05)	(0.09)	(0.13)	(0.05)	(0.05)	(0.03)	(0.03)	(0.01)	(0.07)	(0.67)
	年齢構成比	0%	0%	6%	8%	10%	8%	14%	20%	8%	8%	4%	4%	2%	10%	100%
感染性胃腸炎	報告数	1	11	22	20	18	15	11	6	11	4	1	10	3	23	156
	(定点あたり)	(0.01)	(0.14)	(0.29)	(0.26)	(0.24)	(0.20)	(0.14)	(0.08)	(0.14)	(0.05)	(0.01)	(0.13)	(0.04)	(0.30)	(2.05)
	年齢構成比	1%	7%	14%	13%	12%	10%	7%	4%	7%	3%	1%	6%	2%	15%	100%
水痘	報告数	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	10	25	11	3	0	0	0	0	0	0	0	0	0	49
	(定点あたり)	(0.00)	(0.13)	(0.33)	(0.14)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.64)
	年齢構成比	0%	20%	51%	22%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	1	0	7	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.01)	(0.00)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	13%	0%	88%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	2	2	0	0	0	0	0	0	0	0	1	0	1	6
	(定点あたり)	(0.00)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.08)
	年齢構成比	0%	33%	33%	0%	0%	0%	0%	0%	0%	0%	0%	17%	0%	17%	100%
流行性耳下腺炎	報告数	0	0	0	2	1	1	2	0	0	0	2	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	25%	13%	13%	25%	0%	0%	0%	25%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。