

2017年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	1	0	0	0	0	1	1	0	0	0	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	17%	0%	0%	0%	17%	0%	0%	0%	0%	17%	17%	0%	0%	0%	17%	17%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	1	1	0	0	0	0	0	1	1	1	1	1	1	1	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.50)
	年齢構成比	0%	0%	0%	0%	0%	11%	11%	0%	0%	0%	0%	0%	11%	11%	11%	11%	11%	11%	11%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	25%	25%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	1	1	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.06)	(0.06)	(0.06)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	0%	17%	0%	0%	0%	0%	0%	0%	0%	17%	17%	0%	17%	17%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	10	12	4	3	1	0	0	0	0	0	0	0	0	35
	(定点あたり)	(0.07)	(0.13)	(0.16)	(0.05)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.46)
	年齢構成比	14%	29%	34%	11%	9%	3%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	3	6	2	2	1	0	0	0	1	1	0	22
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.04)	(0.08)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.29)
	年齢構成比	0%	0%	27%	14%	27%	9%	9%	5%	0%	0%	0%	5%	5%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	4	8	4	2	3	4	2	2	4	0	11	47
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.05)	(0.11)	(0.05)	(0.03)	(0.04)	(0.05)	(0.03)	(0.03)	(0.05)	(0.00)	(0.14)	(0.62)
	年齢構成比	0%	0%	6%	9%	17%	9%	4%	6%	9%	4%	4%	9%	0%	23%	100%
感染性胃腸炎	報告数	2	14	29	14	18	2	8	8	10	5	5	17	5	26	163
	(定点あたり)	(0.03)	(0.18)	(0.38)	(0.18)	(0.24)	(0.03)	(0.11)	(0.11)	(0.13)	(0.07)	(0.07)	(0.22)	(0.07)	(0.34)	(2.14)
	年齢構成比	1%	9%	18%	9%	11%	1%	5%	5%	6%	3%	3%	10%	3%	16%	100%
水痘	報告数	0	1	2	2	2	2	1	1	0	1	1	0	0	0	13
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	8%	15%	15%	15%	15%	8%	8%	0%	8%	8%	0%	0%	0%	100%
手足口病	報告数	1	9	28	8	6	5	4	2	5	0	0	3	0	0	71
	(定点あたり)	(0.01)	(0.12)	(0.37)	(0.11)	(0.08)	(0.07)	(0.05)	(0.03)	(0.07)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.93)
	年齢構成比	1%	13%	39%	11%	8%	7%	6%	3%	7%	0%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	1	14	0	0	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.00)	(0.01)	(0.18)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	7%	93%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	9	7	6	3	2	0	1	1	0	0	1	0	1	31
	(定点あたり)	(0.00)	(0.12)	(0.09)	(0.08)	(0.04)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.41)
	年齢構成比	0%	29%	23%	19%	10%	6%	0%	3%	3%	0%	0%	3%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	0	2	2	0	3	0	1	0	2	12
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.03)	(0.00)	(0.04)	(0.00)	(0.01)	(0.00)	(0.03)	(0.16)
	年齢構成比	0%	0%	0%	17%	0%	0%	17%	17%	0%	25%	0%	8%	0%	17%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	5	4	7	2	0	0	0	0	0	0	0	0	0	0	18
	(定点あたり)	(0.07)	(0.05)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.24)
	年齢構成比	28%	22%	39%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	5	2	5	1	1	0	0	0	0	1	0	0	15
	(定点あたり)	(0.00)	(0.00)	(0.07)	(0.03)	(0.07)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.20)
	年齢構成比	0%	0%	33%	13%	33%	7%	7%	0%	0%	0%	0%	7%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	3	2	3	2	1	3	2	1	1	3	0	3	24
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.03)	(0.04)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.01)	(0.04)	(0.00)	(0.04)	(0.32)
	年齢構成比	0%	0%	13%	8%	13%	8%	4%	13%	8%	4%	4%	13%	0%	13%	100%
感染性胃腸炎	報告数	2	6	19	5	13	0	5	6	4	3	2	9	3	12	89
	(定点あたり)	(0.03)	(0.08)	(0.25)	(0.07)	(0.17)	(0.00)	(0.07)	(0.08)	(0.05)	(0.04)	(0.03)	(0.12)	(0.04)	(0.16)	(1.17)
	年齢構成比	2%	7%	21%	6%	15%	0%	6%	7%	4%	3%	2%	10%	3%	13%	100%
水痘	報告数	0	0	1	0	2	1	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.07)
	年齢構成比	0%	0%	20%	0%	40%	20%	0%	20%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	5	17	3	4	1	1	1	2	0	0	1	0	0	35
	(定点あたり)	(0.00)	(0.07)	(0.22)	(0.04)	(0.05)	(0.01)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.46)
	年齢構成比	0%	14%	49%	9%	11%	3%	3%	3%	6%	0%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	0	7	0	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	5	5	4	3	1	0	1	0	0	0	0	0	0	19
	(定点あたり)	(0.00)	(0.07)	(0.07)	(0.05)	(0.04)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.25)
	年齢構成比	0%	26%	26%	21%	16%	5%	0%	5%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	0	0	1	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	0%	33%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第33週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	0	6	5	2	3	1	0	0	0	0	0	0	0	0	17
	(定点あたり)	(0.00)	(0.08)	(0.07)	(0.03)	(0.04)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	35%	29%	12%	18%	6%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	1	1	1	1	1	1	0	0	0	0	1	0	7
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.09)
	年齢構成比	0%	0%	14%	14%	14%	14%	14%	14%	0%	0%	0%	0%	14%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	5	2	1	0	2	1	1	1	0	8	23
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.07)	(0.03)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.11)	(0.30)
	年齢構成比	0%	0%	0%	9%	22%	9%	4%	0%	9%	4%	4%	4%	0%	35%	100%
感染性胃腸炎	報告数	0	8	10	9	5	2	3	2	6	2	3	8	2	14	74
	(定点あたり)	(0.00)	(0.11)	(0.13)	(0.12)	(0.07)	(0.03)	(0.04)	(0.03)	(0.08)	(0.03)	(0.04)	(0.11)	(0.03)	(0.18)	(0.97)
	年齢構成比	0%	11%	14%	12%	7%	3%	4%	3%	8%	3%	4%	11%	3%	19%	100%
水痘	報告数	0	1	1	2	0	1	1	0	0	1	1	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	13%	25%	0%	13%	13%	0%	0%	13%	13%	0%	0%	0%	100%
手足口病	報告数	1	4	11	5	2	4	3	1	3	0	0	2	0	0	36
	(定点あたり)	(0.01)	(0.05)	(0.14)	(0.07)	(0.03)	(0.05)	(0.04)	(0.01)	(0.04)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.47)
	年齢構成比	3%	11%	31%	14%	6%	11%	8%	3%	8%	0%	0%	6%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	1	7	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.01)	(0.09)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	13%	88%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	100%
ヘルパンギーナ	報告数	0	4	2	2	0	1	0	0	1	0	0	1	0	1	12
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.16)
	年齢構成比	0%	33%	17%	17%	0%	8%	0%	0%	8%	0%	0%	8%	0%	8%	100%
流行性耳下腺炎	報告数	0	0	0	2	0	0	1	2	0	2	0	0	0	2	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.03)	(0.12)
	年齢構成比	0%	0%	0%	22%	0%	0%	11%	22%	0%	22%	0%	0%	0%	22%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。