

2017年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	2	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	60%	0%	0%	0%	40%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	3	2	0	1	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)	(0.11)	(0.00)	(0.06)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	43%	29%	0%	14%	0%	0%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	0%	67%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	0%	25%	50%	0%	0%	0%	0%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	0%	33%	0%	0%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	13	30	52	23	19	1	1	0	0	0	0	0	0	0	139
	(定点あたり)	(0.17)	(0.39)	(0.68)	(0.30)	(0.25)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(1.81)
	年齢構成比	9%	22%	37%	17%	14%	1%	1%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	4	0	0	0	0	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	6	7	8	5	7	0	1	5	8	1	14	63
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.08)	(0.09)	(0.10)	(0.06)	(0.09)	(0.00)	(0.01)	(0.06)	(0.10)	(0.01)	(0.18)	(0.82)
	年齢構成比	0%	0%	2%	10%	11%	13%	8%	11%	0%	2%	8%	13%	2%	22%	100%
感染性胃腸炎	報告数	4	16	34	18	17	14	13	8	5	13	8	25	7	32	214
	(定点あたり)	(0.05)	(0.21)	(0.44)	(0.23)	(0.22)	(0.18)	(0.17)	(0.10)	(0.06)	(0.17)	(0.10)	(0.32)	(0.09)	(0.42)	(2.78)
	年齢構成比	2%	7%	16%	8%	8%	7%	6%	4%	2%	6%	4%	12%	3%	15%	100%
水痘	報告数	0	0	1	1	0	2	0	2	1	2	2	1	0	0	12
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.00)	(0.03)	(0.01)	(0.03)	(0.03)	(0.01)	(0.00)	(0.00)	(0.16)
	年齢構成比	0%	0%	8%	8%	0%	17%	0%	17%	8%	17%	17%	8%	0%	0%	100%
手足口病	報告数	0	3	28	8	7	1	2	0	0	1	1	2	0	2	55
	(定点あたり)	(0.00)	(0.04)	(0.36)	(0.10)	(0.09)	(0.01)	(0.03)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.03)	(0.71)
	年齢構成比	0%	5%	51%	15%	13%	2%	4%	0%	0%	2%	2%	4%	0%	4%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	4	7	2	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.05)	(0.09)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	29%	50%	14%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	7	20	10	6	4	1	5	0	1	0	2	0	1	58
	(定点あたり)	(0.01)	(0.09)	(0.26)	(0.13)	(0.08)	(0.05)	(0.01)	(0.06)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.01)	(0.75)
	年齢構成比	2%	12%	34%	17%	10%	7%	2%	9%	0%	2%	0%	3%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	3	2	2	2	0	2	1	0	15
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.04)	(0.03)	(0.03)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.19)
	年齢構成比	0%	0%	0%	7%	0%	13%	20%	13%	13%	13%	0%	13%	7%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	7	20	31	6	9	1	0	0	0	0	0	0	0	0	74
	(定点あたり)	(0.09)	(0.26)	(0.40)	(0.08)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.96)
	年齢構成比	9%	27%	42%	8%	12%	1%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	6	7	2	4	0	0	4	5	1	5	37
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.08)	(0.09)	(0.03)	(0.05)	(0.00)	(0.00)	(0.05)	(0.06)	(0.01)	(0.06)	(0.48)
	年齢構成比	0%	0%	0%	8%	16%	19%	5%	11%	0%	0%	11%	14%	3%	14%	100%
感染性胃腸炎	報告数	2	9	19	9	10	6	5	3	2	6	7	16	3	14	111
	(定点あたり)	(0.03)	(0.12)	(0.25)	(0.12)	(0.13)	(0.08)	(0.06)	(0.04)	(0.03)	(0.08)	(0.09)	(0.21)	(0.04)	(0.18)	(1.44)
	年齢構成比	2%	8%	17%	8%	9%	5%	5%	3%	2%	5%	6%	14%	3%	13%	100%
水痘	報告数	0	0	0	1	0	1	0	2	1	1	0	0	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	17%	0%	17%	0%	33%	17%	17%	0%	0%	0%	0%	100%
手足口病	報告数	0	1	17	4	4	1	0	0	0	1	0	1	0	0	29
	(定点あたり)	(0.00)	(0.01)	(0.22)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	3%	59%	14%	14%	3%	0%	0%	0%	3%	0%	3%	0%	0%	100%
伝染性紅斑	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	0	4	10	6	3	1	1	1	0	1	0	2	0	0	29
	(定点あたり)	(0.00)	(0.05)	(0.13)	(0.08)	(0.04)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.03)	(0.00)	(0.00)	(0.38)
	年齢構成比	0%	14%	34%	21%	10%	3%	3%	3%	0%	3%	0%	7%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	2	2	1	1	1	0	1	0	0	9
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	0%	0%	11%	0%	22%	22%	11%	11%	11%	0%	11%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第38週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	6	10	21	17	10	0	1	0	0	0	0	0	0	0	65
	(定点あたり)	(0.08)	(0.13)	(0.27)	(0.22)	(0.13)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.84)
	年齢構成比	9%	15%	32%	26%	15%	0%	2%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	1	3	1	1	3	3	0	1	1	3	0	9	26
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.04)	(0.01)	(0.01)	(0.04)	(0.04)	(0.00)	(0.01)	(0.01)	(0.04)	(0.00)	(0.12)	(0.34)
	年齢構成比	0%	0%	4%	12%	4%	4%	12%	12%	0%	4%	4%	12%	0%	35%	100%
感染性胃腸炎	報告数	2	7	15	9	7	8	8	5	3	7	1	9	4	18	103
	(定点あたり)	(0.03)	(0.09)	(0.19)	(0.12)	(0.09)	(0.10)	(0.10)	(0.06)	(0.04)	(0.09)	(0.01)	(0.12)	(0.05)	(0.23)	(1.34)
	年齢構成比	2%	7%	15%	9%	7%	8%	8%	5%	3%	7%	1%	9%	4%	17%	100%
水痘	報告数	0	0	1	0	0	1	0	0	0	1	2	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	0%	17%	0%	0%	17%	0%	0%	0%	17%	33%	17%	0%	0%	100%
手足口病	報告数	0	2	11	4	3	0	2	0	0	0	1	1	0	2	26
	(定点あたり)	(0.00)	(0.03)	(0.14)	(0.05)	(0.04)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.03)	(0.34)
	年齢構成比	0%	8%	42%	15%	12%	0%	8%	0%	0%	0%	4%	4%	0%	8%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	5	2	1	0	0	0	0	0	0	0	0	0	11
	(定点あたり)	(0.00)	(0.04)	(0.06)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.14)
	年齢構成比	0%	27%	45%	18%	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	3	10	4	3	3	0	4	0	0	0	0	0	1	29
	(定点あたり)	(0.01)	(0.04)	(0.13)	(0.05)	(0.04)	(0.04)	(0.00)	(0.05)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.38)
	年齢構成比	3%	10%	34%	14%	10%	10%	0%	14%	0%	0%	0%	0%	0%	3%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	1	1	1	1	0	1	1	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.08)
	年齢構成比	0%	0%	0%	0%	0%	0%	17%	17%	17%	17%	0%	17%	17%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。