

2018年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上	
インフルエンザ	報告数	2	21	89	88	157	166	150	174	139	128	118	384	162	159	145	209	167	133	91	88	2770
	(定点あたり)	(0.02)	(0.17)	(0.71)	(0.70)	(1.25)	(1.32)	(1.19)	(1.38)	(1.10)	(1.02)	(0.94)	(3.05)	(1.29)	(1.26)	(1.15)	(1.66)	(1.33)	(1.06)	(0.72)	(0.70)	(21.98)
	年齢構成比	0%	1%	3%	3%	6%	6%	5%	6%	5%	5%	4%	14%	6%	6%	5%	8%	6%	5%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	0	0	6
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.11)	(0.06)	(0.06)	(0.00)	(0.00)	(0.33)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	33%	17%	17%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上	
インフルエンザ	報告数	2	6	54	46	94	105	71	72	67	62	71	196	89	82	48	103	82	64	43	35	1392
	(定点あたり)	(0.02)	(0.05)	(0.43)	(0.37)	(0.75)	(0.83)	(0.56)	(0.57)	(0.53)	(0.49)	(0.56)	(1.56)	(0.71)	(0.65)	(0.38)	(0.82)	(0.65)	(0.51)	(0.34)	(0.28)	(11.05)
	年齢構成比	0%	0%	4%	3%	7%	8%	5%	5%	5%	4%	5%	14%	6%	6%	3%	7%	6%	5%	3%	3%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.11)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	25%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上	
インフルエンザ	報告数	0	15	35	42	63	61	79	102	72	66	47	188	73	77	97	106	85	69	48	53	1378
	(定点あたり)	(0.00)	(0.12)	(0.28)	(0.33)	(0.50)	(0.48)	(0.63)	(0.81)	(0.57)	(0.52)	(0.37)	(1.49)	(0.58)	(0.61)	(0.77)	(0.84)	(0.67)	(0.55)	(0.38)	(0.42)	(10.94)
	年齢構成比	0%	1%	3%	3%	5%	4%	6%	7%	5%	5%	3%	14%	5%	6%	7%	8%	6%	5%	3%	4%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	100%
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.11)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%	50%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0~	6~	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~	15~	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	4	2	2	0	0	0	0	0	0	0	0	0	0	0	8
	(定点あたり)	(0.05)	(0.03)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比	50%	25%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	6	1	1	2	2	3	0	0	0	1	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.01)	(0.01)	(0.03)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	0%	38%	6%	6%	13%	13%	19%	0%	0%	0%	6%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	6	10	6	9	16	16	10	9	8	16	2	14	123
	(定点あたり)	(0.00)	(0.01)	(0.08)	(0.13)	(0.08)	(0.12)	(0.21)	(0.21)	(0.13)	(0.12)	(0.10)	(0.21)	(0.03)	(0.18)	(1.60)
	年齢構成比	0%	1%	5%	8%	5%	7%	13%	13%	8%	7%	7%	13%	2%	11%	100%
感染性胃腸炎	報告数	1	15	41	26	23	23	24	18	18	8	19	37	21	50	324
	(定点あたり)	(0.01)	(0.19)	(0.53)	(0.34)	(0.30)	(0.30)	(0.31)	(0.23)	(0.23)	(0.10)	(0.25)	(0.48)	(0.27)	(0.65)	(4.21)
	年齢構成比	0%	5%	13%	8%	7%	7%	7%	6%	6%	2%	6%	11%	6%	15%	100%
水痘	報告数	0	0	0	0	1	2	0	1	1	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	20%	40%	0%	20%	20%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	3	0	0	1	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	75%	0%	0%	25%	0%	0%	0%	100%
突発性発しん	報告数	0	2	10	1	1	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.00)	(0.03)	(0.13)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	14%	71%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	0	0	0	1	0	0	0	0	1	5
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.06)
	年齢構成比	0%	0%	20%	40%	0%	0%	0%	0%	20%	0%	0%	0%	0%	20%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0~	6~	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~	15~	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	2	1	0	0	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	67%	33%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
咽頭結膜熱	報告数	0	0	3	1	1	1	1	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	38%	13%	13%	13%	13%	13%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	6	4	4	6	9	11	8	4	4	10	2	7	75
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.05)	(0.05)	(0.08)	(0.12)	(0.14)	(0.10)	(0.05)	(0.05)	(0.13)	(0.03)	(0.09)	(0.97)
	年齢構成比	0%	0%	8%	5%	5%	8%	12%	15%	11%	5%	5%	13%	3%	9%	100%
感染性胃腸炎	報告数	1	6	24	15	13	15	17	9	9	6	15	19	8	23	180
	(定点あたり)	(0.01)	(0.08)	(0.31)	(0.19)	(0.17)	(0.19)	(0.22)	(0.12)	(0.12)	(0.08)	(0.19)	(0.25)	(0.10)	(0.30)	(2.34)
	年齢構成比	1%	3%	13%	8%	7%	8%	9%	5%	5%	3%	8%	11%	4%	13%	100%
水痘	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	50%	0%	0%	0%	100%
突発性発しん	報告数	0	0	6	1	0	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.08)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	0%	86%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	50%	0%	0%	0%	0%	50%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第08週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	2	1	2	0	0	0	0	0	0	0	0	0	0	0	5
	(定点あたり)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	40%	20%	40%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	3	0	0	1	1	2	0	0	0	1	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.04)	(0.00)	(0.00)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.10)
	年齢構成比	0%	0%	38%	0%	0%	13%	13%	25%	0%	0%	0%	13%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	1	0	6	2	3	7	5	2	5	4	6	0	7	48
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.08)	(0.03)	(0.04)	(0.09)	(0.06)	(0.03)	(0.06)	(0.05)	(0.08)	(0.00)	(0.09)	(0.62)
	年齢構成比	0%	2%	0%	13%	4%	6%	15%	10%	4%	10%	8%	13%	0%	15%	100%
感染性胃腸炎	報告数	0	9	17	11	10	8	7	9	9	2	4	18	13	27	144
	(定点あたり)	(0.00)	(0.12)	(0.22)	(0.14)	(0.13)	(0.10)	(0.09)	(0.12)	(0.12)	(0.03)	(0.05)	(0.23)	(0.17)	(0.35)	(1.87)
	年齢構成比	0%	6%	12%	8%	7%	6%	5%	6%	6%	1%	3%	13%	9%	19%	100%
水痘	報告数	0	0	0	0	1	1	0	1	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	0%	25%	25%	0%	25%	25%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
伝染性紅斑	報告数	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	100%
突発性発しん	報告数	0	2	4	0	1	0	0	0	0	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.03)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.09)
	年齢構成比	0%	29%	57%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	1	2	0	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	33%	67%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。