

2018年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.06) | (0.06) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 25% | 25% | 25% | 0% | 100% |

(2) 男性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

(3) 女性

| 感染症名 | 年齢階級区分 | 0～ | 6～ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10～ | 15～ | 20～ | 30～ | 40～ | 50～ | 60～ | 70～ | 80歳 | 合計 |
|----------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 29歳 | 39歳 | 49歳 | 59歳 | 69歳 | 79歳 | 以上 | |
| インフルエンザ | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 急性出血性結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) |
| | 年齢構成比 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 流行性角結膜炎 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.06) | (0.00) | (0.00) | (0.06) | (0.06) | (0.06) | (0.00) | (0.22) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 25% | 0% | 0% | 25% | 25% | 25% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 2 | 1 | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | (定点あたり) | (0.03) | (0.01) | (0.05) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.12) |
| | 年齢構成比 | 22% | 11% | 44% | 11% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 2 | 8 | 3 | 4 | 1 | 5 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 26 |
| | (定点あたり) | (0.00) | (0.03) | (0.10) | (0.04) | (0.05) | (0.01) | (0.06) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.34) |
| | 年齢構成比 | 0% | 8% | 31% | 12% | 15% | 4% | 19% | 4% | 8% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 6 | 11 | 18 | 17 | 26 | 21 | 15 | 13 | 7 | 14 | 2 | 11 | 161 |
| | (定点あたり) | (0.00) | (0.00) | (0.08) | (0.14) | (0.23) | (0.22) | (0.34) | (0.27) | (0.19) | (0.17) | (0.09) | (0.18) | (0.03) | (0.14) | (2.09) |
| | 年齢構成比 | 0% | 0% | 4% | 7% | 11% | 11% | 16% | 13% | 9% | 8% | 4% | 9% | 1% | 7% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 25 | 52 | 36 | 34 | 35 | 33 | 23 | 15 | 16 | 13 | 35 | 11 | 42 | 372 |
| | (定点あたり) | (0.03) | (0.32) | (0.68) | (0.47) | (0.44) | (0.45) | (0.43) | (0.30) | (0.19) | (0.21) | (0.17) | (0.45) | (0.14) | (0.55) | (4.83) |
| | 年齢構成比 | 1% | 7% | 14% | 10% | 9% | 9% | 9% | 6% | 4% | 4% | 3% | 9% | 3% | 11% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 7 | 2 | 0 | 7 | 1 | 0 | 0 | 23 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.05) | (0.09) | (0.03) | (0.00) | (0.09) | (0.01) | (0.00) | (0.00) | (0.30) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 4% | 4% | 17% | 30% | 9% | 0% | 30% | 4% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 11 | 36 | 28 | 17 | 16 | 6 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 124 |
| | (定点あたり) | (0.01) | (0.14) | (0.47) | (0.36) | (0.22) | (0.21) | (0.08) | (0.05) | (0.05) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (1.61) |
| | 年齢構成比 | 1% | 9% | 29% | 23% | 14% | 13% | 5% | 3% | 3% | 1% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.05) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 17% | 67% | 0% | 17% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 11 | 19 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 |
| | (定点あたり) | (0.00) | (0.14) | (0.25) | (0.08) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.48) |
| | 年齢構成比 | 0% | 30% | 51% | 16% | 3% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 8 | 33 | 18 | 11 | 13 | 7 | 2 | 2 | 0 | 1 | 0 | 1 | 2 | 98 |
| | (定点あたり) | (0.00) | (0.10) | (0.43) | (0.23) | (0.14) | (0.17) | (0.09) | (0.03) | (0.03) | (0.00) | (0.01) | (0.00) | (0.01) | (0.03) | (1.27) |
| | 年齢構成比 | 0% | 8% | 34% | 18% | 11% | 13% | 7% | 2% | 2% | 0% | 1% | 0% | 1% | 2% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.05) |
| | 年齢構成比 | 0% | 0% | 0% | 25% | 25% | 25% | 25% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.04) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 7 | 0 | 3 | 1 | 4 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 19 |
| | (定点あたり) | (0.00) | (0.01) | (0.09) | (0.00) | (0.04) | (0.01) | (0.05) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比 | 0% | 5% | 37% | 0% | 16% | 5% | 21% | 5% | 11% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 2 | 7 | 11 | 11 | 18 | 14 | 6 | 7 | 5 | 8 | 2 | 3 | 94 |
| | (定点あたり) | (0.00) | (0.00) | (0.03) | (0.09) | (0.14) | (0.14) | (0.23) | (0.18) | (0.08) | (0.09) | (0.06) | (0.10) | (0.03) | (0.04) | (1.22) |
| | 年齢構成比 | 0% | 0% | 2% | 7% | 12% | 12% | 19% | 15% | 6% | 7% | 5% | 9% | 2% | 3% | 100% |
| 感染性胃腸炎 | 報告数 | 2 | 11 | 24 | 21 | 23 | 20 | 16 | 17 | 9 | 4 | 6 | 20 | 6 | 20 | 199 |
| | (定点あたり) | (0.03) | (0.14) | (0.31) | (0.27) | (0.30) | (0.26) | (0.21) | (0.22) | (0.12) | (0.05) | (0.08) | (0.26) | (0.08) | (0.26) | (2.58) |
| | 年齢構成比 | 1% | 6% | 12% | 11% | 12% | 10% | 8% | 9% | 5% | 2% | 3% | 10% | 3% | 10% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 5 | 2 | 0 | 3 | 1 | 0 | 0 | 16 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.04) | (0.06) | (0.03) | (0.00) | (0.04) | (0.01) | (0.00) | (0.00) | (0.21) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 6% | 6% | 19% | 31% | 13% | 0% | 19% | 6% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 0 | 3 | 18 | 16 | 7 | 6 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 55 |
| | (定点あたり) | (0.00) | (0.04) | (0.23) | (0.21) | (0.09) | (0.08) | (0.04) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.71) |
| | 年齢構成比 | 0% | 5% | 33% | 29% | 13% | 11% | 5% | 4% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 33% | 67% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 8 | 8 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| | (定点あたり) | (0.00) | (0.10) | (0.10) | (0.03) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.23) |
| | 年齢構成比 | 0% | 44% | 44% | 11% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 5 | 20 | 10 | 7 | 7 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 55 |
| | (定点あたり) | (0.00) | (0.06) | (0.26) | (0.13) | (0.09) | (0.09) | (0.04) | (0.00) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.71) |
| | 年齢構成比 | 0% | 9% | 36% | 18% | 13% | 13% | 5% | 0% | 2% | 0% | 2% | 0% | 0% | 2% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 50% | 0% | 0% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2018年 第27週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

| 感染症名 | 年齢階級区分 | 0~ | 6~ | 1歳 | 2歳 | 3歳 | 4歳 | 5歳 | 6歳 | 7歳 | 8歳 | 9歳 | 10~ | 15~ | 20歳 | 合計 |
|---------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 5ヶ月 | 11ヶ月 | | | | | | | | | | 14歳 | 19歳 | 以上 | |
| RSウイルス感染症 | 報告数 | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | (定点あたり) | (0.03) | (0.01) | (0.01) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.08) |
| | 年齢構成比 | 33% | 17% | 17% | 17% | 17% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| 咽頭結膜熱 | 報告数 | 0 | 1 | 1 | 3 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.01) | (0.01) | (0.04) | (0.01) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 14% | 14% | 43% | 14% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| A群溶血性レンサ球菌咽頭炎 | 報告数 | 0 | 0 | 4 | 4 | 7 | 6 | 8 | 7 | 9 | 6 | 2 | 6 | 0 | 8 | 67 |
| | (定点あたり) | (0.00) | (0.00) | (0.05) | (0.05) | (0.09) | (0.08) | (0.10) | (0.09) | (0.12) | (0.08) | (0.03) | (0.08) | (0.00) | (0.10) | (0.87) |
| | 年齢構成比 | 0% | 0% | 6% | 6% | 10% | 9% | 12% | 10% | 13% | 9% | 3% | 9% | 0% | 12% | 100% |
| 感染性胃腸炎 | 報告数 | 0 | 14 | 28 | 15 | 11 | 15 | 17 | 6 | 6 | 12 | 7 | 15 | 5 | 22 | 173 |
| | (定点あたり) | (0.00) | (0.18) | (0.36) | (0.19) | (0.14) | (0.19) | (0.22) | (0.08) | (0.08) | (0.16) | (0.09) | (0.19) | (0.06) | (0.29) | (2.25) |
| | 年齢構成比 | 0% | 8% | 16% | 9% | 6% | 9% | 10% | 3% | 3% | 7% | 4% | 9% | 3% | 13% | 100% |
| 水痘 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 7 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.03) | (0.00) | (0.00) | (0.05) | (0.00) | (0.00) | (0.00) | (0.09) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 14% | 29% | 0% | 0% | 57% | 0% | 0% | 0% | 100% |
| 手足口病 | 報告数 | 1 | 8 | 18 | 12 | 10 | 10 | 3 | 2 | 4 | 1 | 0 | 0 | 0 | 0 | 69 |
| | (定点あたり) | (0.01) | (0.10) | (0.23) | (0.16) | (0.13) | (0.13) | (0.04) | (0.03) | (0.05) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.90) |
| | 年齢構成比 | 1% | 12% | 26% | 17% | 14% | 14% | 4% | 3% | 6% | 1% | 0% | 0% | 0% | 0% | 100% |
| 伝染性紅斑 | 報告数 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) | (0.00) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.04) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 0% | 0% | 67% | 0% | 33% | 0% | 0% | 0% | 0% | 0% | 100% |
| 突発性発しん | 報告数 | 0 | 3 | 11 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| | (定点あたり) | (0.00) | (0.04) | (0.14) | (0.05) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.25) |
| | 年齢構成比 | 0% | 16% | 58% | 21% | 5% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |
| ヘルパンギーナ | 報告数 | 0 | 3 | 13 | 8 | 4 | 6 | 4 | 2 | 1 | 0 | 0 | 0 | 1 | 1 | 43 |
| | (定点あたり) | (0.00) | (0.04) | (0.17) | (0.10) | (0.05) | (0.08) | (0.05) | (0.03) | (0.01) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.56) |
| | 年齢構成比 | 0% | 7% | 30% | 19% | 9% | 14% | 9% | 5% | 2% | 0% | 0% | 0% | 2% | 2% | 100% |
| 流行性耳下腺炎 | 報告数 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | (定点あたり) | (0.00) | (0.00) | (0.00) | (0.00) | (0.01) | (0.01) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.00) | (0.03) |
| | 年齢構成比 | 0% | 0% | 0% | 0% | 50% | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% |

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。