

2019年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計	
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上		
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	2	1	4	0	1	0	0	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.03)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	13%	50%	0%	13%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	1	0	0	0	0	0	0	1	2	1	2	0	0	0	0	8
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.11)	(0.06)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.44)
	年齢構成比	0%	0%	0%	0%	13%	0%	13%	0%	0%	0%	0%	0%	0%	13%	25%	13%	25%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計	
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上		
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	0	0	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	60%	0%	20%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	25%	25%	25%	25%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20～	30～	40～	50～	60～	70～	80歳	合計	
		5ヶ月	11ヶ月										14歳	19歳	29歳	39歳	49歳	59歳	69歳	79歳	以上		
インフルエンザ	報告数	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	25%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	6	4	6	7	2	0	0	0	0	0	0	0	0	0	25
	(定点あたり)	(0.08)	(0.05)	(0.08)	(0.09)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	24%	16%	24%	28%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	4	9	8	7	7	6	0	0	1	0	1	0	0	43
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.10)	(0.09)	(0.09)	(0.08)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.56)
	年齢構成比	0%	9%	21%	19%	16%	16%	14%	0%	0%	2%	0%	2%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	7	8	14	10	9	15	7	3	1	4	2	12	94
	(定点あたり)	(0.01)	(0.01)	(0.09)	(0.10)	(0.18)	(0.13)	(0.12)	(0.19)	(0.09)	(0.04)	(0.01)	(0.05)	(0.03)	(0.16)	(1.22)
	年齢構成比	1%	1%	7%	9%	15%	11%	10%	16%	7%	3%	1%	4%	2%	13%	100%
感染性胃腸炎	報告数	1	14	20	18	19	20	11	20	10	15	4	16	3	28	199
	(定点あたり)	(0.01)	(0.18)	(0.26)	(0.23)	(0.25)	(0.26)	(0.14)	(0.26)	(0.13)	(0.19)	(0.05)	(0.21)	(0.04)	(0.36)	(2.58)
	年齢構成比	1%	7%	10%	9%	10%	10%	6%	10%	5%	8%	2%	8%	2%	14%	100%
水痘	報告数	0	2	1	0	1	2	1	3	2	1	1	2	0	0	16
	(定点あたり)	(0.00)	(0.03)	(0.01)	(0.00)	(0.01)	(0.03)	(0.01)	(0.04)	(0.03)	(0.01)	(0.01)	(0.03)	(0.00)	(0.00)	(0.21)
	年齢構成比	0%	13%	6%	0%	6%	13%	6%	19%	13%	6%	6%	13%	0%	0%	100%
手足口病	報告数	6	50	99	77	40	28	12	10	5	3	2	8	1	8	349
	(定点あたり)	(0.08)	(0.65)	(1.29)	(1.00)	(0.52)	(0.36)	(0.16)	(0.13)	(0.06)	(0.04)	(0.03)	(0.10)	(0.01)	(0.10)	(4.53)
	年齢構成比	2%	14%	28%	22%	11%	8%	3%	3%	1%	1%	1%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	4	10	23	18	15	12	9	9	3	0	0	1	104
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.13)	(0.30)	(0.23)	(0.19)	(0.16)	(0.12)	(0.12)	(0.04)	(0.00)	(0.00)	(0.01)	(1.35)
	年齢構成比	0%	0%	4%	10%	22%	17%	14%	12%	9%	9%	3%	0%	0%	1%	100%
突発性発しん	報告数	0	4	9	3	4	0	1	0	0	1	0	0	0	0	22
	(定点あたり)	(0.00)	(0.05)	(0.12)	(0.04)	(0.05)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.29)
	年齢構成比	0%	18%	41%	14%	18%	0%	5%	0%	0%	5%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	8	23	18	6	11	5	4	1	3	0	1	0	1	82
	(定点あたり)	(0.01)	(0.10)	(0.30)	(0.23)	(0.08)	(0.14)	(0.06)	(0.05)	(0.01)	(0.04)	(0.00)	(0.01)	(0.00)	(0.01)	(1.06)
	年齢構成比	1%	10%	28%	22%	7%	13%	6%	5%	1%	4%	0%	1%	0%	1%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	0	0	0	1	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	25%	25%	0%	0%	0%	25%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0~	6~	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~	15~	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	4	3	2	5	1	0	0	0	0	0	0	0	0	0	15
	(定点あたり)	(0.05)	(0.04)	(0.03)	(0.06)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	27%	20%	13%	33%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	3	4	3	3	3	5	0	0	1	0	1	0	0	23
	(定点あたり)	(0.00)	(0.04)	(0.05)	(0.04)	(0.04)	(0.04)	(0.06)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.30)
	年齢構成比	0%	13%	17%	13%	13%	13%	22%	0%	0%	4%	0%	4%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	1	1	3	6	11	4	5	9	4	1	0	2	2	4	53
	(定点あたり)	(0.01)	(0.01)	(0.04)	(0.08)	(0.14)	(0.05)	(0.06)	(0.12)	(0.05)	(0.01)	(0.00)	(0.03)	(0.03)	(0.05)	(0.69)
	年齢構成比	2%	2%	6%	11%	21%	8%	9%	17%	8%	2%	0%	4%	4%	8%	100%
感染性胃腸炎	報告数	0	7	9	11	12	17	6	13	4	6	2	12	3	8	110
	(定点あたり)	(0.00)	(0.09)	(0.12)	(0.14)	(0.16)	(0.22)	(0.08)	(0.17)	(0.05)	(0.08)	(0.03)	(0.16)	(0.04)	(0.10)	(1.43)
	年齢構成比	0%	6%	8%	10%	11%	15%	5%	12%	4%	5%	2%	11%	3%	7%	100%
水痘	報告数	0	1	1	0	1	1	1	2	1	1	0	1	0	0	10
	(定点あたり)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.13)
	年齢構成比	0%	10%	10%	0%	10%	10%	10%	20%	10%	10%	0%	10%	0%	0%	100%
手足口病	報告数	5	26	53	48	23	20	8	6	4	2	1	3	1	2	202
	(定点あたり)	(0.06)	(0.34)	(0.69)	(0.62)	(0.30)	(0.26)	(0.10)	(0.08)	(0.05)	(0.03)	(0.01)	(0.04)	(0.01)	(0.03)	(2.62)
	年齢構成比	2%	13%	26%	24%	11%	10%	4%	3%	2%	1%	0%	1%	0%	1%	100%
伝染性紅斑	報告数	0	0	2	8	13	5	9	8	2	5	2	0	0	0	54
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.10)	(0.17)	(0.06)	(0.12)	(0.10)	(0.03)	(0.06)	(0.03)	(0.00)	(0.00)	(0.00)	(0.70)
	年齢構成比	0%	0%	4%	15%	24%	9%	17%	15%	4%	9%	4%	0%	0%	0%	100%
突発性発しん	報告数	0	0	7	2	3	0	0	0	0	1	0	0	0	0	13
	(定点あたり)	(0.00)	(0.00)	(0.09)	(0.03)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	54%	15%	23%	0%	0%	0%	0%	8%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	1	12	9	4	6	3	2	1	2	0	0	0	1	41
	(定点あたり)	(0.00)	(0.01)	(0.16)	(0.12)	(0.05)	(0.08)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.53)
	年齢構成比	0%	2%	29%	22%	10%	15%	7%	5%	2%	5%	0%	0%	0%	2%	100%
流行性耳下腺炎	報告数	0	0	0	1	1	0	0	0	1	0	0	1	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.05)
	年齢構成比	0%	0%	0%	25%	25%	0%	0%	0%	25%	0%	0%	25%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2019年 第30週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～	6～	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～	15～	20歳	合計
		5ヶ月	11ヶ月										14歳	19歳	以上	
RSウイルス感染症	報告数	2	1	4	2	1	0	0	0	0	0	0	0	0	0	10
	(定点あたり)	(0.03)	(0.01)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.13)
	年齢構成比	20%	10%	40%	20%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	1	5	5	4	4	1	0	0	0	0	0	0	0	20
	(定点あたり)	(0.00)	(0.01)	(0.06)	(0.06)	(0.05)	(0.05)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.26)
	年齢構成比	0%	5%	25%	25%	20%	20%	5%	0%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	4	2	3	6	4	6	3	2	1	2	0	8	41
	(定点あたり)	(0.00)	(0.00)	(0.05)	(0.03)	(0.04)	(0.08)	(0.05)	(0.08)	(0.04)	(0.03)	(0.01)	(0.03)	(0.00)	(0.10)	(0.53)
	年齢構成比	0%	0%	10%	5%	7%	15%	10%	15%	7%	5%	2%	5%	0%	20%	100%
感染性胃腸炎	報告数	1	7	11	7	7	3	5	7	6	9	2	4	0	20	89
	(定点あたり)	(0.01)	(0.09)	(0.14)	(0.09)	(0.09)	(0.04)	(0.06)	(0.09)	(0.08)	(0.12)	(0.03)	(0.05)	(0.00)	(0.26)	(1.16)
	年齢構成比	1%	8%	12%	8%	8%	3%	6%	8%	7%	10%	2%	4%	0%	22%	100%
水痘	報告数	0	1	0	0	0	1	0	1	1	0	1	1	0	0	6
	(定点あたり)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.08)
	年齢構成比	0%	17%	0%	0%	0%	17%	0%	17%	17%	0%	17%	17%	0%	0%	100%
手足口病	報告数	1	24	46	29	17	8	4	4	1	1	1	5	0	6	147
	(定点あたり)	(0.01)	(0.31)	(0.60)	(0.38)	(0.22)	(0.10)	(0.05)	(0.05)	(0.01)	(0.01)	(0.01)	(0.06)	(0.00)	(0.08)	(1.91)
	年齢構成比	1%	16%	31%	20%	12%	5%	3%	3%	1%	1%	1%	3%	0%	4%	100%
伝染性紅斑	報告数	0	0	2	2	10	13	6	4	7	4	1	0	0	1	50
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.03)	(0.13)	(0.17)	(0.08)	(0.05)	(0.09)	(0.05)	(0.01)	(0.00)	(0.00)	(0.01)	(0.65)
	年齢構成比	0%	0%	4%	4%	20%	26%	12%	8%	14%	8%	2%	0%	0%	2%	100%
突発性発しん	報告数	0	4	2	1	1	0	1	0	0	0	0	0	0	0	9
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.12)
	年齢構成比	0%	44%	22%	11%	11%	0%	11%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	7	11	9	2	5	2	2	0	1	0	1	0	0	41
	(定点あたり)	(0.01)	(0.09)	(0.14)	(0.12)	(0.03)	(0.06)	(0.03)	(0.03)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.53)
	年齢構成比	2%	17%	27%	22%	5%	12%	5%	5%	0%	2%	0%	2%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。