

2017年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(インフルエンザ定点と眼科定点報告)

(1) 総数

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	1	0	0	0	0	5
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	0%	0%	0%	0%	20%	20%	0%	0%	0%	0%	0%	0%	0%	40%	20%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	1	1	0	3	1	0	0	0	0	0	7
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.17)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.39)
	年齢構成比	0%	0%	0%	0%	14%	0%	0%	0%	0%	0%	14%	14%	0%	43%	14%	0%	0%	0%	0%	0%	100%

(2) 男性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.06)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.17)
	年齢構成比	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%	0%	0%	33%	33%	0%	0%	0%	0%	0%	100%

(3) 女性

感染症名	年齢階級区分	0~ 5ヶ月	6~ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10~ 14歳	15~ 19歳	20~ 29歳	30~ 39歳	40~ 49歳	50~ 59歳	60~ 69歳	70~ 79歳	80歳 以上	合計
インフルエンザ	報告数	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.02)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	0%	50%	25%	0%	0%	0%	0%	100%
急性出血性結膜炎	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
流行性角結膜炎	報告数	0	0	0	0	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	4
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	(0.11)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	0%	0%	25%	0%	0%	0%	0%	0%	0%	25%	0%	50%	0%	0%	0%	0%	0%	0%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(1) 総数

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	12	9	27	10	3	0	0	0	0	0	0	0	0	0	61
	(定点あたり)	(0.16)	(0.12)	(0.37)	(0.14)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.84)
	年齢構成比	20%	15%	44%	16%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	2	6	8	11	5	4	2	0	0	0	0	0	0	39
	(定点あたり)	(0.01)	(0.03)	(0.08)	(0.11)	(0.15)	(0.07)	(0.05)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.53)
	年齢構成比	3%	5%	15%	21%	28%	13%	10%	5%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	5	9	6	7	5	10	5	1	5	1	12	66
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.07)	(0.12)	(0.08)	(0.10)	(0.07)	(0.14)	(0.07)	(0.01)	(0.07)	(0.01)	(0.16)	(0.90)
	年齢構成比	0%	0%	0%	8%	14%	9%	11%	8%	15%	8%	2%	8%	2%	18%	100%
感染性胃腸炎	報告数	2	8	27	15	12	8	11	6	9	3	3	10	4	25	143
	(定点あたり)	(0.03)	(0.11)	(0.37)	(0.21)	(0.16)	(0.11)	(0.15)	(0.08)	(0.12)	(0.04)	(0.04)	(0.14)	(0.05)	(0.34)	(1.96)
	年齢構成比	1%	6%	19%	10%	8%	6%	8%	4%	6%	2%	2%	7%	3%	17%	100%
水痘	報告数	0	2	0	0	0	1	0	0	0	0	0	0	0	0	3
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.04)
	年齢構成比	0%	67%	0%	0%	0%	33%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	18	42	28	14	6	7	4	0	6	1	4	0	1	132
	(定点あたり)	(0.01)	(0.25)	(0.58)	(0.38)	(0.19)	(0.08)	(0.10)	(0.05)	(0.00)	(0.08)	(0.01)	(0.05)	(0.00)	(0.01)	(1.81)
	年齢構成比	1%	14%	32%	21%	11%	5%	5%	3%	0%	5%	1%	3%	0%	1%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	4	16	6	0	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.01)	(0.05)	(0.22)	(0.08)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	4%	15%	59%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	1	4	8	7	6	1	4	0	0	2	1	0	0	0	34
	(定点あたり)	(0.01)	(0.05)	(0.11)	(0.10)	(0.08)	(0.01)	(0.05)	(0.00)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比	3%	12%	24%	21%	18%	3%	12%	0%	0%	6%	3%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	3	3	1	3	3	2	0	2	1	0	2	20
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.04)	(0.01)	(0.04)	(0.04)	(0.03)	(0.00)	(0.03)	(0.01)	(0.00)	(0.03)	(0.27)
	年齢構成比	0%	0%	0%	15%	15%	5%	15%	15%	10%	0%	10%	5%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(2) 男性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	4	4	13	3	3	0	0	0	0	0	0	0	0	0	27
	(定点あたり)	(0.05)	(0.05)	(0.18)	(0.04)	(0.04)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.37)
	年齢構成比	15%	15%	48%	11%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	1	2	4	4	5	4	2	1	0	0	0	0	0	0	23
	(定点あたり)	(0.01)	(0.03)	(0.05)	(0.05)	(0.07)	(0.05)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.32)
	年齢構成比	4%	9%	17%	17%	22%	17%	9%	4%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	3	6	5	5	4	5	4	0	3	1	6	42
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.04)	(0.08)	(0.07)	(0.07)	(0.05)	(0.07)	(0.05)	(0.00)	(0.04)	(0.01)	(0.08)	(0.58)
	年齢構成比	0%	0%	0%	7%	14%	12%	12%	10%	12%	10%	0%	7%	2%	14%	100%
感染性胃腸炎	報告数	1	5	16	10	8	4	9	4	5	1	2	9	1	7	82
	(定点あたり)	(0.01)	(0.07)	(0.22)	(0.14)	(0.11)	(0.05)	(0.12)	(0.05)	(0.07)	(0.01)	(0.03)	(0.12)	(0.01)	(0.10)	(1.12)
	年齢構成比	1%	6%	20%	12%	10%	5%	11%	5%	6%	1%	2%	11%	1%	9%	100%
水痘	報告数	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	1	8	25	13	5	4	6	3	0	2	0	3	0	0	70
	(定点あたり)	(0.01)	(0.11)	(0.34)	(0.18)	(0.07)	(0.05)	(0.08)	(0.04)	(0.00)	(0.03)	(0.00)	(0.04)	(0.00)	(0.00)	(0.96)
	年齢構成比	1%	11%	36%	19%	7%	6%	9%	4%	0%	3%	0%	4%	0%	0%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	0	3	9	1	0	0	0	0	0	0	0	0	0	0	13
	(定点あたり)	(0.00)	(0.04)	(0.12)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.18)
	年齢構成比	0%	23%	69%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	(定点あたり)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)
	年齢構成比	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
ヘルパンギーナ	報告数	0	4	2	5	2	1	2	0	0	0	1	0	0	0	17
	(定点あたり)	(0.00)	(0.05)	(0.03)	(0.07)	(0.03)	(0.01)	(0.03)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	0%	24%	12%	29%	12%	6%	12%	0%	0%	0%	6%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	1	0	1	1	2	2	0	1	1	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.01)	(0.03)	(0.03)	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.14)
	年齢構成比	0%	0%	0%	10%	0%	10%	10%	20%	20%	0%	10%	10%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。

2017年 第32週 の京都府定点医療機関からの年齢階級別感染症発生報告(小児科定点報告)

(3) 女性

感染症名	年齢階級区分	0～ 5ヶ月	6～ 11ヶ月	1歳	2歳	3歳	4歳	5歳	6歳	7歳	8歳	9歳	10～ 14歳	15～ 19歳	20歳 以上	合計
RSウイルス感染症	報告数	8	5	14	7	0	0	0	0	0	0	0	0	0	0	34
	(定点あたり)	(0.11)	(0.07)	(0.19)	(0.10)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.47)
	年齢構成比	24%	15%	41%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
咽頭結膜熱	報告数	0	0	2	4	6	1	2	1	0	0	0	0	0	0	16
	(定点あたり)	(0.00)	(0.00)	(0.03)	(0.05)	(0.08)	(0.01)	(0.03)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.22)
	年齢構成比	0%	0%	13%	25%	38%	6%	13%	6%	0%	0%	0%	0%	0%	0%	100%
A群溶血性レンサ球菌咽頭炎	報告数	0	0	0	2	3	1	2	1	5	1	1	2	0	6	24
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.01)	(0.03)	(0.01)	(0.07)	(0.01)	(0.01)	(0.03)	(0.00)	(0.08)	(0.33)
	年齢構成比	0%	0%	0%	8%	13%	4%	8%	4%	21%	4%	4%	8%	0%	25%	100%
感染性胃腸炎	報告数	1	3	11	5	4	4	2	2	4	2	1	1	3	18	61
	(定点あたり)	(0.01)	(0.04)	(0.15)	(0.07)	(0.05)	(0.05)	(0.03)	(0.03)	(0.05)	(0.03)	(0.01)	(0.01)	(0.04)	(0.25)	(0.84)
	年齢構成比	2%	5%	18%	8%	7%	7%	3%	3%	7%	3%	2%	2%	5%	30%	100%
水痘	報告数	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	(定点あたり)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.03)
	年齢構成比	0%	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
手足口病	報告数	0	10	17	15	9	2	1	1	0	4	1	1	0	1	62
	(定点あたり)	(0.00)	(0.14)	(0.23)	(0.21)	(0.12)	(0.03)	(0.01)	(0.01)	(0.00)	(0.05)	(0.01)	(0.01)	(0.00)	(0.01)	(0.85)
	年齢構成比	0%	16%	27%	24%	15%	3%	2%	2%	0%	6%	2%	2%	0%	2%	100%
伝染性紅斑	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
突発性発しん	報告数	1	1	7	5	0	0	0	0	0	0	0	0	0	0	14
	(定点あたり)	(0.01)	(0.01)	(0.10)	(0.07)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.19)
	年齢構成比	7%	7%	50%	36%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	100%
百日咳	報告数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	年齢構成比	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ヘルパンギーナ	報告数	1	0	6	2	4	0	2	0	0	2	0	0	0	0	17
	(定点あたり)	(0.01)	(0.00)	(0.08)	(0.03)	(0.05)	(0.00)	(0.03)	(0.00)	(0.00)	(0.03)	(0.00)	(0.00)	(0.00)	(0.00)	(0.23)
	年齢構成比	6%	0%	35%	12%	24%	0%	12%	0%	0%	12%	0%	0%	0%	0%	100%
流行性耳下腺炎	報告数	0	0	0	2	3	0	2	1	0	0	1	0	0	1	10
	(定点あたり)	(0.00)	(0.00)	(0.00)	(0.03)	(0.04)	(0.00)	(0.03)	(0.01)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.01)	(0.14)
	年齢構成比	0%	0%	0%	20%	30%	0%	20%	10%	0%	0%	10%	0%	0%	10%	100%

☆ このデータは速報性を重視していますので、今後若干の修正が行われる可能性があります。