

日出放射線測定所

2013年04月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	36.9	36.7	36.6	36.7	36.8	36.6	36.8	36.9	35.7	35.6	35.7	35.9	36.2	36.0	36.2	36.1	35.9	36.2	36.4	36.8	37.0	37.0	37.0	37.0	37.1	37.1	35.6	36.4	36.4	0.5	24
2	37.4	37.7	37.5	37.5	37.0	37.8	37.8	37.7	36.2	35.4	35.2	35.7	37.0	37.4	38.6	39.2	40.7	41.0	38.6	37.8	37.0	37.5	38.0	39.8	40.1	41.0	35.2	37.9	37.9	1.5	24
3	41.2	42.0	42.2	38.5	37.0	36.6	36.5	36.6	35.7	35.5	35.5	35.4	36.5	40.0	37.2	35.8	35.4	35.3	35.9	36.6	36.5	36.4	36.6	36.5	36.6	42.2	35.3	37.1	2.1	24	
4	36.7	36.8	36.8	36.9	37.1	37.0	37.2	37.4	36.2	36.3	36.2	36.1	36.2	36.6	36.2	36.1	36.0	36.1	36.4	36.5	36.8	36.9	36.8	37.0	37.4	37.4	36.0	36.6	36.6	0.4	24
5	37.1	37.2	37.2	37.4	37.3	37.3	37.4	37.6	36.9	36.4	36.3	36.5	36.8	36.8	36.9	37.0	37.0	36.9	37.0	37.5	37.8	37.8	37.8	38.0	37.9	38.0	36.3	37.2	37.2	0.5	24
6	37.9	37.7	37.9	37.7	37.7	37.4	37.4	37.4	37.3	37.3	39.1	44.1	42.2	41.2	41.1	43.2	42.5	39.7	39.5	39.7	37.3	38.1	37.3	37.3	37.1	44.1	37.1	39.1	2.2	24	
7	37.3	37.2	37.3	39.0	43.4	43.4	39.5	37.6	41.1	41.2	39.7	41.5	47.9	48.6	52.0	54.2	51.7	52.9	54.4	50.5	41.7	37.7	37.7	36.8	36.4	54.4	36.4	43.5	6.3	24	
8	36.4	36.3	36.3	36.3	36.4	36.6	36.5	36.7	36.1	36.1	36.0	36.2	35.9	35.9	36.1	36.0	36.1	35.9	36.7	37.0	37.0	37.0	36.8	37.1	36.9	37.1	35.9	36.4	36.4	0.4	24
9	37.1	37.2	37.2	37.4	37.4	37.6	37.7	37.5	36.5	36.3	36.6	36.6	36.5	36.1	36.0	36.1	36.2	36.1	36.4	36.4	36.8	37.4	37.1	37.6	37.5	37.4	37.7	36.0	36.9	0.6	24
10	37.3	37.3	38.5	43.8	47.3	45.7	40.4	38.0	37.3	40.7	41.1	37.8	36.7	36.3	36.3	38.9	40.1	42.5	50.4	51.8	50.0	50.7	47.7	47.7	41.1	51.8	36.3	42.0	5.1	24	
11	41.1	43.8	40.1	37.7	37.7	36.7	36.6	37.0	36.3	36.0	35.9	35.6	35.7	35.5	36.3	36.9	36.0	35.8	36.0	36.3	36.5	36.5	36.5	36.7	36.6	43.8	35.5	37.0	2.0	24	
12	36.7	36.7	37.0	37.0	37.2	37.2	37.0	37.2	36.4	35.9	35.9	35.8	35.9	35.8	35.8	35.8	36.0	36.2	40.9	39.0	37.4	37.0	37.0	36.8	37.0	40.9	35.8	36.8	1.2	24	
13	36.7	36.6	36.9	36.6	36.4	36.6	37.0	37.3	37.4	37.5	37.5	37.6	37.6	37.6	37.6	37.5	37.5	37.2	37.2	37.2	37.2	37.2	37.2	37.2	37.2	37.6	36.4	37.2	0.4	24	
14	37.2	37.0	37.0	37.1	37.0	37.2	37.2	37.3	37.3	37.3	37.4	37.7	37.7	37.7	37.7	37.7	37.7	37.7	37.6	37.5	43.0	40.8	38.5	37.6	37.4	43.0	37.0	37.8	1.3	24	
15	37.0	36.8	36.7	36.9	36.8	36.8	36.8	36.9	36.1	36.1	36.1	36.2	36.4	36.2	36.2	36.1	36.2	36.4	36.6	36.6	36.9	37.1	37.1	37.1	37.1	37.1	36.1	36.8	0.4	24	
16	37.1	37.1	37.0	37.1	37.2	37.2	37.2	37.2	37.3	37.3	36.9	37.3	37.3	37.3	37.2	37.2	37.0	37.1	37.8	38.1	38.0	38.0	38.0	38.1	37.8	38.1	36.8	37.4	0.4	24	
17	37.9	37.9	38.0	37.8	37.7	37.7	37.9	38.3	37.0	36.3	36.2	36.3	36.5	36.2	36.0	36.0	36.7	35.7	36.3	36.3	36.7	36.8	36.8	36.9	37.0	36.3	35.7	36.9	0.8	24	
18	37.0	37.0	37.0	37.0	37.1	37.1	37.2	37.2	36.1	36.0	36.3	36.6	36.8	36.8	36.8	36.5	36.2	36.0	36.3	36.8	37.5	37.9	37.5	38.2	38.8	38.8	36.0	37.0	0.7	24	
19	37.3	36.7	36.5	36.6	36.6	36.7	36.6	36.5	35.6	35.1	35.3	35.4	35.4	35.5	35.5	35.3	35.4	35.7	36.3	36.4	36.4	36.4	36.5	36.6	36.7	37.3	35.1	36.1	0.6	24	
20	36.5	36.8	36.7	36.7	36.7	36.7	36.5	36.7	36.7	36.8	36.9	36.7	36.9	36.9	37.1	40.4	42.5	43.7	41.7	43.7	44.9	48.5	46.5	46.2	45.2	48.5	36.5	39.4	3.7	24	
21	45.5	46.9	47.7	48.2	46.0	45.7	45.0	41.8	38.4	38.3	39.6	39.8	38.0	37.5	36.7	36.1	36.1	35.8	35.9	36.0	35.8	35.9	35.8	35.9	35.8	48.2	35.8	39.9	4.6	24	
22	35.7	35.6	35.7	35.7	35.8	35.7	35.9	36.3	35.6	34.9	34.8	35.0	35.1	35.0	35.1	35.2	35.3	35.4	36.0	36.2	36.2	36.2	36.2	36.4	36.4	36.4	34.8	35.6	0.5	24	
23	36.4	36.2	36.6	36.6	36.6	36.8	37.0	37.1	36.2	36.1	36.2	36.1	36.0	36.1	36.1	36.2	36.2	36.3	36.7	36.7	36.7	36.6	36.8	37.4	38.5	38.5	36.0	36.6	0.5	24	
24	40.0	39.7	40.4	42.4	44.0	43.0	48.0	50.2	42.4	41.2	41.2	40.0	43.3	40.2	39.9	44.8	45.1	41.6	40.3	37.7	36.3	36.2	36.2	36.2	50.2	36.2	41.3	3.6	24		
25	36.2	36.3	36.4	36.4	36.2	36.4	36.3	36.8	36.2	35.9	***	35.8	36.1	36.2	36.0	36.0	36.0	36.0	36.5	36.6	36.6	36.6	36.9	36.8	36.9	36.9	35.8	36.3	0.3	23	
26	37.1	36.7	36.5	36.8	38.0	38.0	41.0	38.3	36.7	36.0	36.5	39.7	***	39.1	***	37.7	36.5	36.0	41.3	55.7	48.0	40.4	37.4	44.2	55.7	36.0	39.4	4.8	22		
27	42.1	38.8	37.4	37.6	36.5	36.3	36.3	36.6	36.6	36.6	36.6	36.8	36.9	36.9	37.2	37.4	37.3	37.1	37.0	36.9	36.9	36.8	37.0	36.8	42.1	36.3	37.2	1.2	24		
28	36.7	36.7	36.8	36.7	36.9	36.8	36.9	36.9	36.6	36.5	36.9	36.9	36.9	36.9	36.8	36.8	36.8	36.7	36.6	36.5	36.3	36.4	36.4	36.4	36.5	36.9	36.3	36.7	0.2	24	
29	36.6	36.7	36.8	36.7	36.8	36.8	37.1	37.3	37.8	37.7	37.8	38.3	38.5	38.3	38.0	37.9	37.9	37.8	37.5	37.4	37.4	37.4	37.3	37.3	37.3	38.5	36.6	37.5	0.6	24	
30	37.3	37.2	37.6	44.2	46.5	43.9	42.1	40.0	36.4	35.5	35.3	35.5	35.7	35.7	35.5	35.5	35.8	35.6	36.5	36.6	36.6	36.7	36.6	36.6	36.7	46.5	35.3	37.7	3.2	24	
31																															
最大値	45.5	47.7	48.2	47.3	47.3	45.7	48.0	50.2	42.4	41.2	41.2	44.1	47.9	48.6	52.0	54.2	51.7	52.9	54.4	55.7	50.0	50.7	47.7	45.2	55.7		43.5				
最小値	35.7	35.6	35.7	35.7	35.8	35.7	35.9	36.3	35.6	34.9	34.8	35.0	35.1	35.0	35.1	35.2	35.3	35.3	35.3	35.9	35.9	35.8	35.9	35.8	35.9	36.3	34.8	35.6			
平均値	37.8	37.7	38.1	38.3	38.2	38.2	38.1	37.9	36.9	36.8	36.9	37.2	37.4	37.4	37.4	37.8	37.8	37.8	38.5	39.1	38.3	37.9	37.8	37.8	37.8	38.3	37.8	37.8			
標準偏差	2.1	2.4	2.3	2.8	3.3	2.9	2.7	2.6	1.5	1.6	1.7	2.0	2.7	2.6	3.1	3.8	3.6	3.6	4.2	5.0	3.6	3.1	2.6	2.2	2.2		2.9				
測定時間	30	30	30	30	30	30	30	30	30	30	29	30	29	30	29	30	30	30	30	30	30	30	30	30	30	30					
有効測定日数	30																														
測定時間	717																														
測定値合計	27088.5																														
1時間間の最大値	55.7																														
1時間間の最小値	34.8																														
平均値	37.8																														
日平均値の最大値	43.5																														
日平均値の最小値	35.6																														
局番/項目コード	108/01																														
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL									
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

日出放射線測定所

2013年05月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	36.5	36.4	36.3	36.2	36.2	36.2	36.2	36.5	35.7	35.3	35.1	35.2	35.3	35.3	38.3	37.1	35.6	35.2	36.1	36.2	36.4	36.1	36.1	36.0	38.3	35.1	36.1	0.7	24		
2	36.0	35.9	36.3	36.3	36.8	36.3	35.9	36.0	35.0	34.9	34.7	34.9	35.0	35.1	34.9	35.2	35.3	35.3	35.5	35.7	35.7	35.9	35.9	36.0	36.2	34.7	35.6	0.6	24		
3	36.3	36.3	36.1	36.1	36.0	36.2	36.4	37.0	37.1	36.9	36.7	36.6	36.7	36.8	36.7	36.8	36.6	36.7	36.5	36.5	36.5	36.4	36.4	36.4	37.1	36.0	36.5	0.3	24		
4	36.5	36.6	36.4	36.5	36.5	36.8	36.9	37.1	37.6	37.6	37.4	37.4	38.1	37.4	37.4	37.0	37.0	37.1	37.1	36.9	37.0	36.8	36.9	37.0	38.1	36.4	37.0	0.4	24		
5	36.9	37.0	37.1	36.9	37.4	37.6	37.7	37.8	37.5	37.3	37.3	37.4	37.3	37.3	37.4	37.4	37.2	37.1	37.1	37.0	37.0	37.2	36.9	37.0	37.8	36.9	37.2	0.3	24		
6	37.0	37.3	37.4	37.4	37.4	37.6	37.7	37.9	37.9	38.2	38.2	37.9	37.8	37.6	37.5	37.6	37.4	37.4	37.3	37.2	37.1	37.1	37.0	37.0	36.8	36.8	37.5	0.4	24		
7	36.8	36.8	36.8	36.7	36.7	36.4	36.5	36.5	35.2	35.3	35.3	35.5	35.7	35.0	35.4	35.6	35.6	35.8	36.3	36.6	36.7	36.7	36.7	36.7	36.8	35.0	36.1	0.6	24		
8	36.7	36.8	36.8	36.6	37.0	36.8	36.8	36.8	35.8	35.7	35.9	35.8	36.0	35.8	35.8	35.8	35.9	36.0	36.3	36.5	36.5	36.7	36.8	36.7	37.0	35.7	36.3	0.5	24		
9	36.9	37.0	36.9	37.1	37.2	37.3	37.5	38.1	37.3	37.0	36.9	36.8	36.8	36.8	36.8	36.8	36.8	36.8	37.8	37.6	37.5	37.8	37.6	37.9	38.1	36.8	37.2	0.4	24		
10	37.8	37.4	37.6	37.5	37.6	38.0	38.3	39.0	38.0	38.0	38.6	38.5	39.7	41.8	42.3	43.4	41.3	38.9	37.9	38.3	37.4	37.2	37.2	37.5	43.4	37.2	38.7	1.7	24		
11	37.5	37.4	37.8	41.1	39.1	39.9	42.8	41.1	41.1	42.5	43.3	41.0	40.7	40.2	40.6	38.4	37.6	37.5	37.5	37.5	37.6	37.0	37.5	37.5	43.3	37.3	39.4	2.0	24		
12	37.4	37.4	37.4	37.6	37.7	37.7	37.8	38.3	38.4	38.4	38.1	38.1	38.1	38.0	37.9	38.1	38.2	38.0	37.8	38.0	37.9	37.9	38.3	38.4	38.4	37.4	38.0	0.3	24		
13	38.5	38.3	38.3	38.2	38.2	38.2	38.2	38.6	37.8	37.6	37.7	37.6	37.5	37.2	37.0	36.7	36.9	36.9	37.6	37.6	37.6	37.6	37.5	37.2	38.6	36.7	37.7	0.5	24		
14	37.3	37.4	37.5	37.6	37.9	38.1	38.5	39.1	38.1	37.8	37.6	37.7	37.7	37.8	37.4	***	37.3	37.2	37.5	37.6	37.3	37.4	37.7	37.6	39.1	37.2	37.7	0.4	23		
15	37.9	38.3	38.3	37.7	37.7	37.7	37.6	37.7	36.8	36.5	36.6	36.4	36.3	36.3	36.4	36.9	36.5	36.6	36.6	37.0	37.1	37.3	37.7	37.8	37.7	38.3	36.3	37.3	0.7	24	
16	37.6	37.5	37.5	37.3	37.3	37.4	37.6	37.3	38.2	35.9	35.8	35.9	35.7	35.8	35.8	35.9	35.9	38.2	36.5	36.7	36.9	37.0	37.0	37.0	37.6	35.7	36.7	0.7	24		
17	37.0	37.0	37.0	37.0	36.9	36.9	37.0	37.0	36.0	35.9	36.0	36.2	36.2	36.3	36.3	36.1	36.3	36.3	36.6	37.0	37.0	37.0	37.2	37.2	37.3	37.3	35.9	36.6	0.4	24	
18	37.3	37.4	37.6	37.6	37.6	37.9	38.2	38.0	38.2	38.2	38.3	38.3	38.4	38.5	38.5	38.3	38.4	38.2	38.0	38.1	38.1	38.2	38.2	37.9	38.5	37.3	38.1	0.3	24		
19	37.7	37.7	37.7	37.7	37.9	38.0	38.1	38.3	38.4	38.7	38.6	41.6	46.5	46.2	44.6	46.2	49.4	47.8	40.8	38.9	37.8	37.4	37.2	37.1	49.4	37.1	40.4	4.0	24		
20	37.4	37.4	37.5	37.7	37.8	38.0	37.7	37.6	38.8	36.7	36.7	36.5	36.7	36.7	37.0	37.0	37.0	37.1	37.3	37.6	37.6	37.8	37.9	37.9	38.2	36.5	37.3	0.5	24		
21	37.6	37.6	37.6	37.7	37.9	38.1	38.2	38.7	37.8	37.0	37.1	36.9	37.0	36.9	37.0	36.9	36.8	36.7	37.3	37.3	37.7	37.8	38.0	38.2	38.1	36.7	37.5	0.6	24		
22	38.1	38.2	38.4	38.4	38.5	38.5	38.6	39.1	38.3	38.0	37.6	37.3	37.2	37.2	37.2	37.0	36.9	37.0	37.4	37.8	38.0	38.1	38.1	38.2	39.1	36.9	37.9	0.6	24		
23	38.4	38.4	38.1	37.9	37.7	37.9	37.9	37.8	37.0	36.7	36.7	36.8	36.8	36.9	36.9	36.8	36.9	36.7	37.1	37.3	37.4	37.9	37.9	37.7	38.4	36.7	37.4	0.6	24		
24	37.7	37.7	37.8	38.0	38.0	38.4	38.8	39.2	38.0	37.4	37.2	37.2	37.1	37.1	37.1	37.1	37.1	37.1	37.4	37.5	37.6	37.7	37.6	37.7	39.2	37.1	37.6	0.6	24		
25	38.0	38.4	38.6	38.4	38.4	38.8	38.8	38.8	39.0	38.9	39.1	39.4	39.5	39.4	39.1	39.0	38.8	38.0	38.9	38.8	38.4	38.5	38.4	38.1	39.5	38.0	38.8	0.4	24		
26	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.4	38.5	38.7	38.8	38.8	38.7	38.7	38.9	38.9	38.5	38.2	38.1	38.1	38.1	38.1	38.1	37.9	38.9	37.9	38.3	0.3	24		
27	37.7	37.7	37.8	37.9	37.8	38.1	38.1	38.0	37.0	36.6	36.7	36.5	36.6	36.4	36.3	36.3	36.1	36.4	36.9	37.2	37.4	37.4	37.4	37.4	37.6	38.1	37.2	0.6	24		
28	37.3	37.6	37.6	37.5	38.9	39.9	39.5	38.5	37.8	36.8	36.5	36.5	36.8	37.6	38.2	38.0	37.8	38.3	39.2	39.8	40.2	38.9	38.0	40.3	40.3	35.5	38.2	1.2	24		
29	43.3	43.1	41.8	39.6	40.9	43.9	41.2	39.8	36.7	35.9	35.6	35.7	35.8	36.0	36.4	36.4	36.3	36.5	37.0	37.1	37.0	37.2	37.4	37.5	43.9	35.6	38.3	2.7	24		
30	37.6	37.6	37.6	37.3	37.3	37.2	37.5	38.0	43.9	41.9	39.3	37.7	36.6	36.5	36.1	36.0	35.9	36.1	36.5	36.9	37.1	37.2	37.3	37.4	43.9	35.9	37.6	1.8	24		
31	37.3	37.4	37.2	37.3	37.3	37.3	37.6	38.2	36.9	36.5	36.3	36.5	36.5	36.4	36.3	36.2	36.4	36.3	36.8	37.4	37.3	37.4	37.4	37.5	38.2	36.2	37.0	0.6	24		
最大値	43.3	43.1	41.8	41.1	40.9	43.9	42.8	41.1	43.9	42.5	43.3	41.6	45.5	46.2	44.6	46.2	49.4	47.8	40.8	39.8	40.2	38.9	38.4	40.3	49.4	40.4	40.4				
最小値	36.0	35.9	36.1	36.1	36.0	36.2	35.9	36.0	35.0	34.9	34.7	34.9	35.0	35.0	35.4	35.2	35.3	35.2	35.5	35.7	35.7	35.9	36.0	36.0	36.0	34.7	35.6				
平均値	37.6	37.6	37.6	37.6	37.7	37.9	38.0	38.1	37.6	37.4	37.3	37.2	37.4	37.5	37.5	37.5	37.4	37.3	37.3	37.4	37.4	37.4	37.4	37.4	37.5	37.5	37.5				
標準偏差	1.2	1.2	1.0	1.0	0.9	1.4	1.3	1.1	1.7	1.7	1.6	1.5	2.1	2.1	2.0	2.2	2.5	2.2	1.0	0.8	0.8	0.7	0.6	0.8	0.8	1.5					
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	743			
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	108/01			
測定値合計	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	27880.6	
欠測時間数	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
測定時間	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	
測定値ラック	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

日出放射線測定所

2013年06月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間			
1	37.6	37.9	37.9	37.8	38.1	38.0	38.4	38.5	38.3	38.1	38.1	38.1	38.1	38.1	38.0	38.2	38.1	38.2	38.2	38.0	37.7	37.7	37.6	37.6	38.5	37.6	38.0	0.2	24			
2	37.8	37.7	38.0	38.9	39.5	39.5	40.2	40.4	40.2	39.7	39.0	38.9	38.9	38.2	38.2	37.9	38.0	37.9	38.0	38.1	38.1	38.1	38.1	38.1	40.4	37.7	38.6	0.9	24			
3	37.9	38.3	38.3	38.6	38.5	38.2	38.1	38.3	37.3	37.1	36.9	36.6	36.3	36.2	36.2	36.9	36.3	36.5	36.9	37.5	37.4	37.5	37.4	37.5	38.6	36.2	37.3	0.8	24			
4	37.5	37.7	37.8	37.8	38.0	38.1	38.5	39.1	37.5	36.9	36.7	36.6	36.9	37.2	36.9	37.2	37.4	36.4	36.8	37.1	37.2	37.2	37.5	37.5	38.1	36.3	37.3	0.7	24			
5	37.9	38.1	38.3	38.2	38.6	38.3	38.7	38.7	37.6	37.4	37.3	37.5	37.7	37.4	37.4	37.3	37.5	37.4	37.7	38.1	38.1	38.2	38.0	38.0	38.7	37.3	37.9	0.5	24			
6	38.2	38.2	38.4	38.4	38.5	38.7	39.0	39.5	38.4	38.1	37.8	37.7	37.6	37.5	37.0	37.0	37.1	37.3	37.5	37.5	37.6	37.8	37.9	37.9	39.5	37.0	38.0	0.6	24			
7	38.2	38.4	38.2	38.3	38.0	38.0	38.1	38.5	37.2	36.6	36.7	36.3	36.5	36.6	36.7	36.7	36.6	36.7	37.1	37.1	37.1	37.2	37.5	37.4	38.5	36.3	37.3	0.7	24			
8	37.3	37.3	37.4	37.5	37.4	37.5	37.4	37.7	37.6	37.4	37.5	37.5	37.4	37.4	37.5	37.4	37.4	37.4	37.6	37.6	37.4	37.4	37.6	37.6	37.7	37.6	37.3	0.1	24			
9	37.7	37.6	37.6	38.0	38.2	38.3	38.3	38.2	38.0	38.1	38.4	38.6	38.7	38.5	38.4	38.2	38.3	38.3	38.3	38.5	38.5	38.5	38.3	38.4	38.6	38.7	37.6	38.3	0.3	24		
10	38.8	38.9	39.3	39.4	39.2	39.0	39.1	39.5	38.5	38.2	38.2	38.2	38.2	37.8	37.6	37.1	36.9	37.1	38.1	38.0	38.0	38.1	37.9	37.9	39.5	36.9	38.3	0.7	24			
11	37.9	38.0	38.2	38.2	38.5	38.5	38.7	38.5	37.6	37.2	37.2	37.0	37.2	37.2	37.2	37.1	37.0	37.0	37.5	37.5	37.8	38.1	38.2	38.5	38.5	37.0	37.8	0.6	24			
12	38.7	38.9	38.8	38.6	38.8	38.8	38.9	38.9	37.8	37.6	37.5	37.5	37.0	37.0	37.1	37.4	37.0	37.7	38.2	38.0	38.5	38.4	38.5	38.4	38.9	37.0	38.1	0.7	24			
13	38.4	38.5	38.7	38.8	38.8	39.2	39.6	39.8	38.4	37.6	37.8	37.8	38.0	38.5	37.5	37.6	37.3	37.5	38.2	38.5	38.5	38.4	38.3	38.4	38.6	38.8	37.3	38.3	0.7	24		
14	38.6	38.5	38.8	38.6	38.7	38.8	39.3	39.4	38.3	37.8	37.7	37.4	37.2	37.2	37.2	37.1	37.2	37.4	37.9	38.2	38.1	38.3	38.3	38.4	39.4	37.1	38.1	0.7	24			
15	38.8	39.2	39.6	40.0	40.1	40.1	40.1	41.3	45.3	42.8	39.3	39.5	38.9	38.9	38.7	38.6	38.2	38.0	38.2	38.2	38.2	37.9	38.0	38.1	45.3	37.9	39.4	1.7	24			
16	37.8	38.1	38.1	37.9	37.8	38.0	38.0	38.1	37.9	37.8	37.7	37.8	38.0	38.1	37.9	38.0	38.0	38.2	38.0	38.0	37.9	38.1	38.1	38.1	38.2	37.7	38.0	0.1	24			
17	38.1	38.2	38.4	38.3	38.8	39.0	39.2	39.4	38.6	38.3	38.4	38.1	38.2	38.3	38.3	38.1	38.1	38.1	38.0	38.0	38.5	38.6	38.4	38.5	39.4	38.0	38.4	0.4	24			
18	38.7	38.6	38.9	38.9	38.8	38.4	38.8	39.5	38.4	37.7	37.7	38.0	38.5	38.1	37.6	37.9	40.8	41.9	40.2	39.1	38.9	39.1	38.9	38.9	41.9	37.6	38.9	1.0	24			
19	41.1	42.6	44.3	41.1	39.3	40.9	57.4	61.6	54.6	54.6	55.8	52.3	50.4	51.6	52.1	50.0	46.1	46.5	46.0	43.8	40.9	38.7	39.2	39.8	61.6	38.7	47.1	6.7	24			
20	41.6	39.8	43.2	41.2	38.2	38.2	38.3	38.5	38.5	41.2	43.8	44.1	44.2	43.7	46.3	48.2	48.2	50.6	48.4	46.2	46.2	40.8	39.1	38.8	50.6	38.2	42.6	3.9	24			
21	38.7	38.6	38.6	38.7	38.4	38.1	38.1	39.5	37.7	37.3	38.4	40.2	41.2	41.0	40.1	***	38.7	40.5	40.6	41.1	38.6	37.6	37.5	37.4	41.2	37.3	39.0	1.3	23			
22	37.4	37.3	37.5	37.7	37.7	37.8	37.9	37.9	37.2	37.2	37.1	37.3	37.3	37.3	37.6	37.8	37.7	37.5	37.4	37.3	37.4	37.4	37.3	37.4	37.9	37.1	37.5	0.2	24			
23	37.5	37.5	37.5	37.4	37.3	37.8	37.9	37.9	37.8	37.8	37.5	37.8	38.0	37.8	37.7	37.7	37.7	37.5	37.7	39.8	39.0	38.1	38.0	37.8	39.8	37.3	37.9	0.6	24			
24	38.1	38.1	38.1	38.0	37.7	37.7	37.8	37.7	36.4	36.0	36.0	36.1	36.1	36.1	36.3	36.1	35.9	35.8	36.0	36.5	37.1	37.3	37.3	37.4	38.1	35.8	37.0	0.8	24			
25	37.4	37.4	37.3	37.4	37.6	37.6	37.6	37.4	38.2	35.9	35.9	36.0	37.3	36.2	36.6	36.6	36.4	36.7	37.1	37.3	37.6	37.9	38.1	38.1	38.1	37.0	37.0	0.7	24			
26	38.4	39.1	42.4	43.1	41.9	42.5	43.4	44.8	46.9	50.5	55.0	56.8	49.4	48.2	51.6	53.7	58.6	60.4	60.8	58.6	52.0	45.9	40.1	37.9	60.8	37.9	48.3	7.2	24			
27	37.3	37.5	37.6	37.2	37.1	37.1	37.3	37.2	36.4	36.4	36.2	36.1	36.2	36.2	36.0	36.1	36.0	36.1	36.6	36.7	36.9	36.8	37.2	37.4	37.6	36.7	36.7	0.5	24			
28	37.3	37.3	37.3	37.2	37.4	37.7	37.8	37.9	37.0	36.7	36.8	37.1	37.0	36.3	36.0	36.1	35.7	35.8	36.5	36.9	37.0	37.0	36.9	37.0	37.9	35.7	36.9	0.6	24			
29	37.2	36.9	37.1	36.9	37.1	37.0	37.0	37.2	37.3	37.3	37.4	37.3	37.3	37.3	37.3	37.1	37.3	37.4	37.3	37.0	37.3	37.1	37.3	37.2	37.4	37.4	36.9	0.2	24			
30	37.1	37.2	37.5	37.6	37.6	37.6	37.9	38.0	37.8	38.0	37.8	37.7	37.6	37.6	37.5	37.3	37.4	37.4	37.4	37.4	37.4	37.6	37.5	37.5	37.5	38.0	37.1	37.6	0.2	24		
31																																
最大値	41.6	42.6	44.3	43.1	41.9	42.5	43.4	44.8	46.9	50.5	55.0	56.8	49.4	48.2	51.6	53.7	58.6	60.4	60.8	58.6	52.0	45.9	40.1	37.9	60.8	37.9	48.3	7.2	24			
最小値	37.1	36.9	37.1	36.9	37.1	37.0	37.0	37.2	36.2	35.9	35.9	36.0	36.1	36.2	36.0	36.1	36.0	36.1	36.6	36.7	36.9	36.8	37.2	37.4	37.6	36.7	36.7	0.5	24			
平均値	38.2	38.3	38.6	38.5	38.4	38.5	39.2	39.6	38.9	38.8	38.9	38.9	38.7	38.5	38.7	38.7	38.7	39.1	39.2	39.1	39.2	38.6	38.2	38.0	38.0	38.7	38.7	38.7	3.3	3.3		
標準偏差	1.0	1.1	1.7	1.3	1.0	1.1	3.6	4.4	3.7	4.0	4.7	4.5	3.4	3.5	4.0	4.2	4.4	5.1	4.8	4.2	2.7	1.6	0.7	0.6	0.6	0.6	0.6	0.2	0.2	24		
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30	30	30	719			
有効測定日数	30																															
測定時間	719																															
測定値合計	27807.1																															
欠測時間数	1																															
平均値	38.7																															
1時間値の最小値	35.7																															
1時間値の最大値	61.6																															
日平均値の最小値	36.7																															
日平均値の最大値	48.3																															
TOTAL	108/01																															
時間数	0	6	11	11	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	106	111	116	121	126	131	136	141	
出現割合(%)	0	0	0	0	0	0	0	0	0	1.252	90.542	3.755	2.086	1.391	0.834	0.139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0





上司 放射線測定所

2013年06月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均値	最大値	最小値	標準偏差	測定時間		
1	51.0	51.3	51.6	51.5	51.6	51.5	51.2	51.2	51.0	51.2	51.3	51.6	51.5	51.3	51.1	51.4	51.3	51.1	51.1	50.7	50.7	50.6	50.9	51.5	51.6	50.6	51.2	0.3	24		
2	51.6	51.7	52.3	52.9	52.3	52.5	52.9	53.6	53.3	52.3	52.0	51.8	51.2	51.4	51.5	51.2	51.0	51.0	50.9	50.9	51.1	51.6	51.3	51.2	51.2	50.9	50.9	51.8	0.8	24	
3	51.5	51.9	51.8	52.2	51.6	51.1	51.6	51.9	51.5	51.6	51.3	51.4	51.1	51.1	51.2	50.9	50.8	50.7	50.7	50.9	50.9	51.1	51.2	51.2	52.2	50.7	51.3	0.4	24		
4	51.6	51.6	51.6	51.9	51.7	52.2	52.2	52.2	51.9	51.5	51.5	51.7	51.6	51.9	51.7	51.7	51.4	51.0	51.1	51.3	51.3	51.2	51.3	51.7	52.0	51.0	51.6	0.3	24		
5	52.1	52.3	52.6	52.6	52.3	52.3	52.2	52.2	52.5	52.6	53.0	53.1	52.6	52.7	52.9	52.4	52.5	52.5	52.4	52.6	52.6	52.9	52.8	52.8	53.1	52.1	52.6	0.3	24		
6	53.2	53.5	53.4	53.7	53.5	53.1	53.2	53.5	53.5	53.0	53.0	53.9	53.9	53.3	53.1	52.7	52.3	52.5	52.5	52.1	52.1	52.2	52.3	52.7	53.1	53.9	52.1	53.0	0.5	24	
7	53.4	53.3	52.6	52.7	52.5	52.8	52.9	52.6	52.7	52.5	52.0	51.4	51.5	51.2	51.3	51.2	51.2	51.1	51.2	51.4	51.3	51.6	51.7	51.7	51.9	53.4	51.1	52.0	0.7	24	
8	52.1	52.3	52.3	52.1	52.1	51.9	51.8	51.5	51.5	51.2	51.2	51.4	51.2	51.4	51.6	51.5	51.2	51.2	51.1	51.2	51.1	51.2	51.2	51.5	51.7	52.3	51.1	51.5	0.4	24	
9	51.7	51.7	52.1	52.4	52.9	52.9	53.0	52.6	52.3	52.4	52.6	52.5	52.6	52.4	52.6	52.4	52.4	52.0	52.2	52.8	52.8	52.8	52.7	52.8	52.7	52.8	51.7	52.5	0.4	24	
10	53.2	52.8	52.7	52.4	52.6	53.1	53.4	53.9	54.2	54.3	54.0	53.5	52.9	53.7	53.0	52.5	52.6	52.4	52.5	52.6	52.6	53.0	52.5	52.1	54.3	52.1	53.1	0.6	24		
11	51.8	51.9	52.2	52.6	52.6	52.8	53.2	53.1	53.0	53.0	52.7	52.9	52.8	52.7	52.6	52.4	52.7	52.3	52.1	52.1	52.1	52.2	52.6	52.6	52.5	51.8	52.6	0.4	24		
12	52.4	52.8	53.4	53.8	52.6	53.7	53.9	53.8	53.6	53.4	53.4	52.4	52.1	51.9	52.4	52.3	52.4	52.2	52.2	52.3	52.3	52.7	52.5	52.6	52.9	51.9	52.9	0.7	24		
13	52.9	52.9	52.7	52.7	53.4	54.4	55.1	54.9	54.0	53.7	53.5	53.1	52.9	52.9	52.8	52.8	52.5	52.2	52.1	52.1	52.1	52.3	52.6	52.4	55.1	52.1	52.1	0.8	24		
14	52.9	52.6	52.6	52.4	52.6	52.4	52.8	53.2	53.4	52.9	53.0	52.9	52.6	52.3	52.2	52.1	52.3	52.2	52.2	52.0	52.4	52.4	52.6	53.0	53.0	52.0	52.6	0.4	24		
15	53.4	53.9	54.2	54.3	54.0	54.1	54.5	54.6	54.7	56.1	52.8	52.8	52.0	52.2	52.0	52.0	51.6	52.9	51.9	51.2	51.1	51.1	51.5	51.5	56.1	56.1	51.1	52.9	1.4	24	
16	51.5	51.5	51.2	51.5	51.4	51.8	52.0	51.8	51.3	51.1	50.8	50.9	51.0	51.0	51.4	51.4	51.5	51.3	51.3	51.0	51.0	51.0	51.1	51.3	51.5	52.0	50.8	51.3	0.3	24	
17	51.8	51.9	52.2	52.3	52.5	52.2	52.7	53.0	53.3	53.1	53.1	53.1	53.0	52.9	52.9	52.9	52.9	52.7	52.0	52.1	52.2	52.2	52.4	52.9	52.8	53.3	51.8	52.6	0.4	24	
18	52.7	52.6	53.0	53.0	53.4	54.3	53.9	53.8	53.4	53.9	53.6	53.2	53.5	53.3	52.5	52.2	54.1	53.8	53.2	53.7	53.0	53.0	52.5	52.4	52.5	55.8	52.2	53.4	0.9	24	
19	55.0	57.1	57.4	53.8	52.8	53.0	53.0	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	0.8	24	
20	52.8	53.2	52.2	51.6	51.2	50.6	50.5	51.3	52.8	56.2	61.6	59.0	57.0	56.9	56.9	60.5	60.9	63.3	62.1	54.6	50.9	50.9	49.5	49.5	63.3	49.5	54.9	4.6	24		
21	49.6	49.8	50.2	49.9	49.6	49.7	49.9	50.6	51.7	52.9	52.4	51.7	51.5	51.5	51.8	52.5	53.2	54.4	54.2	54.2	54.2	51.3	50.1	49.8	54.4	49.6	51.3	1.6	24		
22	49.8	49.8	49.8	50.2	50.2	50.3	50.2	50.3	50.3	49.8	50.0	50.3	50.2	50.3	50.3	50.2	50.2	50.1	50.1	49.8	49.8	49.8	50.0	50.4	50.4	49.8	50.1	0.2	24		
23	50.4	50.6	50.8	51.1	51.2	51.0	51.0	51.5	51.2	50.5	50.7	50.9	50.7	50.5	50.3	50.4	50.3	50.9	51.0	51.5	53.4	52.8	52.1	51.9	53.4	50.3	51.1	0.8	24		
24	52.6	53.6	53.3	52.5	52.3	52.1	52.5	52.6	51.5	50.4	50.2	50.1	50.1	50.1	49.8	49.5	49.6	49.4	49.3	49.3	49.6	49.8	50.1	50.1	53.6	49.3	50.8	1.4	24		
25	50.0	50.4	51.0	50.9	51.5	51.7	52.0	51.9	50.8	50.3	49.9	49.9	49.9	49.9	50.1	50.1	50.1	50.2	50.0	50.2	50.7	50.9	51.6	51.9	52.0	49.9	50.7	0.7	24		
26	51.7	52.7	56.7	55.2	54.2	55.6	56.8	57.5	58.7	61.9	65.2	69.4	65.4	64.5	67.6	72.1	73.2	71.7	61.8	57.9	58.3	52.0	49.5	48.9	73.2	48.9	59.9	7.3	24		
27	48.8	48.6	48.5	48.6	48.6	49.5	49.2	49.4	49.2	49.1	49.0	48.9	48.8	49.0	49.1	49.2	49.1	49.2	49.1	49.2	49.0	49.1	49.6	49.7	49.7	48.5	49.1	0.3	24		
28	49.5	49.7	50.0	50.3	50.8	50.8	51.0	50.4	50.3	50.6	50.9	50.8	50.8	50.4	50.1	50.1	50.3	50.2	50.0	50.0	50.0	49.7	49.8	49.8	51.0	49.5	50.3	0.4	24		
29	49.7	49.7	49.7	49.7	49.7	49.5	49.7	49.8	49.9	50.2	50.6	50.7	50.6	50.6	50.6	50.7	50.7	50.4	50.4	50.3	50.2	50.5	50.5	50.8	50.8	50.8	50.2	0.4	24		
30	50.6	50.9	50.5	51.2	51.0	50.9	51.1	51.1	51.1	51.3	51.1	50.8	51.0	50.9	50.9	50.9	51.1	50.9	50.7	50.8	50.9	50.9	50.7	50.9	50.8	51.3	50.5	50.9	0.2	24	
31																														24	
最大値	55.0	57.1	57.4	55.2	54.2	55.6	56.8	57.5	58.7	61.9	65.2	69.4	65.4	64.5	67.6	72.1	73.2	71.7	62.2	60.1	58.8	53.5	53.0	54.1	73.2	60.8					
最小値	48.8	48.6	48.5	48.6	48.6	49.5	49.2	49.4	49.2	49.1	49.0	48.9	48.8	49.0	49.1	49.2	49.1	49.2	49.1	49.2	49.0	49.1	49.6	49.7	49.7	48.5	49.1				
平均値	51.7	51.9	52.1	52.1	52.0	52.2	52.8	53.0	52.7	52.8	53.2	53.2	52.7	52.7	52.9	52.9	52.8	53.0	52.5	52.0	51.9	51.5	51.5	51.5	51.6	52.4					
標準偏差	1.4	1.7	1.9	1.4	1.3	1.5	3.3	3.8	2.7	3.0	4.4	4.7	3.8	3.9	4.3	4.7	4.6	4.8	3.5	2.3	2.1	1.2	1.1	1.3							
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30						
有効測定日数	30																														
測定時間	720																														
欠測時間数	0																														
測定値合計	37734.8																														
1時間値の最大値	73.2																														
1時間値の最小値	48.5																														
平均値	52.4																														
日平均値の最大値	60.8																														
日平均値の最小値	49.1																														
局番/項目コード	109/01																														
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL									
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

地頭放射線測定所

2013年04月

単位:nGy/h

時刻	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	41.3	41.3	41.2	41.4	41.5	42.0	42.3	42.6	41.7	41.7	41.6	42.0	42.2	42.2	42.3	42.4	42.2	42.1	42.0	41.8	42.1	42.5	42.7	42.9	42.9	41.2	42.0	41.2	0.5	24	
2	43.5	43.6	43.7	44.1	44.1	44.4	44.4	44.6	44.1	44.0	44.3	44.5	44.5	45.5	47.6	46.4	45.9	45.8	44.9	44.6	44.7	44.7	44.8	45.6	45.4	47.6	43.5	44.8	41.0	1.0	24
3	44.3	46.9	48.1	43.6	41.8	41.7	41.9	41.5	41.5	41.7	42.1	42.0	42.2	43.0	42.8	42.1	41.9	41.7	41.7	41.8	41.8	41.7	41.6	41.6	41.6	41.6	41.5	42.5	41.7	0.5	24
4	42.0	42.3	42.6	43.0	43.2	43.5	43.6	43.5	43.3	43.0	43.1	43.1	42.7	42.5	42.5	42.5	42.2	42.2	42.2	42.2	41.9	42.4	42.5	42.8	42.8	43.6	41.9	42.7	40.5	0.5	24
5	43.0	43.7	43.9	44.3	44.6	44.7	44.6	44.7	43.9	43.2	43.4	43.9	43.8	43.8	44.1	43.8	43.5	43.3	43.3	43.2	43.2	43.2	43.6	44.1	44.0	44.7	43.0	43.8	40.5	0.5	24
6	44.3	44.1	43.9	44.0	43.5	42.7	42.4	42.2	42.3	42.3	44.0	45.7	46.4	44.4	43.7	46.6	46.0	42.8	45.2	48.9	41.7	45.4	42.4	41.7	42.1	48.9	41.7	44.0	1.8	24	
7	42.5	42.7	42.9	44.3	45.3	45.3	45.3	42.2	41.5	41.3	41.2	43.1	43.4	43.7	45.0	46.5	47.4	50.6	50.8	51.6	48.2	45.7	46.3	42.7	51.6	41.2	45.0	3.1	24		
8	41.0	40.7	40.7	41.4	41.5	41.9	41.9	42.2	42.4	42.1	42.0	41.9	42.0	41.9	42.1	41.9	42.1	41.7	41.6	41.6	41.7	41.8	42.1	42.3	42.4	40.7	41.8	40.4	0.4	24	
9	42.5	42.7	43.0	43.2	43.5	43.8	43.9	43.6	43.3	42.9	42.5	42.5	42.4	42.7	42.7	42.2	48.4	46.0	42.6	41.9	43.1	44.5	45.1	43.4	48.4	41.9	43.5	1.6	24		
10	42.3	41.9	42.2	42.7	42.4	41.9	42.5	41.9	41.9	42.2	42.2	42.2	42.4	50.4	45.6	43.2	42.3	42.3	45.8	61.0	64.7	55.7	45.8	42.4	64.7	41.9	45.3	6.3	24		
11	42.1	43.4	48.5	45.3	43.0	42.6	42.5	42.6	42.8	42.7	42.3	42.0	42.7	46.9	45.5	45.4	43.5	42.1	41.6	41.4	41.8	42.1	42.7	43.1	48.5	41.4	43.3	1.8	24		
12	43.4	43.9	44.2	44.2	44.4	44.5	44.7	44.5	44.0	42.9	42.2	41.8	42.1	42.2	41.9	42.0	41.9	41.8	42.0	41.7	41.7	41.9	43.5	42.5	44.7	41.7	42.9	1.1	24		
13	42.4	42.8	43.0	43.3	43.6	44.0	44.3	44.1	43.7	43.0	42.7	42.8	42.9	43.1	43.4	43.1	42.8	42.5	42.5	42.5	42.5	42.7	42.9	42.8	42.9	44.3	42.4	43.1	0.5	24	
14	42.8	42.8	42.9	43.2	43.4	43.2	43.1	42.5	42.4	42.4	42.8	42.8	42.5	42.6	42.6	42.4	42.4	42.5	42.3	46.7	46.3	46.3	42.6	42.6	46.7	42.3	43.0	1.1	24		
15	42.1	41.4	41.4	41.4	41.3	41.3	41.4	41.6	41.8	42.1	42.3	42.6	42.6	42.5	42.5	42.3	42.2	42.2	42.1	42.2	42.2	42.2	42.6	42.9	43.1	43.1	42.1	42.1	0.5	24	
16	42.9	42.8	42.9	42.9	43.2	43.7	43.8	43.7	43.8	43.6	43.3	43.5	43.5	43.5	43.7	43.7	43.7	43.3	43.2	43.2	43.1	43.2	43.0	43.4	43.3	43.8	42.8	43.4	0.3	24	
17	43.2	43.6	43.4	43.8	43.9	44.3	43.9	44.0	43.7	42.9	42.9	43.0	41.9	41.9	41.9	41.9	41.4	41.2	41.0	41.2	41.0	41.2	41.2	41.2	44.3	41.0	42.5	1.2	24		
18	41.4	41.5	41.4	41.7	41.8	41.7	41.9	41.7	41.8	41.9	42.5	42.6	42.8	42.8	43.1	42.6	42.3	41.8	41.8	41.6	41.6	41.7	41.7	41.6	43.0	43.1	41.4	42.0	0.5	24	
19	45.4	46.0	43.3	41.3	40.8	40.8	40.9	40.8	40.8	40.9	41.1	41.1	41.3	41.4	41.4	41.4	41.2	41.1	41.2	41.1	41.2	41.2	41.3	41.4	41.5	46.0	40.8	41.6	1.3	24	
20	41.7	42.1	42.2	42.7	43.1	43.5	43.3	42.8	42.4	41.7	41.6	41.5	41.4	41.4	41.4	42.3	45.4	44.2	45.8	46.4	48.0	48.5	48.0	46.8	48.6	48.6	41.4	44.0	2.5	24	
21	51.4	52.7	49.5	51.7	50.4	47.0	44.3	41.9	41.2	40.8	41.0	42.2	42.1	41.0	42.6	42.2	42.2	41.1	40.5	40.1	40.1	40.5	40.8	41.1	52.7	40.1	43.7	4.2	24		
22	41.3	41.6	41.9	42.1	42.1	42.3	42.1	42.2	42.3	41.7	41.3	41.0	40.9	41.1	41.1	41.2	41.3	41.1	41.0	41.0	41.0	41.3	41.5	41.9	42.3	40.9	41.5	0.5	24		
23	42.4	42.7	42.7	43.1	43.0	43.1	43.3	43.0	42.8	42.7	42.7	42.3	41.8	42.0	41.8	41.8	41.6	41.6	41.9	42.0	42.1	42.6	44.1	45.4	45.4	41.6	42.6	0.9	24		
24	47.3	45.4	46.7	48.8	51.5	50.5	57.4	51.6	45.6	43.1	42.3	42.6	43.8	43.3	43.3	44.1	47.7	50.0	47.3	43.2	41.4	41.2	41.0	41.2	57.4	41.0	45.8	4.2	24		
25	41.2	41.3	41.4	41.6	41.7	41.9	41.9	41.8	42.0	42.0	42.1	42.4	42.4	42.4	42.7	42.7	42.4	42.4	41.9	42.0	42.5	42.7	43.0	43.3	43.3	43.3	41.2	42.1	0.5	24	
26	43.3	43.5	43.2	43.1	43.6	43.8	43.9	46.7	54.6	47.5	43.3	52.7	50.8	45.9	43.8	43.0	44.1	42.8	41.8	42.2	46.5	53.2	52.9	52.6	54.6	41.8	46.2	4.2	24		
27	53.0	50.9	56.6	47.6	43.2	42.2	42.1	42.0	42.2	42.1	42.0	41.9	42.0	42.2	42.4	42.4	42.4	42.2	42.2	41.8	41.8	41.9	42.0	42.1	42.4	56.6	41.8	43.8	4.0	24	
28	42.6	43.1	43.3	43.2	43.4	43.6	43.6	43.3	42.5	42.1	41.8	41.7	41.9	41.9	41.8	42.0	42.0	42.0	41.7	41.7	41.9	42.0	42.2	42.5	43.6	41.7	42.4	0.7	24		
29	42.6	42.7	43.0	43.4	43.4	43.6	43.7	43.4	43.5	43.7	43.7	43.5	43.2	43.4	43.1	43.2	43.0	42.8	42.5	42.4	42.4	42.4	42.2	42.6	43.7	42.2	43.1	0.5	24		
30	42.3	42.4	42.2	43.5	49.2	54.5	50.4	47.6	44.8	42.3	41.8	41.7	41.2	41.2	41.4	41.3	41.4	41.7	41.8	42.3	42.2	42.1	42.2	42.1	54.5	41.2	43.5	3.4	24		
31																															
最大値	53.0	52.7	56.6	51.7	51.5	54.5	57.4	51.6	54.6	47.5	44.3	52.7	50.8	50.4	47.6	46.6	49.4	50.6	50.8	61.0	64.7	55.7	52.9	52.6	64.7	46.2	46.2				
最小値	41.0	40.7	40.7	41.3	40.8	40.8	40.9	40.8	40.8	40.8	41.0	41.0	40.9	41.0	41.1	41.2	41.2	41.1	40.5	40.1	40.1	40.5	40.8	41.1	41.1	41.8	40.1	41.5			
平均値	43.4	43.5	43.9	43.7	43.7	43.8	43.8	43.4	43.2	42.6	42.4	42.9	42.9	43.1	43.0	43.1	43.2	43.0	42.9	42.9	43.6	43.7	43.4	43.3	43.2	43.6	41.7	43.3			
標準偏差	2.7	2.6	3.2	2.2	2.5	2.8	3.1	2.2	2.4	1.2	0.8	2.1	1.9	2.0	1.4	1.5	2.1	2.4	2.2	4.2	4.5	3.4	2.4	2.3	2.3	4.2	4.3				
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	2.5			
有効測定日数	30																														
欠測時間数																															
測定値合計	31153.7																														
測定値の最大値	64.7																														
測定値の最小値	40.1																														
平均値	43.3																														
日平均値の最大値	46.2																														
日平均値の最小値	41.5																														
局番/項目コード	110/01																														
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL									
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0





