

4 空間放射線空気吸収線量率 月報

大山放射線測定所

2013年07月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均値	最小値	最大値	標準偏差	測定時間			
1	31.3	31.3	31.3	31.3	31.1	31.1	31.0	31.2	31.5	31.5	*0.0	31.3	31.4	31.4	31.6	31.4	31.6	31.7	31.7	31.7	31.7	31.5	31.6	31.6	31.0	31.0	31.4	0.2	23			
2	31.7	31.4	31.6	31.5	31.6	31.5	31.4	31.5	31.5	32.0	32.5	31.8	31.8	31.7	31.6	31.5	31.6	31.6	31.4	31.3	31.3	31.5	31.4	31.3	31.5	32.5	31.3	31.6	0.3	24		
3	31.3	31.1	31.3	32.0	32.6	34.1	31.6	34.2	33.5	33.7	32.3	31.5	31.5	31.4	31.4	31.7	35.9	36.3	33.8	32.0	31.3	31.2	31.0	31.1	31.1	37.6	31.0	32.7	1.8	24		
4	31.0	31.0	31.0	32.0	32.0	31.7	31.5	31.8	31.6	31.8	33.1	32.7	32.0	32.0	39.4	44.1	37.5	33.3	32.9	32.9	32.9	39.3	45.7	47.4	50.1	31.0	35.4	5.8	24			
5	45.2	39.5	42.1	41.7	40.7	42.2	35.2	32.7	31.9	31.4	31.1	31.0	31.0	30.9	30.9	31.0	30.9	30.9	30.9	30.8	30.9	30.8	30.8	30.7	30.9	45.2	30.7	34.0	4.9	24		
6	30.6	30.6	30.6	30.5	30.4	30.7	30.7	30.5	30.5	30.7	30.7	30.5	30.8	30.8	31.0	31.6	33.2	31.6	31.0	31.0	30.8	30.8	30.9	31.0	30.8	33.2	30.4	30.9	0.6	24		
7	30.8	31.1	31.1	31.1	31.1	31.1	31.5	31.2	31.1	31.0	31.1	31.0	30.9	31.0	31.0	34.7	33.0	31.9	31.3	31.3	31.1	31.0	31.1	30.9	31.1	37.0	30.8	31.8	1.4	24		
8	31.4	31.5	31.4	31.3	31.3	31.1	31.1	31.1	31.4	31.5	31.5	31.3	31.5	31.2	31.0	31.0	30.9	30.7	30.8	31.1	31.0	31.0	31.0	30.9	31.1	31.5	30.7	31.2	0.2	24		
9	31.2	31.3	31.5	31.8	31.8	31.7	31.7	32.0	32.3	32.0	31.5	31.6	31.4	31.4	31.3	31.1	31.2	31.3	31.2	31.3	31.5	31.2	31.3	31.2	31.2	32.3	31.1	31.5	0.3	24		
10	31.6	31.8	31.8	32.0	32.2	32.2	32.4	32.7	33.0	32.9	32.7	32.7	32.5	32.5	32.2	32.0	31.9	32.1	32.0	32.0	31.8	31.7	31.7	31.7	32.0	33.0	31.6	32.2	0.4	24		
11	32.1	32.1	32.5	32.6	32.6	32.3	32.4	32.3	32.3	32.2	32.1	32.0	32.4	32.4	32.5	32.3	32.3	31.7	31.9	32.0	32.0	32.0	31.9	32.1	32.2	32.6	31.7	32.2	0.2	24		
12	32.3	32.5	32.5	32.4	32.3	32.1	32.2	32.3	32.4	32.2	32.1	32.1	32.1	32.1	32.1	32.3	32.5	32.3	32.1	31.8	31.7	31.8	31.8	32.2	32.5	32.8	31.7	32.2	0.2	24		
13	32.3	32.1	32.4	32.5	32.3	32.4	32.1	32.3	32.6	32.4	32.9	33.7	34.2	32.7	32.1	31.6	31.1	30.9	31.0	31.0	32.1	31.0	31.4	31.3	31.5	34.2	30.9	32.1	0.8	24		
14	31.8	31.7	32.4	32.3	32.2	32.1	31.9	32.2	32.5	32.5	32.3	32.0	36.4	33.9	32.0	31.4	31.3	31.4	31.6	31.6	32.0	32.1	32.0	32.3	32.4	36.4	31.3	32.3	1.0	24		
15	32.3	33.4	34.4	31.9	31.0	30.8	30.8	30.8	30.9	31.1	31.1	31.2	31.2	31.2	31.0	30.9	31.1	31.7	31.5	31.3	31.2	31.2	31.3	31.2	31.3	34.4	30.8	31.4	0.9	24		
16	31.3	31.4	31.3	31.4	31.5	31.4	31.5	31.8	31.9	32.0	31.9	32.0	32.3	31.9	31.9	32.0	31.9	31.9	31.9	31.8	31.6	31.2	31.2	31.4	31.4	32.3	31.2	31.7	0.3	24		
17	31.5	31.8	32.2	32.7	33.3	33.1	33.3	33.5	33.4	32.5	32.0	32.0	32.1	32.2	32.1	32.1	32.2	32.2	32.1	32.3	32.2	32.2	32.5	32.5	36.7	36.7	31.5	32.7	1.2	24		
18	33.7	32.5	32.1	32.1	32.0	32.3	42.0	38.6	33.7	32.1	31.6	31.6	31.6	31.6	31.5	31.7	31.9	32.1	31.8	31.7	31.5	31.4	31.3	32.0	42.0	31.3	32.7	2.5	24			
19	32.9	31.9	31.2	31.0	31.1	30.9	30.9	31.0	31.1	31.2	31.1	31.1	31.1	31.1	31.2	31.1	31.2	31.1	31.1	31.1	31.1	31.1	31.1	31.1	31.1	32.9	30.9	31.2	0.4	24		
20	30.9	31.0	30.9	30.9	30.9	31.3	31.6	31.6	31.6	31.5	31.6	31.4	31.3	31.4	31.4	31.6	31.8	31.7	31.8	31.5	31.4	31.4	31.3	31.3	31.2	31.8	30.9	31.4	0.3	24		
21	31.4	31.6	31.9	32.6	32.8	33.1	33.2	33.3	33.3	33.4	33.3	33.3	33.2	33.1	33.0	32.8	32.1	31.6	31.6	31.6	31.7	31.9	31.8	32.0	32.0	33.4	31.4	32.5	0.7	24		
22	32.2	32.5	33.0	33.6	33.9	33.9	33.9	34.2	34.1	33.9	33.8	33.4	33.4	33.9	33.9	33.5	32.4	31.7	31.6	31.3	31.2	31.1	31.0	31.0	31.0	38.9	31.0	33.2	1.9	24		
23	31.1	31.5	31.7	31.3	31.3	31.3	32.1	32.3	32.4	31.8	31.9	31.9	31.9	31.7	31.8	31.7	31.5	31.4	31.5	31.4	31.3	31.5	31.3	31.2	32.4	31.1	31.6	0.4	24			
24	31.2	32.2	33.8	34.1	33.7	34.1	46.7	49.9	40.1	34.7	33.1	32.8	32.5	32.6	32.7	32.8	32.7	32.3	31.9	31.8	31.7	34.9	34.0	32.3	49.9	31.2	34.5	4.6	24			
25	32.1	32.0	32.1	32.3	32.1	32.0	32.1	32.3	32.4	32.3	32.4	32.3	32.3	31.9	31.8	44.8	38.6	33.8	32.3	31.8	31.8	31.7	31.7	31.7	31.8	44.8	31.7	32.9	2.9	24		
26	31.4	31.5	31.9	32.2	32.7	32.9	33.1	33.0	33.4	33.6	33.6	33.3	33.2	32.7	34.0	35.6	34.1	33.4	33.2	33.1	32.5	32.3	32.1	32.5	35.6	31.4	33.0	0.9	24			
27	32.1	31.9	31.9	32.1	32.8	33.0	32.2	32.4	33.3	32.9	33.2	32.9	32.8	32.8	33.1	32.7	32.3	32.0	32.1	32.2	32.1	32.1	32.2	32.2	32.0	33.3	31.9	32.5	0.5	24		
28	32.3	32.2	32.1	31.9	32.2	32.3	33.1	33.3	33.4	32.7	32.3	32.5	32.3	32.1	32.1	32.3	33.7	45.5	40.6	34.7	33.8	33.3	32.9	32.8	45.5	31.9	33.6	3.1	24			
29	32.8	32.8	32.8	41.7	49.5	48.1	46.6	45.4	45.7	44.9	44.4	49.6	48.1	39.5	34.2	33.3	32.7	34.5	35.0	34.3	42.8	40.6	34.3	32.3	49.6	32.3	39.8	6.4	24			
30	31.9	32.0	31.9	31.8	31.9	32.1	32.1	34.8	37.2	34.3	33.9	32.7	32.4	32.3	32.0	31.9	31.9	31.7	32.0	32.1	31.8	31.8	31.9	31.6	37.2	31.6	32.5	1.3	24			
31	31.6	31.8	31.7	32.2	31.9	32.0	32.4	32.4	33.5	39.8	35.9	33.6	33.6	32.2	31.7	31.6	31.3	31.4	31.4	31.2	31.1	31.2	31.2	49.6	45.7	49.6	31.1	33.7	4.7	24		
最大値	45.2	39.5	42.1	41.7	49.5	48.1	46.7	49.9	45.7	44.9	44.4	49.6	48.1	39.5	44.8	44.1	37.5	45.5	40.6	34.7	42.8	45.7	49.6	50.1	50.1	30.4	39.8					
最小値	30.6	30.6	30.6	30.5	30.4	30.7	30.7	30.5	30.5	30.7	30.7	30.5	30.8	30.8	30.9	30.9	30.9	30.9	30.8	30.7	30.8	30.8	30.7	30.8	30.7	30.8	30.4	30.9				
平均値	32.2	32.0	32.3	32.7	33.1	33.0	33.6	33.5	33.2	33.0	32.8	32.7	32.7	32.4	32.8	32.7	32.3	32.5	32.1	31.8	32.2	32.4	32.9	32.9	32.9	32.7	32.7	32.7				
標準偏差	2.5	1.5	2.0	2.5	3.6	3.5	4.1	4.1	3.0	2.8	2.4	3.3	3.1	2.0	2.8	2.6	1.5	2.7	1.8	0.9	2.5	3.1	4.3	4.2	4.2	2.9	2.9					
測定時間	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	743				
有効測定日数	31									24261.0			50.1			30.4		32.7			39.8						30.9	***:欠測	101/01			
測定値ラック	0	1	1	1	1	1	1	1	1	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	61	636	20	16	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	0	8.21	85.599	2.692	2.153	1.346	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

大山放射線測定所

2013年08月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間					
1	35.7	32.8	32.5	33.0	42.2	57.2	63.9	60.9	43.2	35.0	33.0	32.9	32.4	32.0	31.9	31.7	31.5	31.4	31.4	31.5	31.2	31.4	31.5	31.4	63.9	31.2	36.7	9.8	24					
2	31.5	31.6	31.5	31.5	31.7	31.4	30.9	30.7	30.9	30.9	30.8	30.9	30.9	30.6	33.2	32.7	31.2	30.8	30.7	30.5	30.4	30.4	30.5	30.5	31.4	63.9	31.2	36.7	9.8	24				
3	30.5	30.6	30.8	30.6	30.6	30.6	30.6	30.7	30.7	30.7	30.5	30.4	30.5	30.6	30.7	30.5	30.6	30.5	30.7	30.6	30.6	30.6	30.8	30.7	30.8	30.4	30.4	30.6	0.1	24				
4	30.6	30.7	30.8	30.9	31.3	31.0	31.3	31.8	32.2	32.8	32.8	32.7	32.6	32.1	31.6	*30.8	59.0	61.3	45.6	35.3	32.3	32.3	31.6	31.3	31.3	61.3	30.6	34.9	8.5	23				
5	31.6	31.8	31.9	31.6	31.8	31.9	31.8	32.1	31.9	31.6	31.6	31.6	31.3	31.5	31.2	31.1	31.1	36.1	43.2	38.5	37.6	35.0	35.8	32.9	43.2	31.1	33.2	3.0	24					
6	31.8	31.5	31.3	31.2	31.3	31.3	31.5	32.3	32.6	31.9	31.6	31.7	31.6	31.4	31.6	31.5	31.3	31.2	31.1	31.4	31.4	31.4	31.3	31.1	31.1	32.6	31.1	31.5	0.3	24				
7	31.0	31.1	31.1	31.1	31.1	31.3	31.7	31.9	31.9	31.9	31.7	31.9	31.6	31.6	31.3	31.1	30.9	30.9	31.1	31.0	31.0	31.0	30.9	30.9	31.1	31.9	30.9	31.3	0.4	24				
8	31.0	31.1	31.2	31.5	31.4	31.5	32.3	32.8	33.0	32.9	32.2	32.1	32.2	31.9	31.9	31.8	31.7	31.8	31.8	32.0	31.9	32.0	32.3	32.3	33.0	31.0	31.9	0.5	24					
9	32.4	32.8	32.9	33.0	32.9	32.8	32.9	33.1	33.4	33.3	33.5	33.5	33.3	33.0	32.8	32.9	32.8	32.7	32.4	32.4	32.6	32.5	32.3	32.3	33.5	32.3	32.9	0.4	24					
10	32.4	32.5	32.5	32.8	33.3	33.5	33.2	34.1	33.9	33.9	33.6	33.5	33.4	32.8	32.8	32.7	32.4	32.2	32.4	32.4	32.4	31.9	32.0	31.9	32.3	34.1	31.9	32.9	0.7	24				
11	32.3	32.2	32.4	32.7	32.4	32.9	32.8	33.0	33.2	32.9	33.0	32.9	32.8	32.4	32.2	32.2	32.0	31.8	31.9	32.0	32.0	32.0	31.9	32.1	31.8	33.2	31.8	32.4	0.4	24				
12	31.9	31.9	32.0	31.9	31.9	31.9	32.1	32.4	32.7	32.5	32.2	32.2	32.1	32.1	32.2	32.3	32.2	32.1	32.0	32.3	32.2	32.5	32.5	32.3	32.7	31.9	32.2	0.2	24					
13	32.5	32.4	32.5	32.7	32.9	32.9	32.7	33.0	33.1	32.6	32.6	32.6	32.4	32.4	32.3	32.3	32.5	32.2	31.9	32.0	31.9	32.0	31.9	31.8	33.1	31.8	32.4	0.4	24					
14	31.9	31.8	31.6	31.9	31.8	32.5	33.0	32.8	32.8	32.9	32.7	32.8	32.6	32.5	32.2	32.2	32.0	31.9	31.7	31.7	31.7	31.8	31.7	31.9	33.0	31.6	32.2	0.5	24					
15	31.8	32.6	33.2	33.2	33.6	33.7	33.7	34.0	33.9	34.1	34.2	34.3	34.0	33.8	33.7	33.7	33.6	32.8	32.4	32.2	32.2	32.0	32.1	32.1	32.1	34.3	31.8	33.2	0.8	24				
16	32.5	33.3	33.1	33.3	33.5	33.2	33.0	33.2	33.7	33.9	33.4	33.1	33.3	33.5	33.4	33.4	33.4	33.4	33.3	33.0	33.2	33.3	33.4	33.4	32.8	33.9	32.5	33.3	0.3	24				
17	32.6	32.9	32.6	32.4	32.4	32.4	32.4	32.5	32.7	32.6	32.6	32.6	32.6	32.6	32.3	32.0	31.8	31.7	31.5	31.7	31.9	32.0	32.0	32.0	31.9	32.9	31.5	32.3	0.4	24				
18	31.8	31.9	31.9	31.9	31.9	32.1	32.2	32.4	32.3	32.4	32.5	32.3	32.1	32.2	32.4	32.4	32.4	32.6	32.6	32.6	32.5	32.6	32.9	33.0	32.6	33.0	31.8	32.3	0.3	24				
19	32.7	32.5	32.5	32.2	32.1	32.3	32.1	32.1	32.5	32.4	32.5	32.2	32.1	32.0	32.2	32.3	32.3	32.3	32.1	32.1	32.1	32.1	32.1	32.1	32.3	32.7	32.0	32.3	0.2	24				
20	32.1	32.0	32.0	31.8	32.0	31.9	32.0	32.2	32.5	32.6	32.5	32.4	32.4	32.4	32.2	32.2	32.2	32.2	32.2	32.2	32.2	32.3	32.3	32.1	32.3	32.6	31.8	32.2	0.2	24				
21	32.5	32.3	32.2	32.3	32.2	32.0	32.1	32.3	32.6	32.6	32.6	32.5	32.6	32.6	32.9	32.8	32.4	32.3	32.4	32.4	32.4	32.0	32.1	32.1	32.0	32.9	32.0	32.4	0.2	24				
22	32.5	32.5	32.7	32.3	32.4	32.8	32.6	33.0	33.0	33.2	32.9	32.7	32.7	32.4	32.4	32.3	32.5	32.6	32.8	32.8	32.7	32.7	32.9	32.9	32.9	33.2	32.3	32.7	0.2	24				
23	33.5	32.3	34.0	34.0	34.1	34.0	33.9	33.8	33.8	33.7	33.7	33.7	33.6	33.3	32.9	32.9	32.8	33.5	42.8	47.8	43.7	38.1	34.7	33.0	33.0	47.8	32.8	35.2	3.9	24				
24	32.5	32.3	32.2	32.0	32.0	33.3	33.9	33.3	33.1	32.7	32.6	32.6	32.6	33.5	32.8	32.4	32.4	32.6	32.6	32.8	32.8	33.0	34.6	40.7	40.7	32.0	33.2	1.7	24					
25	40.9	48.7	52.2	50.2	41.1	42.6	42.2	45.9	44.4	41.1	46.9	41.2	41.2	34.8	32.4	31.8	31.9	32.0	32.3	32.3	31.8	31.5	31.6	31.8	52.2	31.5	33.5	7.0	24					
26	31.9	31.8	31.7	31.9	31.8	31.9	31.9	32.2	32.7	32.6	32.3	32.1	32.2	32.0	32.1	31.9	31.8	32.0	31.9	31.8	31.7	31.9	31.7	31.5	32.7	31.5	32.0	0.3	24					
27	31.4	31.3	31.7	31.7	31.8	31.7	33.0	32.7	31.7	31.4	31.5	31.4	31.6	31.6	31.5	31.4	31.7	31.5	31.5	31.3	31.4	31.4	31.5	31.5	33.0	31.3	31.6	0.4	24					
28	31.6	31.6	31.7	31.6	31.8	32.1	34.6	39.9	35.5	33.4	33.0	32.6	32.3	32.3	32.4	32.1	31.9	31.8	31.8	31.6	31.6	31.7	31.7	31.7	38.9	31.6	32.6	1.8	24					
29	31.8	32.1	32.1	32.7	33.0	33.2	33.7	34.2	34.0	34.0	33.7	33.8	33.6	32.8	32.4	32.4	32.3	32.3	32.2	32.1	31.9	32.4	32.3	32.3	34.2	31.8	32.8	0.8	24					
30	32.3	32.1	32.0	32.0	32.0	32.0	31.8	31.9	32.2	32.1	32.2	32.1	32.1	32.1	32.9	33.6	33.1	32.8	32.1	32.2	32.2	32.0	31.8	31.7	33.6	31.7	32.2	0.4	24					
31	31.6	31.6	31.6	31.6	31.9	31.6	31.6	31.5	31.4	31.3	31.6	31.5	31.5	31.5	31.4	31.4	31.5	37.1	45.7	51.5	46.3	38.0	33.2	32.0	51.5	31.3	34.2	5.6	24					
最大値	40.9	48.7	52.2	50.2	42.2	57.2	63.9	60.9	44.4	41.1	46.9	41.2	34.8	33.8	33.7	33.7	59.0	61.3	45.7	51.5	46.3	38.1	35.8	40.7	63.9	38.5								
最小値	30.5	30.6	30.8	30.6	30.6	30.6	30.6	30.7	30.7	30.5	30.5	30.4	30.5	30.6	30.7	30.5	30.6	30.5	30.5	30.4	30.4	30.4	30.5	30.5	30.6	30.6	30.4	30.6						
平均値	32.4	32.6	32.7	32.7	32.8	33.4	33.8	34.1	33.5	33.0	32.7	32.5	32.5	32.2	32.2	32.2	32.9	33.3	33.5	33.4	33.4	32.4	32.2	32.2	32.2	33.4	32.9							
標準偏差	1.8	3.1	3.7	3.3	2.5	4.9	5.9	5.7	2.9	1.8	2.7	1.8	0.9	0.8	0.7	0.7	4.9	5.4	4.3	4.6	3.4	1.7	1.1	1.7	1.7	3.4								
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31	31	31	743						
有効測定日数	31								24423.6																									
測定時間	743								0																									
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL												
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
局番/項目コード																																		

