

4 空間放射線空気吸収線量率 月報

大山 放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	322	318	317	317	317	317	318	320	330	350	331	321	318	318	***	***	318	317	316	315	313	313	313	313	350	313	320	0.8	22	
2	313	313	316	316	317	322	322	324	327	329	328	331	332	330	334	373	386	346	332	341	370	384	342	324	324	313	336	2.2	24	
3	318	316	316	317	316	324	353	387	388	342	329	321	321	316	316	316	316	315	314	317	315	316	322	318	388	314	326	2.1	24	
4	340	404	352	326	324	320	318	319	317	318	320	321	322	320	317	317	317	315	315	315	315	314	313	312	404	312	324	1.9	24	
5	313	312	313	313	329	333	327	326	341	345	339	325	321	326	329	379	413	395	400	444	504	444	426	443	504	312	364	5.5	24	
6	473	549	690	752	787	764	737	664	561	548	428	376	374	361	400	356	325	315	311	305	303	303	307	306	787	303	471	17.5	24	
7	307	308	307	308	308	309	306	305	307	307	306	307	307	308	306	307	306	307	306	306	303	303	305	307	309	303	307	0.1	24	
8	307	307	307	309	309	310	313	311	313	311	309	308	310	309	309	310	310	309	307	309	307	308	308	306	313	306	309	0.2	24	
9	308	308	308	309	309	309	312	314	317	316	316	317	318	317	318	316	313	324	324	314	314	312	311	312	324	308	314	0.4	24	
10	310	310	310	311	311	311	310	309	315	315	312	311	311	312	310	310	309	309	310	313	313	315	315	315	315	309	312	0.2	24	
11	314	315	314	315	315	314	311	314	313	313	314	313	312	311	310	311	310	310	310	309	311	311	311	313	315	309	312	0.2	24	
12	313	313	312	312	313	314	316	317	320	318	318	315	315	316	315	316	314	315	314	313	312	313	314	313	320	312	315	0.2	24	
13	320	323	327	345	351	379	369	353	360	372	355	330	327	338	516	859	1009	1015	900	877	885	880	816	822	1015	320	559	27.2	24	
14	549	443	563	500	487	405	361	344	338	325	318	317	314	313	311	311	313	312	310	310	312	311	310	310	563	310	362	8.2	24	
15	312	311	309	306	307	306	306	307	308	308	307	309	309	305	308	308	306	307	307	306	305	305	306	308	312	305	307	0.2	24	
16	308	310	310	311	309	310	312	316	317	318	320	316	319	***	***	***	***	321	328	407	348	321	311	313	407	308	321	2.2	20	
17	347	354	326	316	315	317	346	335	321	320	318	319	318	317	318	316	315	315	314	311	311	312	312	354	311	321	1.2	24		
18	312	314	317	315	317	317	317	321	324	321	317	315	315	314	315	315	313	314	315	315	314	314	314	312	324	312	316	0.3	24	
19	313	312	311	314	313	314	313	318	325	327	328	325	325	324	323	321	317	317	316	313	316	314	314	312	328	311	318	0.5	24	
20	311	311	311	311	314	314	328	318	318	317	319	327	354	433	443	408	369	330	317	318	316	316	312	311	443	311	334	3.9	24	
21	311	310	311	311	323	331	317	313	317	317	317	316	316	317	313	314	313	318	323	315	313	314	360	363	363	310	320	1.4	24	
22	558	645	501	415	403	489	391	335	351	372	359	367	357	345	348	479	401	343	327	317	310	307	306	305	645	305	389	8.7	24	
23	304	304	305	306	306	306	305	305	307	306	307	306	308	306	308	307	306	307	306	306	305	306	306	308	308	304	306	0.1	24	
24	310	308	309	310	309	311	313	316	319	321	322	320	321	317	317	316	313	315	316	316	315	315	316	315	322	308	315	0.4	24	
25	317	318	319	321	320	319	323	323	324	323	321	323	324	320	318	317	315	317	316	316	315	318	317	317	317	324	315	307	0.3	24
26	320	320	321	320	315	317	***	321	323	324	322	323	317	313	313	312	313	316	315	316	316	317	317	316	324	312	318	0.4	23	
27	315	316	320	320	315	313	314	315	317	317	336	389	394	351	330	322	322	320	317	314	313	313	311	312	394	311	325	2.2	24	
28	311	313	313	315	312	313	312	313	313	314	313	315	314	313	314	313	312	312	312	310	309	310	310	310	315	309	312	0.2	24	
29	309	311	314	312	313	314	313	312	312	310	310	308	310	310	308	310	308	309	311	308	308	308	307	310	314	307	310	0.2	24	
30	308	308	310	311	310	310	316	315	319	324	324	326	329	333	326	323	321	319	317	318	315	316	314	314	333	308	318	0.7	24	
31	313	315	316	317	318	318	314	316	318	321	322	327	326	327	331	342	366	392	388	366	370	359	357	375	392	313	338	2.6	24	
最大値	558	645	690	752	787	764	737	664	561	548	428	389	394	433	516	859	1009	1015	900	877	885	880	816	822	1015	559				
最小値	304	304	305	306	306	306	305	305	307	306	306	306	307	305	306	307	306	307	306	306	305	303	303	305	305	303	306	306		
平均値	335	339	341	338	339	340	337	332	332	331	325	324	324	325	332	348	349	344	339	341	341	338	336	336	336	336	336	336		
標準偏差	6.5	7.6	8.5	8.6	9.0	8.7	7.8	6.4	4.6	4.3	2.3	1.9	2.0	2.5	4.6	10.5	12.8	12.6	10.6	10.4	10.8	10.4	9.2	9.4	9.4	8.2				
測定時間	31	31	31	31	31	31	30	31	31	31	31	31	31	30	29	29	30	31	31	31	31	31	31	31	31	31	737			
有効測定日数	31						7			24774.6			101.5		30.3	33.6		33.6			55.9				30.6	***:欠測	局番/項目コード	101/01		
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	145	515	37	10	7	5	2	1	2	2	2	3	4	0	1	1	737						
出現割合(%)	0	0	0	0	0	0	0	19.674	69.878	5.02	1.357	0.95	0.678	0.271	0.136	0.271	0.271	0.407	0.543	0	0.136	0.136	100							

大山 放射線測定所

2014年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	373	377	376	359	361	374	359	346	343	340	324	314	310	311	310	308	310	311	312	313	313	312	313	310	377	308	332	2.6	24	
2	310	312	310	313	314	313	314	318	341	372	379	338	321	318	317	318	318	317	420	620	645	478	373	335	645	310	363	9.2	24	
3	380	547	537	493	410	348	345	336	326	361	412	402	358	326	319	325	376	376	359	348	355	360	335	322	547	319	377	6.4	24	
4	319	317	316	315	315	311	311	308	312	311	311	310	312	311	313	311	310	309	311	310	309	311	309	311	319	308	312	0.3	24	
5	312	311	312	312	311	312	313	314	319	321	326	320	322	320	320	318	319	318	319	317	318	318	319	318	326	311	317	0.4	24	
6	318	317	323	349	380	337	338	339	371	374	359	411	418	417	425	371	358	333	315	310	309	306	305	305	425	305	350	3.9	24	
7	302	310	313	317	317	317	314	312	313	317	319	317	318	321	322	321	319	319	316	313	313	311	312	310	322	302	315	0.4	24	
8	311	313	311	310	312	315	313	312	312	312	311	311	313	314	312	312	312	309	310	310	311	315	314	317	317	309	312	0.2	24	
9	319	321	323	326	329	326	327	348	372	401	436	449	435	412	404	355	355	349	350	346	350	337	313	307	449	307	358	4.2	24	
10	306	303	304	305	304	303	304	306	306	309	308	308	308	309	309	309	308	308	310	309	309	309	311	307	308	311	303	307	0.2	24
11	308	307	310	306	307	307	309	309	310	310	311	311	311	311	311	311	313	311	313	313	314	312	313	315	306	311	306	311	0.2	24
12	314	315	318	320	324	324	324	324	328	330	330	331	327	321	320	***	***	358	330	319	318	318	316	352	358	314	326	1.1	22	
13	358	335	326	343	402	371	331	315	314	315	316	323	321	318	312	311	309	308	309	308	312	310	312	314	402	308	325	2.3	24	
14	314	316	319	324	322	320	321	324	325	325	326	323	319	317	316	313	314	312	313	322	322	341	362	338	362	312	323	1.1	24	
15	320	317	326	323	322	327	359	384	360	335	329	332	321	313	310	310	307	308	310	309	308	309	311	307	308	311	303	307	0.2	24
16	313	312	314	313	312	314	320	319	325	325	326	319	315	311	309	311	311	310	313	313	314	315	315	314	326	309	315	0.5	24	
17	315	317	317	318	316	320	321	320	323	324	329	330	332	334	437	373	343	325	319	315	324	316	322	318	437	315	330	2.6	24	
18	326	357	332	317	333	330	330	335	321	316	314	314	316	327	334	332	325	319	361	361	348	336	316	312	361	312	330	1.5	24	
19	310	310	308	310	310	310	309	310	319	318	316	309	310	310	312	310	311	308	308	308	308	308	308	309	319	308	310	0.3	24	
20	311	312	313	314	316	316	316	316	322	331	326	320	322	324	322	319	320	316	316	314	314	315	318	318	331	311	318	0.5	24	
21	319	321	325	323	324	327	328	328	330	337	335	333	330	326	325	324	325	324	323	323	322	319	317	317	317	317	317	325	0.5	24
22	319	318	357	341	324	323	320	319	318	322	320	317	315	317	317	316	313	313	312	312	312	314	310	310	357	310	319	1.0	24	
23	310	314	314	317	316	313	317	315	322	332	322	318	317	316	315	314	313	312	312	312	310	310	311	312	332	310	315	0.5	24	
24	310	313	314	315	313	316	317	319	321	328	329	330	330	330	326	324	319	318	316	318	317	319	322	321	330	310	320	0.6	24	
25	326	353	399	521	618	598	535	575	569	554	510	554	432	347	321	314	313	311	312	311	311	311	312	313	618	311	418	11.8	24	
26	312	324	324	339	329	431	495	440	371	328	318	315	321	322	314	311	311	311	311	312	309	312	314	309	495	309	336	4.9	24	
27	307	306	305	305	306	305	305	306	307	307	306	306	306	307	305	304	304	306	305	304	303	304	303	306	307	303	305	0.1	24	
28	306	305	308	311	315	316	312	319	321	325	321	322	318	315	315	316	313	313	314	315	313	314	311	313	325	305	315	0.5	24	
29	344	355	325	315	314	394	580	657	720	512	371	325	315	315	315	313	309	307	306	309	313	309	306	304	720	304	372	11.9	24	
30	304	303	305	307	307	305	306	306	312	311	310	307	310	312	312	315	340	360	395	404	381	338	324	317	404	303	325	3.0	24	
31																														
最大値	380	547	537	521	618	598	580	657	720	554	510	554	435	417	437	373	376	376	420	620	645	478	373	352	720		418			
最小値	302	303	304	305	304	303	304	306	306	307	306	306	306	307	305	304	304	306	305	304	303	304	303	303	306	307	303	305	0.1	24
平均値	320	328	329	333	336	338	343	346	349	344	338	337	330	325	327	320	321	320	324	330	330	323	318	316	316	316	302	305	330	
標準偏差	1.9	4.5	4.4	4.9	6.0	5.7	6.8	7.9	8.5	5.6	4.4	5.2	3.5	2.6	3.3	1.7	1.7	1.8	2.7	5.8	6.2	3.2	1.5	1.0				4.7		
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	29	30	30	30	30	30	30	30	30				718	
有効測定日数	30						2			23702.2						30.2		33.0				41.8								
測定時間	718																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	100	以上								
出現割合(%)	0	0	0	0	0	0	0	17.409	72.841	4.875	2.089	0.418	1.114	0.557	0.557	0	0.139	0	0	0	0	0	0	0	0	0	0	0	100	
局番/項目コード																														
有効測定日数	30						2			23702.2						30.2		33.0				41.8								
測定時間	718																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	100	以上								
出現割合(%)	0	0	0	0	0	0	0	17.409	72.841	4.875	2.089	0.418	1.114	0.557	0.557	0	0.139	0	0	0	0	0	0	0	0	0	0	0	100	

大山 放射線測定所

2014年12月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	32.0	32.8	32.1	31.7	31.5	31.8	31.7	34.8	35.5	41.6	70.0	64.4	44.0	35.1	32.7	35.3	35.9	33.1	32.2	32.0	32.4	35.3	33.9	32.8	32.8	70.0	31.5	36.9	9.9	24
2	31.9	31.7	31.6	31.7	31.8	31.6	31.9	32.0	33.6	32.5	31.4	31.1	31.0	30.9	30.9	30.9	31.1	31.0	31.1	31.2	31.3	31.2	31.2	31.3	31.2	33.6	30.9	31.5	0.6	24
3	31.2	31.4	31.4	31.4	31.5	31.6	31.7	31.9	32.0	31.7	31.6	31.4	31.5	31.6	31.5	31.4	31.5	31.5	31.5	31.5	31.2	31.3	30.9	31.0	31.0	32.0	30.9	31.5	0.2	24
4	31.0	31.2	33.6	35.2	35.5	34.7	37.6	39.1	39.5	39.1	41.3	44.9	47.9	45.5	36.6	32.9	31.8	31.3	31.1	31.1	30.9	30.8	31.1	31.4	31.4	47.9	30.8	35.6	5.2	24
5	31.6	31.7	34.6	35.9	35.3	32.8	32.4	32.0	31.8	31.7	31.8	31.5	31.6	31.6	31.6	31.4	31.8	33.0	32.7	32.1	32.2	32.0	32.0	32.2	32.2	35.9	31.4	32.4	1.2	24
6	32.4	32.5	32.7	32.8	32.7	33.9	44.8	52.1	58.1	60.1	55.6	45.0	39.4	39.4	51.3	49.7	36.2	30.3	28.8	29.4	33.3	37.3	39.0	35.7	60.1	28.8	40.1	9.6	24	
7	38.3	39.4	42.8	46.1	43.2	45.9	46.2	45.6	45.6	40.1	40.5	35.4	32.4	30.4	30.1	29.2	29.1	28.9	29.0	29.0	29.0	29.2	29.2	29.3	46.2	28.9	36.0	7.1	24	
8	29.5	30.2	30.6	30.9	30.7	30.5	30.3	30.1	29.7	30.8	30.8	31.3	31.4	31.8	31.3	31.2	31.1	30.8	31.0	30.4	30.5	30.2	30.1	29.9	31.8	29.5	30.6	0.6	24	
9	29.9	29.9	33.9	37.5	33.1	36.2	35.0	33.4	35.1	35.0	32.3	30.8	30.6	32.4	36.9	37.3	32.9	31.4	31.1	30.9	30.8	30.9	30.7	30.5	37.5	29.9	32.8	2.5	24	
10	30.5	30.6	30.6	30.5	30.5	30.5	30.4	30.8	30.8	31.1	31.1	30.9	31.0	31.1	31.2	31.4	31.5	31.9	31.9	32.0	31.7	32.0	31.6	31.6	31.6	32.0	30.4	31.1	0.5	24
11	33.5	34.5	32.4	31.8	31.8	31.9	33.2	45.9	50.4	47.9	49.2	52.5	47.4	37.5	33.8	32.0	31.6	34.7	36.2	33.6	32.6	31.9	32.8	32.7	52.5	31.6	37.2	7.1	24	
12	34.0	34.2	41.4	56.0	42.8	43.8	42.8	36.8	34.1	38.1	37.8	45.8	43.0	44.3	42.2	39.0	40.8	39.1	33.9	31.9	31.9	32.3	31.7	34.6	56.0	31.7	38.8	5.8	24	
13	45.0	50.8	42.4	35.4	33.9	41.8	42.1	43.7	44.3	44.9	47.5	48.6	52.0	49.1	38.6	33.3	33.1	34.4	34.0	40.6	45.2	45.2	39.7	34.5	52.0	33.1	41.7	5.9	24	
14	32.7	32.3	39.4	42.2	42.9	41.8	40.6	39.3	38.9	38.2	40.6	35.0	35.6	40.9	38.7	35.1	31.8	30.1	30.0	29.8	29.7	31.6	37.3	39.4	42.9	29.7	36.4	4.4	24	
15	43.0	46.7	38.4	36.4	34.8	42.3	44.2	42.7	46.5	47.4	43.5	48.1	52.9	47.5	39.0	33.4	30.9	30.1	29.9	30.4	30.8	30.6	30.6	30.6	30.6	52.9	29.9	38.8	7.4	24
16	30.3	30.6	30.6	30.4	30.7	31.9	35.2	36.4	34.7	35.3	38.5	38.5	41.6	46.8	45.7	36.9	33.0	31.8	32.0	32.3	36.6	37.9	37.6	35.7	46.8	30.3	35.5	4.6	24	
17	34.5	32.3	31.7	32.0	35.0	35.0	33.3	31.2	31.1	30.6	31.1	32.2	32.1	31.5	32.8	37.7	36.9	39.8	42.5	41.3	39.0	37.1	35.4	33.2	42.5	30.6	34.6	3.5	24	
18	35.6	40.8	44.1	42.7	43.2	39.4	38.3	42.8	44.9	36.6	31.4	33.6	37.4	32.4	30.2	35.0	38.2	39.3	39.7	33.0	29.5	28.7	29.1	31.8	44.9	28.7	36.6	5.1	24	
19	29.7	29.5	29.0	28.8	28.9	28.4	28.3	28.6	28.7	29.0	29.1	29.2	29.0	29.1	29.4	29.9	29.7	29.2	29.2	29.4	30.0	29.4	29.4	29.5	30.0	28.3	29.2	0.4	24	
20	29.6	29.9	29.8	29.3	29.3	29.7	29.9	29.8	29.8	30.1	30.1	32.6	37.2	42.2	46.2	43.0	35.4	31.3	31.2	32.1	31.5	30.5	29.9	29.9	46.2	29.3	32.5	4.8	24	
21	30.0	29.9	29.8	29.7	30.0	31.6	32.4	32.1	33.6	32.3	31.3	30.2	30.4	30.4	30.6	30.5	30.5	30.3	30.1	30.5	30.5	30.4	30.5	30.7	33.6	29.7	30.8	1.0	24	
22	30.8	30.9	30.8	31.2	31.5	31.8	33.4	33.6	32.1	31.7	31.5	31.1	30.9	30.7	30.5	30.2	30.4	30.6	32.8	32.6	32.8	34.0	38.1	38.1	38.1	38.1	30.2	31.9	1.7	24
23	35.0	35.3	44.2	46.5	54.9	50.8	39.4	39.2	49.6	43.3	44.6	48.7	42.2	34.6	31.8	32.3	32.4	31.6	30.7	30.6	30.5	30.7	30.9	31.2	54.9	30.5	38.4	7.7	24	
24	31.1	31.3	31.7	31.9	31.7	32.1	31.9	32.0	32.1	32.1	32.1	32.0	31.9	31.4	31.5	31.3	31.5	31.6	31.8	31.8	33.1	36.3	37.0	39.2	31.1	32.5	32.5	2.0	24	
25	43.5	40.4	35.7	34.0	33.8	44.7	58.6	50.6	43.6	66.1	73.2	54.0	55.9	64.6	50.8	52.7	41.8	34.4	41.0	54.9	47.9	41.9	47.2	54.7	73.2	33.8	48.6	10.5	24	
26	46.1	45.9	42.4	43.8	42.9	45.0	46.6	37.8	42.4	36.6	32.3	34.5	32.1	31.5	31.5	38.5	42.7	37.8	34.0	37.2	34.6	31.9	31.0	30.3	46.6	30.3	37.9	5.5	24	
27	30.5	31.0	30.4	30.2	30.2	30.2	30.3	30.7	30.7	31.5	33.8	37.5	33.9	32.0	32.4	31.7	32.9	31.6	31.0	30.7	30.7	30.6	30.7	31.0	37.5	30.2	31.5	1.7	24	
28	30.9	31.1	31.4	31.9	32.5	32.1	31.9	31.8	32.3	31.9	32.0	32.5	32.6	32.9	32.8	32.8	34.7	36.3	40.0	41.5	39.5	41.0	43.4	42.3	43.4	30.9	34.7	4.1	24	
29	41.8	41.3	37.8	33.8	32.6	32.2	31.8	31.7	32.4	32.2	31.9	32.4	31.4	32.6	34.1	37.5	33.4	32.7	34.2	36.0	35.4	32.5	31.8	31.5	41.8	31.4	34.0	2.9	24	
30	31.6	31.6	31.8	31.8	32.0	32.3	32.5	32.3	32.9	40.5	38.5	36.7	33.2	32.2	31.7	31.3	31.3	31.2	31.2	31.2	31.2	31.2	31.3	31.4	40.5	31.2	32.6	2.4	24	
31	31.6	31.8	32.0	32.8	32.5	32.6	32.9	33.0	32.6	32.8	32.9	32.8	32.2	32.0	31.5	32.0	32.7	33.9	34.2	40.4	58.6	55.9	54.4	51.0	58.6	31.5	36.6	8.6	24	
最大値	46.1	50.8	44.2	56.0	54.9	50.8	58.6	52.1	58.1	66.1	73.2	64.4	55.9	64.6	51.3	52.7	42.7	39.8	42.5	54.9	58.6	55.9	54.4	54.7	73.2	48.6				
最小値	29.5	29.5	29.0	28.8	28.9	28.4	28.3	28.6	28.7	29.0	29.1	29.2	29.0	29.1	29.4	29.2	29.1	28.9	28.8	29.0	29.0	28.7	29.1	29.3	29.3	28.3	29.2			
平均値	33.8	34.3	34.5	35.0	34.6	35.5	36.2	36.2	37.1	37.5	38.4	37.9	37.0	36.3	35.2	34.7	33.5	32.7	32.8	33.6	34.0	33.9	34.0	34.2	34.2	35.1				
標準偏差	4.9	5.6	4.8	6.3	5.7	5.9	6.8	6.3	7.4	8.6	11.0	8.9	7.6	7.9	6.1	5.5	3.5	3.0	3.6	5.4	6.3	5.7	5.7	5.9	5.9		6.5			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			744		
有効測定日数	31																													
測定時間	744																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31																													
測定時間	31			</																										

吉坂 放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間
1	37.7	37.8	38.0	37.6	37.7	38.0	39.9	40.1	38.7	38.8	38.4	37.2	36.9	36.7	36.6	36.6	36.7	36.6	36.8	36.8	37.0	37.5	36.9	37.0	37.6	36.6	37.6	1.0	24
2	37.3	37.5	38.0	38.3	38.7	38.5	38.7	38.6	38.5	38.6	38.4	38.9	38.9	38.4	38.4	38.4	38.4	41.0	38.2	38.3	40.9	43.0	39.0	37.2	43.0	37.2	38.8	1.3	21
3	36.6	36.5	36.5	36.9	36.8	37.4	42.9	48.1	49.5	41.4	37.5	36.9	37.3	36.6	36.5	36.5	36.5	36.5	36.5	37.2	38.2	37.1	38.2	38.8	49.5	36.5	38.5	3.6	24
4	36.8	39.1	38.4	37.0	37.6	36.6	36.6	36.9	36.5	36.3	36.3	36.8	37.3	37.8	36.7	36.3	36.5	36.3	36.2	36.0	36.2	36.2	36.2	36.2	39.1	36.0	36.8	0.8	24
5	36.0	36.1	36.3	36.3	38.4	39.0	38.4	37.1	37.2	39.9	38.8	37.7	37.0	36.9	36.5	36.8	40.5	41.3	39.9	39.9	41.1	40.7	41.7	45.1	45.1	36.0	38.7	2.3	24
6	46.5	48.9	53.1	57.0	64.5	63.6	57.5	56.1	56.3	56.8	48.4	43.3	46.0	46.4	52.7	48.9	41.2	37.7	37.0	35.3	34.8	34.5	36.4	35.6	64.5	34.5	47.4	9.4	24
7	35.2	35.1	35.2	35.2	35.5	35.4	35.2	35.0	35.0	35.0	35.1	35.2	35.0	35.2	35.3	35.1	35.2	35.3	35.1	35.2	35.2	35.5	35.9	36.3	36.3	35.0	35.3	0.3	24
8	36.7	37.0	37.2	37.6	37.9	38.3	38.1	37.6	37.0	36.6	35.6	35.4	35.5	35.3	35.3	35.5	35.8	35.7	35.5	35.6	35.9	36.2	36.1	38.3	35.3	36.4	1.0	24	
9	36.3	36.6	37.0	37.1	37.5	37.6	38.1	37.7	37.2	36.9	36.9	36.7	36.6	36.7	36.4	36.4	36.4	36.3	36.1	36.2	36.6	36.6	36.7	36.6	38.1	36.1	36.8	0.5	24
10	36.5	36.4	36.6	36.6	36.6	36.5	36.5	36.8	36.7	36.3	36.1	35.8	35.8	35.7	35.8	35.6	35.7	35.9	35.8	36.0	36.2	36.5	36.3	36.8	36.8	35.6	36.2	0.4	24
11	36.6	36.6	36.3	36.4	36.2	36.2	36.2	36.2	36.1	36.2	36.2	36.3	36.2	36.1	36.2	36.1	36.0	36.1	36.0	36.2	36.2	36.2	36.1	36.5	36.6	36.0	36.2	0.2	24
12	36.5	36.5	36.7	36.9	36.9	36.9	37.1	37.3	37.6	37.7	37.1	36.4	36.6	36.5	36.6	36.3	36.6	36.4	36.4	36.3	36.2	36.1	36.4	36.4	37.7	36.1	36.7	0.5	24
13	37.4	37.5	38.3	40.3	40.7	39.8	40.0	38.4	38.1	37.6	37.6	36.5	36.9	37.7	46.7	56.0	57.4	58.7	56.5	58.3	71.5	75.0	72.5	67.7	75.0	36.5	48.2	13.3	24
14	54.6	58.3	70.6	62.8	62.2	57.9	54.2	44.7	40.5	36.9	35.7	36.0	36.8	35.8	35.3	35.4	35.2	35.0	35.2	35.3	35.2	35.2	35.2	35.3	70.6	35.0	43.3	11.6	24
15	35.8	35.7	35.4	35.2	35.2	35.0	35.2	35.2	35.1	35.2	***	***	***	***	***	***	***	***	***	35.3	35.4	35.5	36.1	36.3	36.5	36.5	*35.5	0.4	17
16	36.8	36.9	37.6	37.8	38.2	38.9	39.2	39.5	38.9	38.2	37.7	36.7	36.3	36.5	36.1	35.9	36.0	38.2	37.5	46.8	40.3	37.3	36.6	36.8	46.8	35.9	37.9	2.2	24
17	37.5	38.3	37.9	37.6	37.3	37.0	38.7	38.8	38.3	37.3	36.2	36.3	36.3	36.2	36.1	36.2	36.1	36.0	35.9	35.9	35.9	36.0	36.1	36.4	38.8	35.8	36.8	1.0	24
18	36.9	37.1	37.4	37.7	38.1	38.1	38.5	38.9	38.3	38.2	37.0	36.2	35.9	36.0	36.1	36.1	36.1	36.0	36.2	36.0	36.2	36.5	36.5	36.7	38.9	35.9	36.9	1.0	24
19	37.0	37.0	37.3	37.5	37.8	37.8	38.4	39.1	38.9	38.5	38.3	38.1	37.6	37.4	37.2	36.9	36.8	36.5	36.3	36.4	36.6	36.4	36.4	36.7	39.1	36.3	37.4	0.8	24
20	36.5	36.8	36.6	36.7	36.8	37.2	37.8	37.5	37.8	37.3	37.0	37.9	40.7	45.2	46.9	45.2	42.2	38.4	36.9	36.9	37.0	36.6	36.7	36.7	46.9	36.5	38.6	3.1	24
21	36.7	36.5	36.7	36.8	38.3	38.7	37.8	37.3	37.1	37.3	36.8	36.2	36.0	36.0	36.1	36.0	36.2	36.4	37.0	36.5	36.7	37.1	38.6	39.5	39.5	36.0	37.0	1.0	24
22	48.2	55.2	48.6	42.1	41.3	48.6	46.3	41.3	40.4	42.9	47.6	50.7	49.5	45.8	48.1	61.7	58.6	43.5	38.9	39.3	37.4	36.0	35.5	35.4	61.7	35.4	45.1	7.0	24
23	35.3	35.2	35.2	35.2	35.3	35.3	35.2	35.1	35.2	35.2	35.1	35.2	35.1	35.1	35.2	35.1	35.1	35.2	35.3	35.3	35.4	35.6	36.0	36.2	36.2	35.1	35.3	0.3	24
24	36.4	36.4	36.7	36.9	37.1	37.8	38.4	38.8	38.6	38.4	38.1	37.5	37.5	36.9	36.4	36.2	36.0	35.9	35.9	36.0	36.3	36.5	36.6	37.0	38.8	35.9	37.0	0.9	24
25	37.2	37.8	38.1	38.4	38.3	38.3	38.5	39.0	38.7	38.8	38.8	38.6	38.0	37.3	36.8	36.6	36.4	36.3	36.3	36.3	36.7	36.9	36.8	36.9	39.0	36.3	37.6	1.0	24
26	37.1	37.0	37.1	37.3	37.4	37.8	37.8	37.8	38.0	38.0	37.7	37.0	36.2	36.1	35.9	36.1	36.5	36.6	36.4	36.5	36.6	36.8	37.2	37.2	38.0	35.9	37.0	0.6	24
27	37.5	37.6	37.8	37.7	37.2	36.9	36.8	36.9	36.7	36.5	37.6	45.6	54.8	49.5	40.4	47.3	36.5	36.6	36.4	35.9	35.9	35.8	35.7	54.8	35.7	38.6	4.7	24	
28	35.8	35.9	36.0	36.1	36.2	35.9	35.9	35.8	35.8	35.7	35.9	36.0	36.0	35.9	35.9	35.8	35.8	35.7	35.6	35.7	35.6	35.9	35.8	35.6	35.6	35.9	0.1	24	
29	36.1	36.1	36.5	36.9	37.2	37.6	38.1	38.5	38.3	37.2	35.6	35.6	35.5	35.5	35.5	35.5	35.4	35.6	35.7	35.9	35.9	36.0	36.2	36.4	38.5	35.4	36.4	1.0	24
30	36.6	37.2	37.4	37.5	37.7	38.1	38.9	38.9	38.7	38.0	37.4	37.5	37.9	37.7	36.9	36.8	36.7	36.5	36.5	36.5	36.8	36.8	37.1	37.2	38.9	36.5	37.4	0.7	24
31	37.3	37.6	37.5	37.4	37.3	37.8	37.7	37.8	38.2	38.1	37.8	38.0	38.1	38.6	38.7	39.7	41.6	44.5	45.1	43.3	43.4	41.4	41.3	42.4	45.1	37.3	39.6	2.5	24
最大値	54.6	58.3	70.6	62.8	64.5	63.6	57.5	56.1	56.3	56.8	48.4	50.7	54.8	49.5	52.7	61.7	58.6	58.7	56.5	58.3	71.5	75.0	72.5	67.7	75.0	48.2			
最小値	35.2	35.1	35.2	35.2	35.2	35.0	35.2	35.0	35.0	35.0	35.1	35.2	35.0	35.1	35.2	35.1	35.0	35.0	35.1	35.2	34.8	34.5	35.2	35.3	35.3	34.5	35.3		
平均値	37.9	38.5	39.0	38.7	39.1	39.4	39.3	38.9	38.6	38.3	37.8	37.7	38.1	37.9	38.1	38.6	38.3	37.8	37.4	37.7	38.0	38.0	38.0	38.1	38.1	38.1	38.3		
標準偏差	4.1	5.4	6.9	5.9	6.6	6.2	4.9	4.1	4.1	3.8	3.0	3.3	4.4	3.7	4.5	6.4	5.8	4.5	4.0	4.5	6.5	7.1	6.6	5.8	5.8	5.2			
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	30	30	30	29	29	31	31	31	31	31	31	31	31			734	
有効測定日数	30						10			28120.3			750			34.5		38.3				48.2			35.3				
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL							
時間数	0	0	0	0	0	0	0	0	150	507	28	20	6	13	5	2	3	0	0	0	0	0	0	0	0	0	0	734	
出現割合(%)	0	0	0	0	0	0	0	0	20.436	69.074	3.815	2.725	0.817	1.771	0.681	0.272	0.409	0	0	0	0	0	0	0	0	0	0	100	

2014年11月

– 52 –

吉坂 放射線測定所

2014年12月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	367	368	366	366	366	364	362	391	452	463	740	796	526	406	374	369	370	371	364	364	364	374	379	377	796	362	418	11.5	24	
2	367	363	362	360	362	362	363	364	363	359	358	357	356	356	355	358	357	356	357	358	360	359	358	359	367	355	360	0.3	24	
3	360	361	359	362	361	361	362	364	364	362	363	362	360	363	362	361	361	361	361	360	360	360	358	358	364	358	361	0.2	24	
4	358	359	389	398	382	379	416	421	416	419	438	486	484	447	393	373	366	362	361	361	360	362	362	366	486	358	394	3.9	24	
5	367	364	366	373	368	368	367	365	367	367	366	366	365	364	363	361	361	362	364	364	364	367	368	368	373	361	366	0.3	24	
6	370	372	375	378	380	381	521	531	545	648	684	555	407	398	468	521	419	368	358	358	368	400	477	459	684	358	448	9.4	24	
7	482	489	504	588	519	542	524	462	484	465	436	419	382	362	355	354	354	355	355	355	355	360	362	364	588	354	426	7.6	24	
8	374	378	381	384	384	383	383	384	382	385	387	386	387	387	387	382	379	378	375	378	375	378	380	385	374	381	0.4	24		
9	386	390	405	428	400	427	425	398	383	395	390	366	359	402	510	598	471	389	360	354	354	353	354	353	598	353	402	5.7	24	
10	352	352	352	353	354	354	354	359	361	355	356	357	357	357	357	357	357	359	362	365	366	369	369	368	369	352	359	0.6	24	
11	381	383	368	366	362	359	370	514	584	571	586	581	515	416	374	364	362	374	373	378	374	373	380	381	586	359	420	8.4	24	
12	384	384	393	525	457	412	488	407	382	379	377	375	419	630	613	487	427	398	371	362	357	358	358	364	630	357	421	7.6	24	
13	409	455	404	376	370	386	398	494	529	518	494	455	464	422	378	364	362	362	375	413	500	488	515	467	529	362	433	5.7	24	
14	439	401	438	445	450	452	468	483	479	410	388	380	414	425	379	362	357	355	355	362	361	359	411	499	499	355	411	4.6	24	
15	548	568	574	504	431	414	479	530	539	524	441	453	520	483	425	396	372	372	361	360	364	367	368	365	574	360	448	7.6	24	
16	367	367	370	365	365	374	401	423	421	437	470	464	487	514	503	410	374	364	362	361	368	401	454	472	514	361	412	5.1	24	
17	442	392	364	355	358	359	355	352	351	350	353	352	356	356	356	363	378	403	443	476	457	457	452	430	476	350	389	4.5	24	
18	422	549	600	573	507	494	447	476	533	458	389	357	411	381	348	364	378	415	400	370	354	352	343	350	600	343	428	7.8	24	
19	342	337	336	338	343	344	344	343	346	347	346	349	345	343	340	337	336	337	337	341	343	346	345	350	350	336	342	0.4	24	
20	350	352	348	347	349	354	356	356	355	359	358	373	414	487	528	482	419	381	378	409	398	369	357	352	528	347	385	5.0	24	
21	350	348	348	347	344	354	358	351	353	356	350	346	346	354	379	363	356	354	350	349	352	351	350	352	379	344	353	0.7	24	
22	352	354	357	359	363	369	370	369	368	359	356	356	351	349	350	349	348	352	352	354	358	369	422	422	442	348	360	1.5	24	
23	431	393	457	558	596	595	477	401	427	463	449	467	416	376	357	355	358	353	356	354	359	362	372	376	596	353	421	7.5	24	
24	374	377	378	384	385	381	381	383	380	380	378	370	360	359	357	353	367	360	361	362	363	365	370	381	385	357	372	1.0	24	
25	409	423	394	422	505	550	590	572	455	490	611	589	589	564	491	533	435	381	482	585	561	516	501	543	611	381	508	7.0	24	
26	492	516	478	511	495	541	498	455	402	381	370	420	381	367	365	443	506	559	446	409	430	391	369	353	559	353	441	6.3	24	
27	354	372	364	350	347	347	351	356	357	353	400	450	417	394	415	401	398	375	362	359	357	356	359	361	450	347	373	2.7	24	
28	366	368	368	372	373	373	373	373	375	376	377	378	379	379	379	379	377	398	412	437	466	487	483	474	460	487	366	400	4.2	24
29	476	490	445	405	390	386	383	382	383	384	381	378	366	367	380	371	358	365	390	408	404	374	370	367	490	358	392	3.4	24	
30	369	370	370	371	374	375	382	377	374	374	378	377	367	361	363	361	361	359	361	360	362	360	361	363	382	359	368	0.7	24	
31	367	370	371	377	379	380	382	380	382	380	379	371	367	364	361	365	375	390	389	410	543	673	708	682	708	361	423	10.8	24	
最大値	548	568	600	588	596	595	590	572	584	648	740	796	589	630	613	598	506	559	482	585	561	673	708	682	796	508				
最小値	342	337	336	338	343	344	344	343	346	347	346	346	345	343	340	337	336	337	337	341	343	346	343	350	342	336	342			
平均値	394	399	400	408	401	404	411	413	416	415	424	422	409	404	399	395	381	376	376	383	390	392	398	402	400	400				
標準偏差	50	61	64	73	63	68	64	64	69	73	100	97	64	67	66	63	38	38	33	49	59	68	75	73			66			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			744		
有効測定日数	31																													
測定時間	744																													
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	185	362	74	60	34	19	4	4	1	1	0	0	0	0	0	0	0	0	0	0	744	
出現割合(%)	0	0	0	0	0	0	0	0	24.866	48.656	9.946	8.065	4.57	2.554	0.538	0.134	0.134	0	0	0	0	0	0	0	0	0	0	100		

倉梯放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間				
1	509	500	500	494	505	499	504	502	499	514	505	492	487	486	485	486	484	484	486	489	490	490	490	491	514	484	495	0.9	24				
2	492	495	494	499	500	502	503	503	501	511	511	506	505	505	507	593	599	525	499	502	530	539	501	488	599	488	513	2.8	24				
3	482	483	481	484	487	499	549	595	565	512	488	487	491	481	482	481	477	467	482	495	491	488	488	485	494	467	497	3.0	24				
4	483	494	489	485	489	487	484	486	457	447	447	447	451	449	445	455	481	480	482	481	478	479	480	480	494	445	472	1.7	24				
5	480	478	479	486	514	518	505	494	491	504	496	490	486	486	485	485	498	508	522	535	571	553	513	565	571	478	506	2.7	24				
6	593	626	615	612	603	601	588	577	583	567	534	518	546	551	585	564	501	482	477	469	467	471	474	474	626	467	545	5.5	24				
7	478	477	474	473	473	472	473	472	473	470	470	472	473	474	471	474	473	473	474	474	476	477	478	484	484	470	474	0.3	24				
8	486	490	490	491	493	496	496	501	499	490	482	475	473	474	474	473	476	476	476	478	481	481	481	482	501	473	484	0.9	24				
9	486	487	490	492	499	500	502	502	499	498	494	490	491	490	486	485	477	481	480	480	483	482	482	482	502	477	489	0.8	24				
10	483	487	486	489	489	485	487	485	485	486	***	***	***	***	***	***	477	476	476	480	475	482	482	481	482	489	475	482	0.5	22			
11	486	483	481	482	481	480	478	481	480	480	480	479	480	480	479	478	478	478	479	480	480	479	482	484	486	478	480	0.2	24				
12	483	486	489	488	493	493	495	491	484	472	461	449	450	451	453	471	482	483	483	484	484	487	488	486	495	449	479	1.5	24				
13	498	497	501	523	535	521	512	500	489	483	482	478	480	492	535	590	649	698	737	747	742	713	690	647	747	478	573	9.9	24				
14	569	618	664	613	632	568	544	530	493	482	483	495	482	475	471	471	472	472	471	474	475	484	476	473	664	471	516	6.1	24				
15	473	472	473	472	471	472	471	472	472	472	471	472	474	477	476	474	474	474	475	478	481	481	481	488	488	470	475	0.4	24				
16	489	492	495	494	497	504	508	510	510	513	507	493	484	484	480	480	479	482	486	533	497	490	486	487	533	479	495	1.3	24				
17	494	496	492	491	491	495	496	495	494	494	***	***	***	***	***	***	***	***	481	484	485	484	486	490	496	481	*490	0.5	17				
18	491	493	498	499	500	502	508	511	512	511	503	487	480	482	480	480	479	480	480	483	483	487	490	492	512	479	492	1.1	24				
19	493	497	499	499	505	508	511	513	513	515	516	513	512	510	499	483	484	482	486	487	490	492	494	495	516	482	500	1.1	24				
20	493	495	494	496	498	498	504	499	496	492	491	498	523	550	550	547	523	495	482	481	483	483	486	485	550	481	502	2.1	24				
21	484	485	489	490	502	508	499	494	494	492	485	480	477	478	479	476	481	484	490	491	489	496	517	507	517	476	490	1.1	24				
22	625	699	652	588	577	579	527	509	498	509	545	549	533	520	553	593	557	499	490	494	480	477	473	473	699	473	542	5.9	24				
23	470	471	472	471	473	474	474	473	469	470	474	470	471	469	472	471	472	472	473	475	479	480	481	482	482	469	473	0.4	24				
24	485	484	486	488	494	497	501	501	505	509	508	493	486	485	484	483	483	484	483	484	486	489	492	494	509	483	491	0.8	24				
25	496	499	503	503	505	511	512	516	514	515	514	506	494	485	481	485	486	485	486	491	489	488	490	493	516	481	498	1.2	24				
26	492	494	497	497	500	498	501	503	504	504	501	487	481	478	479	479	480	483	484	486	489	490	498	490	504	478	492	0.9	24				
27	489	490	492	494	490	488	488	488	488	488	488	484	485	510	522	495	486	485	483	481	479	478	479	478	522	478	489	1.0	24				
28	480	479	481	486	485	486	486	482	481	479	479	481	480	480	480	480	479	477	478	478	480	480	480	482	486	477	481	0.3	24				
29	484	486	493	494	499	502	504	507	505	498	486	476	475	476	476	473	475	476	479	483	483	485	486	492	507	473	487	1.1	24				
30	494	500	501	505	505	506	509	511	507	511	506	498	501	499	489	487	488	487	487	489	491	495	495	511	487	498	0.8	24					
31	500	501	498	502	503	506	506	504	506	501	501	506	510	506	503	516	532	553	566	551	545	545	528	535	566	498	517	2.0	24				
最大値	625	699	664	613	632	601	588	595	583	567	545	549	546	551	585	593	649	698	737	747	742	713	690	647	747	573							
最小値	470	471	472	470	471	472	473	472	472	473	447	447	449	449	445	455	472	467	471	469	467	471	473	473	473	445	472						
平均値	498	504	505	502	506	505	504	503	499	496	493	489	489	490	490	496	496	492	494	497	498	497	495	495	496	497	497	497	3.6				
標準偏差	3.4	5.0	4.7	3.6	3.6	2.9	2.3	2.6	2.4	2.1	2.1	2.0	2.1	2.3	3.0	3.9	4.0	4.2	4.8	5.0	5.0	4.4	3.8	3.3	3.3								
測定時間	31	31	31	31	31	31	31	31	31	31	29	29	30	30	30	30	30	31	31	31	31	31	31	31	31			735					
有効測定日数	30	測定時間 欠測時間数										測定値合計 36556.4										1時間値の最大値 74.7											
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL					局番/項目コード						
測定値ランク	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	96	101	TOTAL					103/01				
時間数	0	0	0	0	0	0	0	0	0	0	12	614	68	23	10	4	0	0	0	0	0	0	0	0	0	0	0	0	735				
出現割合(%)	0	0	0	0	0	0	0	0	0	0	1.633	83.537	9.252	3.129	1.361	0.544	0	0	0	0	0	0	0	0	0	0	0	100					

2014年11月

単位:nGy/h

時刻 日		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間
1		52.7	53.0	52.6	51.9	51.3	52.1	52.8	52.3	50.6	51.2	49.1	48.2	47.5	47.5	47.5	47.6	47.9	48.3	48.6	48.7	49.0	51.1	50.4	53.0	47.5	50.0	2.0	24	
2		49.4	49.0	49.1	48.9	48.8	49.2	49.3	49.6	50.8	57.5	55.6	50.1	48.3	48.0	48.0	47.9	48.1	48.1	52.2	53.6	61.4	56.1	50.8	49.0	61.4	47.9	50.8	3.5	24
3		49.3	57.1	63.4	61.2	63.0	53.8	52.4	51.3	49.9	50.8	57.1	55.3	54.1	49.8	48.5	51.9	56.5	51.9	55.6	59.4	64.7	61.4	53.4	49.7	64.7	48.5	55.1	4.9	24
4		49.1	48.8	48.9	48.6	49.3	49.5	49.4	49.8	49.8	50.0	48.9	47.6	47.5	47.7	47.0	47.1	47.4	47.6	47.9	48.2	48.6	48.9	49.3	50.0	47.0	48.5	0.9	24	
5		49.5	49.9	50.2	50.4	50.5	51.0	51.4	51.6	51.6	51.4	51.6	51.6	50.8	50.0	49.4	48.9	48.5	48.7	48.9	49.0	49.3	49.6	49.8	50.1	51.6	48.5	50.2	1.0	24
6		50.3	50.3	50.9	55.0	54.7	52.0	50.9	50.6	50.6	50.4	52.7	60.5	58.1	55.5	54.6	52.0	49.0	48.1	48.0	48.0	47.9	47.8	47.5	47.5	60.5	47.5	51.4	3.5	24
7		47.4	47.8	48.5	48.4	48.3	47.9	47.7	47.8	47.9	48.0	48.2	48.1	48.1	48.5	48.4	48.6	48.5	48.5	48.5	48.6	48.6	48.7	48.8	49.2	47.4	47.4	48.3	0.4	24
8		49.3	49.6	50.5	50.4	50.7	51.3	51.4	51.6	50.8	50.7	49.6	49.2	47.9	48.0	48.1	48.0	48.0	48.2	48.5	48.6	48.8	48.9	49.1	49.4	51.6	47.9	49.4	1.2	24
9		50.0	50.2	50.4	50.9	51.1	51.1	51.3	53.2	55.6	59.2	61.4	61.6	59.1	56.7	55.1	52.3	52.4	52.5	53.2	53.5	51.4	50.0	49.0	48.9	61.6	48.9	53.3	3.8	24
10		49.2	49.0	48.7	48.5	48.4	48.1	47.8	47.7	47.7	47.7	47.3	47.1	47.4	47.4	47.4	47.5	47.5	47.5	47.7	47.8	48.2	48.3	48.5	48.8	49.2	47.1	48.0	0.6	24
11		49.1	49.2	49.4	49.4	50.0	50.1	50.5	50.7	50.5	49.9	48.5	47.8	47.7	47.6	47.9	47.8	47.9	48.0	48.0	48.3	48.5	48.9	49.2	49.4	50.7	47.6	48.9	1.0	24
12		49.7	49.9	50.2	50.7	50.7	51.1	51.1	51.4	51.1	50.8	50.1	49.1	49.0	48.8	48.6	48.8	53.7	51.1	49.8	49.4	49.3	49.4	49.7	49.8	53.7	48.6	50.1	1.1	24
13		49.3	49.5	49.4	49.8	51.3	50.7	49.4	48.4	47.8	47.9	47.7	47.5	47.6	47.5	47.6	47.6	47.7	47.8	47.9	47.8	48.0	48.2	47.9	51.3	47.5	48.4	1.1	24	
14		48.1	48.4	48.9	48.8	48.9	49.3	49.5	49.4	49.1	48.8	48.7	48.7	48.8	48.1	48.1	48.0	48.2	48.5	48.8	48.6	48.5	48.7	50.6	50.2	50.6	48.0	48.8	0.6	24
15		49.4	49.5	49.4	50.0	50.6	55.6	53.1	51.3	50.9	49.7	48.9	48.8	48.9	48.9	48.9	51.7	49.4	48.3	48.0	47.9	48.2	48.0	48.6	48.7	48.6	47.9	49.7	1.8	24
16		49.0	49.1	49.3	49.6	50.1	50.3	50.9	50.9	51.2	51.0	50.4	48.7	48.1	48.1	48.1	48.3	48.2	48.3	48.5	48.6	48.6	48.1	49.3	49.8	51.2	48.1	49.3	1.0	24
17		50.5	50.7	51.2	51.3	51.5	51.6	52.3	52.1	51.8	51.7	51.2	50.9	50.5	49.5	59.9	59.0	51.7	49.6	48.8	48.8	48.0	48.0	48.2	52.1	59.9	48.0	51.3	2.9	24
18		56.1	***	50.5	48.9	50.9	52.6	54.3	56.0	51.4	53.6	51.3	48.5	47.9	50.3	49.4	50.4	52.0	49.3	51.5	51.4	52.3	50.4	48.6	48.0	56.1	47.9	51.1	2.3	23
19		47.9	47.8	47.8	47.8	48.2	48.0	48.0	48.4	49.5	50.0	49.1	48.4	47.9	47.3	47.6	47.5	47.6	47.8	48.0	48.3	48.2	48.6	48.4	50.0	47.3	48.2	0.6	24	
20		48.8	49.2	49.2	49.6	49.8	50.2	50.3	51.0	51.2	50.8	50.9	51.0	50.7	50.4	49.9	49.1	49.1	49.3	49.4	49.4	49.7	49.7	49.8	50.2	51.2	48.8	49.9	0.7	24
21		50.3	50.4	50.7	51.0	51.2	51.5	52.2	52.5	52.1	52.8	52.8	***	***	***	***	48.9	48.8	49.3	49.3	49.5	49.5	49.9	50.2	50.1	52.8	48.8	50.7	1.3	20
22		50.3	50.4	50.7	50.6	51.0	50.7	51.0	51.2	51.0	51.4	51.4	50.0	48.4	47.7	47.2	47.5	48.3	48.5	48.4	48.8	48.9	48.7	49.2	49.0	51.4	47.2	49.6	1.4	24
23		49.2	49.3	49.5	49.6	49.9	50.2	50.4	50.4	50.8	50.0	50.7	50.0	48.8	48.4	48.1	48.2	48.0	48.1	48.2	48.4	48.7	49.0	48.9	50.8	48.0	49.2	0.9	24	
24		49.3	49.5	50.0	49.9	50.9	50.9	51.4	52.3	52.1	52.2	52.5	52.0	51.1	49.6	49.2	48.8	48.7	48.6	48.8	49.0	49.4	49.4	49.6	49.8	52.5	48.6	50.2	1.3	24
25		50.6	50.7	53.7	58.8	61.1	66.1	66.8	69.6	63.8	61.4	55.1	52.7	52.2	49.8	48.5	47.9	47.7	47.5	47.5	47.6	47.7	47.5	47.8	47.9	69.6	47.5	53.8	7.3	24
26		47.8	47.8	49.1	49.8	50.1	50.0	50.4	50.2	50.6	49.4	49.0	48.6	48.6	49.2	48.6	48.0	47.7	48.0	48.1	48.2	48.0	48.1	48.6	48.2	50.6	47.7	48.8	0.9	24
27		47.7	47.5	47.4	47.5	47.3	47.3	47.6	47.9	47.9	47.5	47.3	47.2	47.3	47.4	47.3	46.9	47.1	47.5	47.6	47.7	48.0	48.2	48.6	49.1	46.9	47.6	0.5	24	
28		49.3	49.5	49.6	50.5	50.7	51.0	50.9	51.3	51.0	51.0	50.8	50.5	48.8	48.3	48.3	48.2	47.9	48.0	48.2	48.3	48.2	48.1	47.9	51.3	47.9	49.3	1.3	24	
29		49.1	49.2	48.4	48.1	48.1	59.6	79.3	83.3	83.0	63.5	52.2	48.8	48.1	47.9	47.8	47.5	47.5	47.5	47.5	47.5	47.6	48.7	49.2	48.8	83.3	47.5	53.7	11.6	24
30		48.0	48.1	48.2	48.3	48.4	48.5	48.7	49.0	48.8	47.8	46.6	46.0	47.1	48.2	48.1	48.2	49.3	51.3	54.7	55.9	52.8	50.2	49.2	49.0	55.9	46.0	49.2	2.3	24
31																														
最大値		56.1	63.4	61.2	63.0	61.2	66.1	79.3	83.3	83.0	63.5	61.4	61.6	59.1	56.7	59.9	59.0	56.5	52.5	55.6	59.4	64.7	61.4	53.4	52.1	83.3		55.1		
最小値		47.4	47.5	47.4	47.5	47.3	47.3	47.6	47.7	47.7	47.5	46.6	46.0	47.1	47.3	47.0	46.9	47.1	47.5	47.5	47.5	47.6	47.5	47.8	47.5	47.6	46.0	47.6		
平均値		49.5	49.7	50.2	50.5	50.9	51.4	52.1	52.4	52.0	51.6	50.9	50.2	49.5	49.0	49.2	48.9	49.0	48.7	49.2	49.5	49.8	49.5	49.2	49.2		50.1			
標準偏差		1.6	1.8	2.8	3.0	3.4	3.7	6.2	7.0	6.5	3.9	3.2	3.6	3.0	2.2	2.8	2.4	2.2	1.3	2.1	2.7	3.8	2.7	1.1	1.0		3.6			
測定時間		30	29	30	30	30	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30					
有効測定日数		30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30					
測定時間		715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715	715					
欠測時間数		5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5					
測定値ランク		0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
測定値		0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
出現割合(%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
時間数		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
出現割合(%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
時間数		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
出現割合(%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
時間数		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
出現割合(%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
時間数		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
出現割合(%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
時間数		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						

倉梯放射線測定所

2014年12月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	48.9	48.8	48.9	48.6	48.2	48.4	48.3	51.6	55.6	54.4	67.3	74.0	56.9	50.5	48.8	48.6	48.6	49.5	48.7	48.3	48.6	49.3	49.8	49.2	74.0	48.2	51.7	6.4	24	
2	48.4	48.2	48.1	47.9	48.1	48.0	48.5	48.3	48.3	47.9	47.7	47.8	47.7	47.7	47.5	47.7	47.5	47.6	47.5	47.9	47.8	48.0	48.0	48.0	48.0	48.5	47.5	47.9	0.3	24
3	48.0	48.0	48.0	48.1	48.3	48.3	48.6	48.3	48.3	47.6	47.5	47.9	48.2	48.3	48.2	48.0	48.0	48.2	47.8	47.9	48.0	48.0	47.8	47.8	47.8	48.6	47.5	48.1	0.2	24
4	47.9	48.1	50.1	51.6	50.3	49.5	52.4	53.4	53.3	53.0	55.7	59.4	59.3	56.2	51.4	49.0	48.3	48.0	47.6	47.9	48.1	48.2	48.3	48.3	59.4	47.6	51.0	3.6	24	
5	48.3	48.4	48.6	48.8	49.0	48.8	49.1	48.7	48.8	48.7	48.8	48.3	48.1	48.0	47.9	47.8	47.9	48.2	48.4	48.2	48.2	48.4	48.7	48.9	49.1	47.8	48.5	0.4	24	
6	49.0	49.0	49.4	49.3	49.4	49.7	58.0	60.4	59.5	62.6	66.2	57.9	52.2	54.9	62.2	63.1	53.6	49.6	48.6	50.2	51.8	54.3	62.9	66.3	66.3	48.6	55.4	6.1	24	
7	67.6	61.5	63.0	72.1	71.9	64.8	65.1	58.2	59.8	55.5	53.0	50.4	50.7	49.4	48.3	47.9	48.0	48.2	48.1	48.4	48.6	48.9	49.3	49.3	72.1	47.9	55.3	8.3	24	
8	49.9	50.3	50.8	50.7	50.9	51.0	51.2	51.2	51.2	51.4	51.7	51.6	51.1	50.4	49.5	49.6	49.6	49.8	49.6	49.8	49.6	49.9	49.6	49.9	51.7	49.5	50.4	0.7	24	
9	49.9	50.2	52.3	53.4	52.6	52.0	50.5	53.1	50.8	52.8	51.3	48.6	49.0	48.9	53.9	60.0	55.7	50.0	48.0	47.2	47.3	47.4	47.2	47.2	60.0	47.2	50.8	3.1	24	
10	47.3	47.2	47.4	47.7	47.9	47.9	48.0	48.1	48.4	48.2	47.7	47.6	47.8	47.7	47.8	47.9	48.2	48.7	49.0	48.8	49.0	49.1	48.8	48.6	49.1	47.2	48.1	0.6	24	
11	48.8	48.6	48.7	48.8	48.5	48.2	50.0	62.0	65.5	67.0	68.2	65.4	58.5	51.4	48.7	48.2	48.1	48.1	48.6	49.5	48.8	48.4	49.6	50.7	68.2	48.1	52.8	7.1	24	
12	51.0	49.8	49.2	63.4	57.4	57.4	49.6	49.4	49.4	49.4	49.1	49.4	49.4	49.4	49.3	50.2	50.8	51.8	51.2	49.3	48.3	47.9	47.9	50.5	63.4	47.9	50.6	3.3	24	
13	53.4	51.4	49.1	48.7	48.9	51.7	53.2	59.6	60.9	61.8	56.6	55.2	53.0	50.3	49.0	48.1	47.8	47.9	48.7	50.3	52.0	59.0	65.2	58.5	65.2	47.8	53.3	5.1	24	
14	57.2	54.0	56.6	54.4	56.9	53.8	54.3	54.9	54.0	50.8	50.4	52.3	52.5	49.6	48.2	47.7	47.6	47.6	47.6	47.9	48.7	48.7	53.4	61.2	61.2	47.6	52.1	3.8	24	
15	64.5	62.1	67.2	61.4	54.0	53.0	60.7	64.4	66.2	56.4	51.1	50.3	55.9	63.5	56.5	51.6	49.7	49.0	48.9	49.3	49.2	49.5	49.9	50.2	67.2	48.9	55.6	6.4	24	
16	50.3	50.6	50.4	49.9	49.3	50.2	52.6	53.0	52.4	52.6	54.6	55.7	58.5	59.9	60.9	52.5	49.3	48.7	49.2	49.6	49.0	53.9	58.1	58.7	60.9	48.7	52.9	3.8	24	
17	55.8	52.0	48.7	47.8	47.5	47.6	47.7	47.4	47.2	47.4	47.1	47.1	47.2	47.6	47.4	47.8	49.0	51.6	56.4	58.2	61.5	59.1	59.6	60.3	61.5	47.1	51.2	5.2	24	
18	59.7	65.2	72.4	75.2	64.6	65.9	59.1	58.9	63.9	57.9	49.2	52.5	59.4	56.9	54.7	50.8	50.1	47.5	48.1	46.9	45.4	43.8	43.8	46.5	75.2	43.8	55.8	8.9	24	
19	45.5	44.2	44.1	44.2	44.4	44.7	44.6	44.9	45.3	45.5	45.4	45.1	45.0	45.3	45.7	45.8	46.3	46.7	47.1	47.5	48.1	48.4	48.6	48.9	44.1	45.9	1.5	24		
20	48.9	48.8	48.6	48.9	48.9	49.2	48.8	49.1	49.4	48.9	49.1	51.4	56.8	62.0	66.2	60.8	54.3	50.9	50.6	52.3	51.2	49.3	47.8	47.6	66.2	47.6	51.7	4.9	24	
21	47.6	47.9	47.7	47.6	47.5	47.7	48.1	48.4	49.5	48.6	47.9	47.9	47.7	49.6	56.5	51.2	49.0	47.8	47.7	47.8	47.8	47.8	47.8	47.6	56.5	47.5	48.5	1.9	24	
22	48.0	48.0	48.3	48.7	49.2	48.9	48.9	48.7	48.4	48.4	48.1	48.0	47.4	47.4	47.2	47.3	47.3	47.4	47.6	48.0	48.0	48.7	49.4	51.5	47.2	48.3	0.9	24		
23	57.5	55.5	53.2	60.6	62.3	62.8	62.6	57.2	57.5	55.8	57.3	55.5	51.6	50.1	50.1	48.4	47.9	47.9	48.0	48.4	48.6	49.3	49.6	50.0	62.8	47.9	53.6	5.2	24	
24	50.3	50.7	51.2	51.7	51.6	51.6	51.7	51.8	51.6	51.2	49.2	48.2	48.1	47.9	48.1	47.8	48.3	48.4	48.5	48.2	48.5	49.1	49.0	49.6	51.8	47.8	49.7	1.5	24	
25	53.3	56.1	53.4	56.1	72.2	67.7	66.9	59.5	57.7	68.7	66.5	62.6	61.6	64.3	59.5	61.5	54.6	51.2	58.1	64.4	60.3	66.6	65.1	66.0	72.2	51.2	61.4	5.6	24	
26	60.2	62.5	58.8	61.5	59.5	60.5	54.1	52.0	49.9	48.6	49.9	50.1	48.6	48.3	48.0	53.1	52.1	51.0	50.5	50.4	51.6	50.5	49.0	47.5	62.5	47.5	52.9	4.8	24	
27	47.3	47.3	47.3	47.4	47.2	47.3	47.6	47.7	47.7	47.2	47.2	47.3	52.1	52.1	54.0	51.5	49.4	49.2	49.4	48.0	48.1	48.1	48.4	48.5	48.7	54.0	47.2	48.7	1.9	24
28	49.1	49.3	49.5	49.3	49.5	49.4	49.5	49.7	49.8	50.0	50.0	50.0	49.7	49.8	49.7	49.7	51.5	53.0	57.1	60.5	62.3	62.8	62.0	60.1	62.8	49.1	52.6	5.0	24	
29	60.5	59.6	56.5	52.3	50.9	50.3	50.3	50.5	50.5	50.4	50.3	49.4	48.3	48.0	47.5	47.5	47.5	48.4	50.8	51.4	51.2	49.4	48.9	48.5	60.5	47.5	50.8	3.4	24	
30	49.1	48.5	48.2	48.7	48.6	48.5	49.6	49.1	48.9	49.0	49.5	49.0	48.5	48.2	48.2	48.1	48.0	48.0	48.2	48.2	48.0	48.1	48.4	48.9	49.6	48.0	48.6	0.5	24	
31	49.4	49.7	50.0	50.5	50.8	50.9	50.9	51.2	51.2	50.7	49.5	49.0	48.5	48.3	48.1	48.4	50.2	51.8	51.3	53.3	69.5	79.8	81.6	82.9	82.9	48.1	54.9	11.0	24	
最大値	67.6	65.2	72.4	75.2	72.2	67.7	66.9	64.4	66.2	68.7	68.2	74.0	61.6	64.3	66.2	63.1	55.7	53.0	58.1	64.4	69.5	79.8	81.6	82.9	82.9	61.4				
最小値	45.5	44.2	44.1	44.2	44.4	44.7	44.6	44.9	45.3	45.5	45.4	45.1	45.0	45.3	45.7	45.8	46.3	46.7	47.1	46.9	45.4	43.8	43.8	46.5	46.5	43.8	45.9			
平均値	52.0	51.7	51.8	52.8	52.5	51.9	52.3	52.6	52.9	52.5	52.4	52.2	51.6	51.4	51.2	50.5	49.5	49.1	49.5	50.1	50.7	51.6	52.4	52.8	52.8	51.6	51.6			
標準偏差	5.6	5.3	6.2	7.3	6.9	5.9	5.5	5.0	5.7	5.8	6.4	6.2	4.5	5.1	5.1	4.6	2.4	1.6	2.8	4.0	5.3	7.1	7.9	8.0	8.0		5.7			
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			744		
有効測定日数	31																													
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	19	480	115	65	40	16	6	1	2	0	0	0	0	0	0	0	0	744		
出現割合(%)	0	0	0	0	0	0	0	0	0	0	2.554	64.516	15.457	8.737	5.376	2.151	0.806	0.134	0.269	0	0	0	0	0	0	0	0	100		
局番/項目コード	103/01																													

塩 汲 放 射 線 測 定 所

2014年10月

単位：nGy/h

時刻 日		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1		39.4	37.6	37.5	37.2	37.2	37.4	38.5	38.7	38.3	55.3	51.7	41.2	38.0	37.3	37.2	36.9	36.8	36.8	36.6	36.5	36.4	36.6	36.5	36.4	36.4	55.3	36.4	38.8	4.7	24
2		36.5	36.4	36.9	36.7	36.9	37.1	37.5	37.8	38.3	38.9	***	***	38.8	38.4	38.6	45.4	45.2	40.2	37.9	38.8	42.1	43.2	39.0	37.5	45.4	36.4	39.0	2.7	22	
3		37.1	36.8	36.7	36.9	36.8	37.5	42.1	45.2	42.7	38.9	37.2	37.2	37.7	37.0	37.0	37.1	37.0	36.6	36.5	36.8	36.9	36.6	38.5	37.9	45.2	36.5	38.0	2.2	24	
4		37.3	41.5	38.8	37.5	37.7	37.2	36.8	37.3	36.9	36.9	37.4	37.3	36.9	36.7	36.6	36.7	36.5	36.6	36.5	36.5	36.5	36.5	36.4	41.5	36.4	37.2	1.1	24		
5		36.5	36.4	36.8	36.9	38.8	39.8	38.5	38.0	38.6	40.0	38.9	37.3	37.4	37.6	37.4	39.3	40.9	41.5	41.4	45.1	52.5	47.9	47.2	51.8	52.5	36.4	40.7	4.7	24	
6		53.2	54.0	59.4	66.3	73.8	74.1	70.8	69.5	62.7	59.3	47.9	44.6	44.4	42.1	49.6	45.4	39.4	37.3	37.0	35.8	35.5	35.4	36.5	35.8	74.1	35.4	50.4	13.5	24	
7		35.8	36.1	35.8	35.7	35.8	35.9	35.8	35.9	36.1	36.1	36.3	36.1	36.2	36.3	36.2	36.2	35.9	35.7	35.7	35.7	35.9	35.6	36.2	36.3	36.3	35.6	36.0	0.2	24	
8		36.4	36.3	36.1	36.2	36.5	36.5	36.7	36.6	37.5	36.6	36.6	36.7	36.8	36.8	36.8	36.6	36.4	36.1	36.2	36.1	36.1	36.2	36.0	37.5	36.0	36.5	0.3	24		
9		36.1	36.4	36.5	36.2	36.5	36.5	36.6	36.9	37.4	37.8	37.7	37.6	37.3	37.2	37.5	37.3	36.7	36.9	36.9	36.5	36.9	36.6	36.5	36.7	37.8	36.1	36.9	0.5	24	
10		36.5	36.4	36.5	36.3	36.2	36.3	36.5	36.5	36.8	37.2	37.4	37.1	37.0	36.9	36.6	36.4	36.5	36.3	36.3	36.6	36.7	37.0	36.7	37.0	37.4	36.2	36.7	0.3	24	
11		36.9	37.0	36.9	36.7	36.8	36.8	36.5	36.7	36.7	36.9	37.0	37.3	37.2	37.1	37.0	36.8	36.7	36.6	36.3	36.4	36.4	36.7	36.6	36.6	36.3	36.3	36.8	0.3	24	
12		36.8	36.8	36.6	36.6	36.6	36.6	36.7	37.1	37.5	37.6	37.5	37.1	37.3	37.3	37.2	37.2	36.9	36.9	36.8	36.6	36.6	36.6	36.7	36.7	37.6	36.6	36.9	0.3	24	
13		37.3	37.7	38.1	40.3	40.3	42.4	41.5	39.5	39.5	39.9	39.5	37.7	38.7	38.7	52.1	69.0	78.4	77.3	74.1	75.4	80.8	84.7	85.6	81.9	85.6	37.3	54.6	19.5	24	
14		59.4	55.4	67.9	58.3	58.8	50.8	46.1	41.5	40.0	37.4	36.5	36.8	36.8	36.4	36.5	36.3	36.3	36.1	35.9	36.2	36.0	36.3	36.0	36.1	67.9	35.9	42.7	9.9	24	
15		36.5	36.4	36.0	35.7	35.9	35.9	35.8	35.8	35.9	36.1	36.0	35.9	35.9	35.8	35.8	35.8	37.2	37.1	36.7	35.7	35.5	35.7	36.2	36.2	36.5	35.5	35.9	0.2	24	
16		36.4	36.4	36.7	36.6	36.5	36.7	37.2	38.1	38.1	37.9	38.1	37.4	37.5	37.6	37.4	37.0	36.9	36.9	36.3	36.4	39.4	37.3	36.9	36.8	43.8	36.4	37.8	1.8	24	
17		39.5	40.4	38.2	37.6	37.2	37.0	40.5	39.4	37.6	37.1	37.1	37.3	37.4	37.4	37.3	37.1	36.8	36.9	36.5	36.3	36.4	36.4	36.3	36.7	40.5	36.3	37.5	1.2	24	
18		36.6	37.0	37.0	37.2	37.2	37.3	37.4	37.8	38.2	38.9	37.5	37.3	37.1	37.3	37.2	37.0	36.6	36.6	36.7	36.3	36.7	36.7	36.7	36.7	38.9	36.3	37.1	0.6	24	
19		36.7	36.5	36.7	36.7	37.1	37.2	37.1	37.5	38.0	38.7	39.3	39.3	38.8	38.7	38.4	38.0	37.2	37.1	36.7	36.9	36.7	36.5	36.5	36.5	39.3	36.5	37.5	0.9	24	
20		36.5	36.5	36.5	36.6	36.6	36.6	36.3	37.4	37.0	37.2	37.1	38.3	41.2	46.0	48.6	47.0	42.8	38.8	37.2	37.0	36.7	36.4	36.3	36.3	48.6	36.3	38.7	3.6	24	
21		36.3	36.3	36.3	36.6	37.8	38.4	36.9	36.6	37.1	37.2	37.2	37.1	36.8	37.1	37.1	37.0	36.8	36.9	37.6	36.9	36.8	37.0	39.9	39.8	39.9	36.3	37.2	0.9	24	
22		53.5	62.8	54.9	46.7	48.9	56.2	46.9	40.6	41.1	44.0	***	***	***	***	***	60.1	52.9	41.4	38.0	37.1	36.2	35.8	35.2	35.1	62.8	35.1	*45.6	8.9	19	
23		35.1	35.0	35.2	35.3	35.4	35.7	35.3	35.2	35.3	35.4	35.1	35.3	35.5	35.3	35.3	35.4	35.3	35.2	35.3	35.2	35.4	35.5	35.6	35.9	35.9	35.0	35.3	0.2	24	
24		35.9	35.7	35.9	35.8	36.0	36.3	36.3	37.1	37.8	37.7	38.0	37.4	37.9	37.2	36.8	36.6	36.3	36.1	35.7	36.0	36.0	36.0	36.0	36.3	38.0	35.7	36.5	0.8	24	
25		36.5	36.7	36.7	37.0	36.8	36.7	37.3	37.4	37.8	38.0	38.2	38.2	37.9	37.6	37.5	37.2	36.8	36.6	36.3	36.2	36.6	36.4	36.6	36.4	38.2	36.2	37.1	0.6	24	
26		36.5	36.8	36.6	36.5	36.4	36.9	36.8	36.9	37.1	37.7	37.3	37.5	36.9	36.5	36.4	36.6	36.5	36.3	36.2	36.4	36.3	36.5	36.6	36.4	38.2	36.2	37.1	0.6	24	
27		36.3	36.4	37.0	37.0	36.3	36.2	36.4	36.4	36.7	36.8	38.1	50.2	58.6	61.1	44.0	38.5	36.7	36.4	36.2	35.8	35.9	35.5	35.5	35.8	61.1	35.5	39.3	7.1	24	
28		35.6	35.8	35.7	35.7	36.0	35.9	35.7	35.8	35.6	35.8	35.8	35.8	36.1	36.0	36.0	35.8	35.6	35.7	35.5	35.4	35.4	35.5	35.5	35.5	36.1	35.4	35.7	0.2	24	
29		35.6	35.4	35.7	35.8	35.8	35.9	36.3	36.7	36.8	35.7	35.6	35.6	35.7	36.0	35.8	35.6	35.5	35.4	35.4	35.2	35.3	35.3	35.3	36.8	35.2	35.7	0.4	24		
30		35.6	35.7	36.1	36.0	36.0	36.1	36.4	36.6	37.2	37.5	37.8	37.7	38.0	38.0	37.5	37.2	36.6	36.5	36.3	36.1	35.9	35.9	36.1	35.9	38.0	35.6	36.6	0.8	24	
31		36.0	36.0	36.2	36.4	36.2	36.2	36.0	36.2	36.2	36.7	36.9	37.2	36.9	37.2	37.8	39.0	41.3	44.7	44.8	42.0	42.1	40.9	40.2	42.2	44.8	36.0	38.6	2.9	24	
最大値		59.4	62.8	67.9	66.3	73.8	74.1	70.8	69.5	62.7	59.3	51.7	50.2	58.6	61.1	52.1	69.0	78.4	77.3	74.1	75.4	80.8	84.7	85.6	81.9	85.6		54.6			
最小値		35.1	35.0	35.2	35.3	35.4	35.7	35.3	35.2	35.3	35.4	35.1	35.3	35.5	35.3	35.3	35.4	35.3	35.2	35.3	35.2	35.3	35.3	35.2	35.1	35.1	35.0	35.3			
平均値		38.4	38.7	39.0	38.6	39.1	39.2	39.0	38.7	38.5	38.9	38.1	38.0	38.3	38.4	38.5	39.6	39.2	38.7	38.2	38.3	38.7	38.6	38.6	38.6		38.7				
標準偏差		5.8	6.5	7.5	6.7	7.9	7.8	6.5	6.1	4.7	5.2	3.4	2.9	4.2	4.7	4.2	7.3	8.1	7.5	6.9	7.3	8.5	8.9	9.0	8.6			6.7			
測定時間		31	31	31	31	31	31	31	31	31	31	29	29	30	30	30	31	31	31	31	31	31	31	31	31					737	
有効測定日数		30						7			28491.2			85.6			35.0		38.7				54.6			35.3					104/01
測定値ランク		0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	100	以上								
出現割合(%)		0	0	0	0	0	0	0	12.7	52.7	33	13	11	8	3	5	4	3	3	0	0	0	0	0	0	0	0	0	0	100	

塩汲放射線測定所

2014年12月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	36.4	36.4	36.3	36.2	36.1	36.1	36.0	39.2	41.9	43.7	62.1	67.9	48.4	39.7	37.2	37.4	37.8	36.4	36.2	36.1	36.5	37.9	38.4	37.5	67.9	36.0	40.3	8.2	24	
2	36.5	36.0	35.9	36.1	36.0	36.1	36.2	36.4	36.8	36.6	35.9	35.6	35.9	35.6	35.5	35.6	35.5	35.4	35.4	35.7	35.8	35.9	35.9	36.0	36.8	35.4	35.9	0.4	24	
3	36.0	35.9	36.0	36.1	36.0	35.9	36.1	36.1	36.3	36.6	36.4	36.2	36.7	36.2	36.0	36.0	36.0	36.0	36.0	36.0	36.0	35.7	35.6	35.5	36.7	35.5	36.0	0.3	24	
4	35.4	35.8	38.6	39.2	38.2	39.1	41.7	42.1	41.7	42.4	43.6	48.0	50.1	46.2	39.7	37.0	36.2	36.3	35.8	36.0	35.7	35.9	36.1	50.1	35.4	39.4	4.2	24		
5	35.9	35.9	37.5	38.4	37.6	36.4	36.5	36.6	36.3	36.6	37.0	36.8	36.4	36.2	36.2	35.9	36.2	36.4	36.1	36.3	36.5	36.6	36.7	36.8	38.4	35.9	36.6	0.6	24	
6	37.1	37.0	37.3	37.2	37.6	38.6	54.2	56.7	63.7	68.5	66.6	53.0	44.0	43.9	54.3	53.1	40.2	34.3	32.7	33.2	36.7	40.9	45.6	41.7	68.5	32.7	45.3	10.8	24	
7	44.7	44.9	46.4	48.5	47.1	50.4	48.7	46.0	46.9	43.1	43.1	40.7	36.3	32.9	32.4	32.1	31.9	31.8	32.0	32.2	32.3	33.0	33.4	33.0	50.4	31.8	39.3	7.0	24	
8	33.6	35.2	36.0	37.4	37.7	37.1	37.4	36.6	35.2	36.3	35.8	35.6	35.7	35.6	35.4	34.8	34.8	34.8	34.9	35.0	34.9	34.6	34.5	35.2	35.5	37.7	33.6	35.6	1.0	24
9	35.1	35.5	39.4	43.3	38.4	40.8	39.0	38.3	37.3	38.8	37.6	35.3	35.0	38.7	48.8	50.9	40.8	36.5	35.4	35.0	35.0	35.0	35.2	35.1	50.9	35.0	38.3	4.2	24	
10	34.9	34.9	34.9	35.0	34.9	35.1	34.8	35.0	35.2	35.3	35.5	35.3	35.6	35.8	35.8	35.8	35.8	35.8	36.2	36.4	36.3	36.2	36.2	36.3	36.4	34.8	35.5	0.5	24	
11	37.7	38.4	36.8	36.3	36.1	36.1	37.5	50.5	56.5	53.9	54.0	56.9	52.3	41.9	38.8	37.1	36.4	38.3	38.5	38.1	37.3	37.1	39.5	38.5	56.9	36.1	41.9	7.4	24	
12	37.9	37.4	46.0	56.6	45.5	41.2	41.1	38.1	37.1	38.9	39.1	38.5	41.2	43.6	41.4	40.5	42.7	40.8	37.5	36.1	35.9	36.2	35.6	37.2	56.6	35.6	40.3	4.5	24	
13	46.4	50.0	44.2	38.6	37.1	41.5	43.8	49.5	51.1	51.7	52.6	52.4	55.8	48.0	39.6	36.7	36.3	36.8	38.1	45.3	54.1	55.0	49.9	43.5	55.8	36.3	45.8	6.5	24	
14	40.0	38.0	45.1	47.2	48.2	47.6	47.3	47.1	47.5	42.7	44.0	39.7	41.5	44.0	38.4	35.9	34.5	34.3	34.1	35.0	34.9	35.1	40.6	45.6	48.2	34.1	41.2	5.1	24	
15	51.3	54.5	49.8	46.3	40.8	42.4	46.6	50.5	52.4	50.2	42.7	45.2	50.3	48.3	40.4	36.3	34.3	33.7	33.5	33.9	34.4	34.4	34.6	34.6	54.5	33.5	42.6	7.3	24	
16	34.7	34.4	34.4	34.2	34.7	35.6	37.1	38.2	38.0	38.5	40.4	40.7	45.1	50.1	52.7	41.9	37.3	35.9	35.7	35.9	38.0	41.9	44.5	44.1	52.7	34.2	39.3	5.0	24	
17	42.1	38.2	36.0	36.1	37.4	37.7	36.2	35.3	34.7	34.6	34.7	34.7	35.0	35.1	35.2	37.1	38.6	42.4	47.7	49.0	47.5	44.6	41.8	38.3	49.0	34.6	38.8	4.6	24	
18	38.5	49.8	55.2	49.7	48.4	46.5	43.7	48.0	47.6	40.0	35.6	35.4	40.6	35.6	33.3	36.3	38.6	41.4	41.4	36.2	33.5	33.1	33.2	36.1	55.2	33.1	40.7	6.4	24	
19	33.9	32.8	32.6	32.3	32.5	32.4	32.4	32.3	32.3	32.6	32.7	32.8	32.7	32.6	32.9	32.8	32.5	32.3	32.3	32.8	33.0	33.0	32.9	33.1	33.9	32.3	32.7	0.4	24	
20	33.0	33.1	33.1	32.7	32.7	33.1	32.9	33.3	33.2	33.7	33.8	36.5	41.8	46.5	50.0	46.1	39.2	36.0	35.3	38.1	38.0	34.9	33.9	33.5	50.0	32.7	36.4	4.9	24	
21	33.8	33.8	33.9	33.6	33.6	36.2	36.7	35.3	35.4	35.1	34.4	34.0	34.3	34.4	34.7	34.7	34.5	34.0	34.2	34.2	34.4	34.3	34.6	34.8	36.7	33.6	34.5	0.8	24	
22	34.7	34.7	35.0	35.2	35.4	35.8	36.0	36.2	36.0	35.6	35.5	34.9	34.5	34.5	34.4	34.1	34.1	34.3	34.6	35.1	35.6	36.3	37.4	43.9	43.9	34.1	35.6	2.0	24	
23	41.5	37.6	47.0	53.4	59.8	60.2	45.4	39.9	44.6	42.9	42.3	45.0	40.1	36.3	34.4	34.2	34.2	33.8	33.9	33.7	33.8	33.8	34.1	34.4	60.2	33.7	40.7	8.0	24	
24	34.5	34.6	34.8	35.2	35.4	35.6	35.6	35.5	35.3	35.3	35.3	35.1	35.0	34.8	34.8	34.9	34.7	35.2	35.5	35.4	36.0	36.6	37.2	40.1	40.1	34.5	35.5	1.2	24	
25	42.3	41.0	38.0	37.3	40.8	54.5	67.7	64.3	48.5	59.6	77.8	65.1	60.1	56.4	48.5	52.2	42.4	37.3	48.6	57.1	54.3	47.1	51.0	56.6	77.8	37.3	52.0	10.5	24	
26	48.9	47.9	43.4	46.6	47.7	51.0	48.3	41.8	41.1	38.0	35.6	39.8	36.1	34.8	34.8	34.8	47.9	56.8	56.4	42.5	39.7	38.1	35.2	33.5	32.8	56.8	32.8	42.4	7.0	24
27	33.2	34.4	33.4	32.6	32.4	32.6	32.7	33.6	33.3	33.6	37.5	44.8	39.1	36.0	36.5	36.2	37.7	35.5	34.2	33.7	33.6	33.6	33.8	34.1	44.8	32.4	34.9	2.8	24	
28	34.3	34.7	35.0	35.7	36.2	35.8	35.3	35.4	35.6	35.5	35.7	35.9	36.3	36.4	36.2	36.5	38.5	40.4	43.0	45.3	44.7	45.7	46.5	45.5	46.5	34.3	38.3	4.2	24	
29	46.2	45.8	42.0	38.1	37.7	37.2	36.5	36.5	37.2	37.4	37.4	37.0	36.3	35.6	36.8	41.9	37.5	36.7	38.8	40.8	39.7	36.9	36.3	36.1	46.2	35.6	38.4	2.9	24	
30	36.1	36.2	35.9	36.1	36.2	36.3	37.0	36.8	36.6	38.5	40.0	40.4	37.4	36.6	36.1	35.9	35.6	35.7	35.5	35.8	35.8	35.6	36.1	36.1	40.4	35.5	36.6	1.3	24	
31	36.3	36.4	36.7	37.0	37.1	37.1	37.2	37.2	37.5	37.7	37.7	37.3	36.9	36.5	36.2	36.9	37.8	39.2	39.5	44.1	59.1	63.3	67.3	61.1	67.3	36.2	41.8	9.8	24	
最大値	51.3	54.5	55.2	56.6	59.8	60.2	67.7	64.3	63.7	68.5	77.8	67.9	60.1	56.4	54.3	53.1	56.8	56.4	48.6	57.1	59.1	63.3	67.3	61.1	77.8		52.0			
最小値	33.0	32.8	32.6	32.3	32.4	32.4	32.4	32.3	32.3	32.6	32.7	32.8	32.7	32.6	32.2	32.1	31.9	31.8	32.0	32.2	32.3	33.0	32.9	32.8	32.8	31.8	32.7			
平均値	38.2	38.4	38.9	39.3	38.9	39.7	40.2	40.6	40.7	40.8	41.7	41.5	40.5	39.3	38.6	38.5	37.4	36.9	36.9	37.6	38.3	38.2	38.8	38.8	38.2	38.2	39.1			
標準偏差	4.9	5.6	5.6	6.4	6.0	6.7	7.4	7.5	7.6	8.2	10.5	9.0	7.0	5.9	5.9	5.6	4.4	4.4	4.0	5.4	6.6	6.7	7.2	6.5		6.7				
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31			744		
有効測定日数	31								測定値合計	29109.1								平均値								日平均値の最小値			局番/項目コード	
																		39.1								32.7			104/01	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

岡安放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	378	378	373	372	370	369	380	397	382	394	***	***	***	363	365	363	364	364	364	363	367	370	372	374	397	363	373	3.0	21	
2	375	380	380	385	387	385	385	384	382	383	383	382	386	383	386	462	457	401	380	385	403	419	385	373	462	373	392	2.3	24	
3	368	368	369	370	371	385	420	457	450	392	372	371	368	364	362	363	362	362	364	371	371	364	360	372	457	362	379	2.6	24	
4	367	372	367	362	365	365	363	364	362	362	362	362	364	361	361	359	360	359	358	358	362	361	359	372	358	362	3.0	24		
5	360	361	358	360	383	397	385	375	374	387	381	370	370	365	364	375	399	397	400	427	454	437	429	464	464	358	390	3.1	24	
6	483	495	523	559	574	546	524	530	529	519	493	420	424	418	468	481	409	385	379	357	352	349	358	353	574	349	455	7.5	24	
7	353	353	354	352	356	352	352	352	351	351	351	351	350	351	351	348	350	352	352	352	354	357	362	365	348	353	0.4	24		
8	368	373	376	383	385	388	384	381	379	367	354	353	354	353	352	354	354	353	354	357	360	662	664	621	699	363	352	1.2	24	
9	371	373	376	376	382	384	385	384	376	372	368	364	364	364	364	364	362	363	365	366	368	369	368	371	385	361	371	0.7	24	
10	367	366	367	367	367	370	369	372	369	365	362	358	355	356	357	357	355	354	357	356	361	361	361	363	372	354	362	0.6	24	
11	362	363	361	361	360	361	360	361	360	361	359	359	358	356	358	357	355	356	356	356	361	362	363	363	365	355	360	0.3	24	
12	367	369	371	374	374	376	379	382	381	377	369	361	362	361	362	362	362	362	362	361	360	361	361	361	382	359	367	0.8	24	
13	371	374	380	397	392	393	385	373	373	372	367	363	364	374	452	552	559	578	595	662	699	662	664	621	699	363	472	124	24	
14	504	552	616	559	568	493	500	441	423	385	364	369	364	357	353	355	353	354	353	354	356	359	354	356	616	353	418	8.7	24	
15	359	356	354	352	351	353	353	355	353	352	352	353	355	353	352	354	353	353	356	355	362	365	369	372	372	351	356	0.6	24	
16	376	380	381	384	385	391	390	388	387	383	376	366	362	362	360	360	362	362	362	381	445	393	374	368	369	445	360	380	1.8	24
17	379	385	381	379	379	380	392	391	384	374	362	361	364	362	361	360	360	360	358	360	363	367	371	392	358	371	1.1	24		
18	374	378	383	385	387	390	393	395	394	388	372	360	357	359	357	359	359	360	361	361	362	367	370	373	395	357	373	1.4	24	
19	374	376	380	381	383	387	389	393	393	387	382	378	376	376	373	368	366	367	364	363	367	367	366	369	393	363	376	0.9	24	
20	370	371	373	371	371	379	387	378	379	375	371	375	398	436	448	442	413	378	369	369	370	371	368	370	448	368	385	2.4	24	
21	370	369	372	375	378	383	383	378	373	373	368	363	360	358	358	358	361	364	373	370	370	375	395	401	401	358	373	1.2	24	
22	466	521	485	427	413	452	419	391	389	405	434	444	429	404	429	521	494	414	392	383	368	356	353	350	521	350	422	4.9	24	
23	351	352	350	349	355	359	354	351	351	350	350	349	350	351	351	351	351	351	354	357	357	364	365	367	367	349	354	0.5	24	
24	369	372	374	377	380	385	387	387	383	382	382	370	365	364	361	360	359	359	358	361	363	366	369	373	387	358	371	1.0	24	
25	378	380	384	389	389	392	392	393	389	386	385	379	373	367	361	361	362	364	365	369	371	372	373	373	393	361	377	1.1	24	
26	374	377	378	379	380	383	382	384	378	379	374	369	360	358	358	358	361	365	365	366	366	371	375	371	384	358	371	0.8	24	
27	372	372	376	374	370	372	372	373	369	367	370	425	492	490	401	374	366	363	361	359	358	357	357	357	492	357	381	3.7	24	
28	358	359	361	362	362	364	358	356	357	356	357	357	358	355	357	359	357	355	355	356	357	356	359	361	364	355	358	0.2	24	
29	366	368	372	373	379	384	386	390	390	377	354	354	354	354	354	352	352	352	354	357	362	366	368	371	390	352	366	1.3	24	
30	374	379	382	385	389	392	389	389	390	385	379	375	376	377	372	368	365	365	365	367	370	373	376	377	392	365	377	0.9	24	
31	381	384	380	379	381	380	381	384	388	381	380	375	378	386	388	397	417	443	451	432	428	418	413	423	451	375	398	2.3	24	
最大値	504	552	616	559	574	546	524	530	529	519	493	444	492	490	468	552	559	578	595	662	699	662	664	621	699	472				
最小値	351	352	350	349	351	352	352	351	351	350	350	349	350	351	351	348	350	351	352	352	352	349	353	350	353	348	353			
平均値	380	386	388	387	389	390	390	388	385	380	375	371	373	372	374	382	379	376	375	379	381	380	380	381	380	381	381			
標準偏差	3.6	4.7	5.5	4.8	5.0	4.0	3.6	3.4	3.3	2.9	2.7	2.2	2.9	2.9	3.2	5.2	4.7	4.3	4.5	5.7	6.3	5.6	5.5	4.9			4.3			
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31			741		
有効測定日数	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	105/01	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

岡安放射線測定所

2014年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間
1	40.5	40.6	40.4	39.8	39.5	40.8	40.9	40.7	39.6	39.3	37.3	36.1	35.4	35.4	35.6	35.6	35.8	35.9	36.3	36.7	36.9	36.9	37.4	37.6	40.9	35.4	38.0	2.1	24
2	37.3	37.4	37.4	37.6	37.5	37.6	37.7	38.1	40.1	44.4	43.0	38.6	36.5	36.2	36.0	36.3	36.1	36.3	40.7	55.3	62.5	48.8	40.1	37.7	62.5	36.0	40.4	6.5	24
3	37.7	43.0	47.0	48.2	44.0	40.0	41.6	40.1	37.6	41.3	44.6	44.4	43.1	38.2	36.5	37.5	42.6	43.4	43.6	45.2	50.9	50.9	42.6	38.5	50.9	36.5	42.6	4.0	24
4	37.5	37.4	37.9	37.7	38.1	38.4	38.5	38.2	37.8	37.4	35.9	35.4	35.4	35.4	35.3	35.2	35.5	35.4	35.6	35.8	36.2	36.6	36.8	37.1	38.5	35.2	36.7	1.2	24
5	37.6	38.1	38.5	38.9	38.8	38.7	39.2	39.4	39.2	39.1	38.7	38.1	37.5	37.0	36.8	36.5	35.8	36.2	36.3	36.4	36.7	37.3	37.7	37.9	39.4	35.8	37.8	1.1	24
6	37.9	38.0	38.7	39.1	39.7	39.1	39.0	39.2	40.6	41.1	42.1	47.1	45.8	44.5	43.4	39.4	36.4	35.8	35.7	35.8	35.8	35.9	35.6	35.6	47.1	35.6	39.2	3.4	24
7	35.8	37.0	37.0	37.0	36.4	36.0	35.7	35.8	35.9	36.0	36.0	35.9	36.1	36.1	36.2	36.4	36.2	36.2	36.3	36.4	36.4	36.5	37.0	37.0	37.0	35.7	36.3	0.4	24
8	37.3	37.8	38.3	38.7	39.2	39.4	39.5	39.3	39.0	39.0	37.9	35.6	35.4	35.2	35.2	35.4	35.7	36.0	36.0	36.4	36.9	37.0	37.6	38.0	39.5	35.2	37.3	1.5	24
9	38.1	38.4	38.4	38.9	39.0	39.0	39.3	41.0	43.6	46.9	49.1	49.8	47.1	44.6	44.1	40.4	40.2	40.8	41.4	40.9	39.8	38.6	38.3	38.2	49.8	38.1	41.5	3.6	24
10	38.2	37.8	37.8	36.8	35.7	35.4	35.5	35.9	35.7	35.4	35.1	35.4	35.3	35.2	35.3	35.3	35.1	35.3	35.4	35.6	36.0	36.3	36.8	37.1	38.2	35.1	35.9	0.9	24
11	37.4	37.7	38.0	38.3	38.4	38.5	38.7	38.8	38.1	37.7	35.8	35.6	35.4	35.6	35.6	35.7	35.7	35.8	36.1	36.1	36.6	37.0	37.5	37.7	38.8	35.4	37.0	1.2	24
12	37.9	38.0	38.3	38.8	38.9	39.0	38.9	39.4	39.0	37.9	37.8	37.6	37.0	36.5	36.4	36.3	42.9	39.4	37.7	37.4	37.7	38.0	37.7	37.7	42.9	36.3	38.2	1.3	24
13	38.1	37.8	37.5	37.1	41.1	40.8	37.6	36.2	35.9	35.4	35.4	35.4	35.3	35.4	35.2	35.4	35.3	35.3	35.4	35.6	35.7	35.9	36.1	36.1	41.1	35.2	36.5	1.6	24
14	36.4	36.5	36.7	37.1	36.9	37.0	37.2	37.6	37.2	37.0	37.1	36.6	36.3	35.9	35.6	35.5	35.7	36.1	36.2	36.5	36.3	37.4	39.8	38.7	39.8	35.5	36.8	1.0	24
15	37.1	37.4	38.0	37.9	38.2	40.2	42.6	41.3	39.6	38.1	37.4	37.2	37.0	36.4	36.2	35.5	35.6	35.5	35.6	35.7	36.0	36.5	36.9	37.1	42.6	35.1	37.5	1.9	24
16	37.4	37.7	37.9	38.0	38.2	38.6	39.0	39.1	39.0	38.1	37.1	36.5	35.8	35.8	35.7	35.1	35.3	35.6	35.9	36.2	36.4	36.8	37.2	37.6	39.1	35.1	37.1	1.2	24
17	38.1	38.6	38.6	38.8	39.0	39.4	39.5	39.6	39.7	38.8	38.5	38.5	37.9	37.6	40.8	41.0	38.3	37.2	36.7	36.2	35.7	35.9	36.0	39.2	41.0	35.7	38.3	1.5	24
18	40.0	40.4	37.8	37.1	39.8	40.7	38.1	41.9	38.0	37.6	37.6	36.2	36.2	38.3	38.4	42.4	39.3	37.0	45.1	49.1	49.1	48.8	39.8	36.4	49.1	36.2	40.2	4.0	24
19	35.5	35.3	35.4	35.4	35.6	35.5	35.5	35.8	37.9	37.7	37.1	36.2	35.3	35.3	35.5	35.4	35.3	35.3	35.4	35.6	36.3	36.5	36.9	37.0	37.9	35.3	35.9	0.8	24
20	37.3	37.6	38.0	38.4	38.5	38.9	39.2	39.3	39.4	38.7	38.2	37.6	38.2	38.1	37.2	36.8	36.4	36.3	36.3	36.7	37.1	37.5	37.7	38.1	39.4	36.3	37.8	0.9	24
21	38.4	39.0	39.2	39.4	39.8	39.9	40.3	40.5	40.4	39.9	39.5	38.7	37.7	37.0	36.9	36.7	36.6	36.8	37.0	37.2	37.5	37.5	37.8	37.9	40.5	36.6	38.4	1.3	24
22	37.9	38.1	38.0	38.2	38.5	38.6	38.6	38.7	39.1	38.5	38.1	37.3	36.3	36.1	35.9	35.9	36.0	35.9	36.1	36.3	36.9	36.9	37.0	37.0	39.1	35.9	37.3	1.1	24
23	37.5	37.5	37.8	38.2	38.4	38.9	38.7	39.1	39.0	36.7	36.3	35.9	35.9	35.7	35.8	35.8	35.7	35.7	35.8	36.0	36.1	36.3	36.9	37.0	39.1	35.7	37.0	1.2	24
24	37.2	38.2	38.3	38.6	39.1	39.5	39.3	39.6	39.7	39.4	39.1	39.2	38.5	37.6	37.2	37.0	37.2	37.1	37.3	37.1	37.4	37.3	37.6	37.7	39.7	37.0	38.2	1.0	24
25	38.7	38.9	41.2	46.4	50.4	55.3	52.8	55.1	50.6	50.1	47.2	53.5	63.6	50.6	40.5	36.7	36.0	35.6	35.4	35.4	35.5	35.5	35.5	36.1	63.6	35.4	44.0	8.5	24
26	36.2	35.9	36.8	39.1	38.3	40.3	41.4	39.9	39.0	37.5	36.6	36.3	36.4	36.8	36.3	35.6	35.4	35.6	35.6	35.6	35.6	36.2	36.9	36.1	41.4	35.4	37.1	1.7	24
27	35.5	35.3	35.1	35.1	35.3	35.1	35.3	35.3	35.2	35.1	35.1	34.9	35.0	35.2	***	***	***	35.1	35.4	35.3	35.9	36.3	36.4	36.8	36.8	34.9	35.4	0.5	21
28	37.2	37.6	37.8	38.6	39.0	38.7	39.3	39.6	39.2	38.8	***	***	***	***	***	***	***	***	36.0	36.3	36.3	36.1	36.2	36.0	39.6	36.0	*37.7	1.4	16
29	37.8	38.0	36.7	36.5	36.1	46.1	62.9	67.7	67.4	50.0	39.8	37.0	36.3	36.1	36.1	35.8	35.6	35.5	35.4	35.5	36.5	37.4	36.7	36.5	67.7	35.4	41.2	10.2	24
30	36.3	36.4	36.8	37.3	37.1	36.9	37.2	37.5	37.4	37.1	36.6	36.2	36.2	36.4	36.4	36.2	37.5	39.5	43.3	44.6	42.2	39.0	37.8	37.5	44.6	36.2	37.9	2.3	24
31																													
最大値	40.5	43.0	47.0	48.2	50.4	55.3	62.9	67.7	67.4	50.1	49.1	53.5	63.6	50.6	44.1	42.4	42.9	43.4	45.1	55.3	62.5	50.9	42.6	39.2		67.7	44.0		
最小値	35.5	35.3	35.1	35.1	35.3	35.1	35.3	35.3	35.2	35.1	35.1	34.9	35.0	35.2	35.2	35.1	35.1	35.1	35.4	35.3	35.3	35.4	35.5	35.5	35.6		34.9	35.4	
平均値	37.5	37.9	38.1	38.5	38.8	39.4	40.0	40.3	40.0	39.3	38.6	38.4	38.2	37.4	37.0	36.7	36.8	36.6	37.2	38.0	38.5	38.1	37.5	37.3			38.2		
標準偏差	1.1	1.5	2.1	2.7	2.8	3.7	5.3	6.2	5.9	3.8	3.5	4.5	5.7	3.4	2.3	1.9	2.1	1.9	2.7	4.6	5.8	4.0	1.5	0.9				3.8	
測定時間	30	30	30	30	30	30	30	30	30	30	29	29	29	29	28	28	28	29	30	30	30	30	30	30					709
有効測定日数	29						11			270719			67.7		34.9		38.2						44.0			35.4			105/01
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL							
時間数	0	0	0	0	0	0	0	165	476	37	21	5	0	3	2	0	0	0	0	0	0	0	0	0	0	0	0	709	
出現割合(%)	0	0	0	0	0	0	0	23.272	67.137	5.219	2.962	0.705	0	0.423	0.282	0	0	0	0	0	0	0	0	0	0	0	0	100	

