

老富放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間		
1	469	448	440	438	435	442	446	447	439	438	465	449	439	436	436	437	436	432	432	433	433	434	438	444	445	469	432	442	0.9	24	
2	452	450	451	453	454	452	453	452	447	441	440	440	442	441	439	470	488	456	444	439	472	493	493	461	442	493	439	453	1.5	24	
3	435	433	433	434	436	438	456	471	449	475	***	***	***	442	438	436	437	437	434	441	447	437	443	457	475	433	443	44.3	1.2	24	
4	438	437	438	438	439	449	446	443	438	437	436	436	438	439	439	436	432	433	432	433	432	431	433	432	431	449	431	436	0.5	24	
5	434	432	430	434	447	453	461	449	440	456	446	438	440	440	439	443	503	508	487	523	524	499	500	529	529	430	465	3.4	24		
6	550	596	614	672	693	673	641	596	576	549	512	491	510	506	552	585	520	492	478	439	423	420	430	427	693	420	539	8.3	24		
7	424	423	425	421	429	432	427	420	420	420	422	421	422	422	421	421	420	421	422	423	425	428	433	439	420	424	0.5	24			
8	442	443	444	448	451	453	453	445	431	424	423	423	425	424	425	424	424	422	426	428	429	430	435	434	453	422	433	1.1	24		
9	434	436	439	442	438	437	445	446	433	433	435	434	434	430	429	426	425	430	429	428	428	428	430	436	446	425	434	0.6	24		
10	431	430	431	432	431	430	437	435	435	434	429	426	426	427	426	426	425	424	425	425	431	435	430	432	437	424	430	0.4	24		
11	430	428	430	429	431	430	431	429	428	429	432	430	428	430	430	429	429	429	427	429	431	435	438	440	440	427	431	0.3	24		
12	440	445	443	445	444	439	440	441	442	432	431	430	431	430	430	430	430	431	430	433	429	428	430	428	445	428	435	0.6	24		
13	435	434	442	472	485	467	474	457	454	450	454	438	434	448	516	609	682	672	647	699	768	730	697	665	768	434	543	11.7	24		
14	637	704	676	600	674	697	671	564	497	448	435	458	445	432	423	422	423	423	423	422	426	427	424	423	704	422	507	11.0	24		
15	422	422	422	421	420	419	422	422	421	422	421	421	421	422	420	422	420	421	423	422	426	427	429	435	436	436	419	423	0.4	24	
16	439	443	444	448	450	451	450	451	447	435	430	430	430	432	430	431	430	433	433	473	451	440	439	439	473	430	441	1.0	24		
17	444	447	443	443	444	448	454	451	444	434	432	431	431	432	430	430	432	431	429	435	435	436	438	441	454	429	438	0.7	24		
18	442	444	448	452	457	455	456	457	446	434	433	430	431	432	430	430	427	428	431	432	437	438	438	440	457	427	440	1.0	24		
19	441	440	442	446	453	452	451	452	450	440	440	440	440	433	431	433	430	437	435	434	436	437	432	431	453	430	440	0.7	24		
20	431	429	433	431	431	430	433	429	428	429	430	439	470	476	500	515	493	454	434	434	434	430	433	434	431	515	428	445	2.6	24	
21	432	431	438	442	447	450	443	439	435	431	428	429	430	430	431	431	430	433	441	442	441	445	458	462	462	428	438	0.9	24		
22	506	592	569	507	500	548	520	465	451	465	507	572	567	537	551	646	679	531	464	439	433	433	433	450	679	433	515	6.7	24		
23	441	427	421	421	422	423	420	421	421	421	422	420	420	420	420	421	420	423	422	424	428	434	439	438	441	420	425	0.7	24		
24	441	444	450	452	449	453	454	457	445	437	433	435	437	437	435	431	429	428	430	433	436	436	441	442	457	428	440	0.9	24		
25	441	443	447	453	457	457	458	459	445	435	435	433	433	432	429	430	432	431	436	439	439	441	441	440	459	429	441	1.0	24		
26	443	444	445	446	446	445	445	444	438	434	432	429	432	429	428	426	428	432	436	438	441	442	451	443	451	426	438	0.7	24		
27	439	440	437	438	435	436	438	439	437	434	455	523	561	568	478	445	435	434	433	430	428	426	427	426	568	426	452	4.0	24		
28	427	429	429	429	431	427	429	428	426	426	427	426	428	426	428	428	423	424	425	426	425	425	428	428	431	423	427	0.2	24		
29	435	439	445	443	443	445	448	453	439	424	425	423	425	424	424	423	422	425	428	428	432	434	437	436	453	422	433	0.9	24		
30	437	437	441	443	443	443	443	445	438	431	436	439	438	433	432	430	431	432	433	437	438	440	440	440	445	430	437	0.4	24		
31	438	442	441	440	442	444	443	442	442	441	438	433	436	436	443	443	456	470	490	510	500	499	489	481	497	510	433	458	2.6	24	
最大値	637	704	676	672	693	697	671	596	576	549	512	572	567	568	552	646	682	672	647	699	768	730	697	665	768	543					
最小値	422	421	421	421	419	420	420	420	420	420	421	420	420	420	420	420	420	421	422	422	422	420	424	423	423	419	423				
平均値	450	456	455	455	460	462	461	453	445	440	439	442	445	443	445	452	455	448	444	447	450	449	449	449	450	450	450	450	4.8		
標準偏差	4.3	6.1	5.7	5.2	6.2	6.4	5.5	3.6	2.8	2.4	2.2	3.2	3.6	3.4	3.6	5.7	6.6	5.0	4.3	5.2	6.3	5.5	4.9	4.5	4.5						
測定時間	31	31	31	31	31	31	31	31	31	31	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31			742		
有効測定日数	31						2			33381.2			76.8			41.9		45.0				54.3				42.3			106.01		
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL									
時間数	0	0	0	0	0	0	0	0	0	0	645	46	17	13	5	14	1	0	0	0	0	0	0	0	0	742					
出現割合(%)	0	0	0	0	0	0	0	0	0	0	86.927	6.199	2.291	1.752	0.674	1.887	0.135	0	0	0	0	0	0	0	0	100					

老富放射線測定所

2014年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時間	
1	473	470	468	453	442	446	467	459	444	448	442	449	438	429	425	423	425	427	429	432	432	434	458	449	473	423	444	1.6	24	
2	439	440	440	444	443	445	447	445	444	458	490	467	441	434	433	431	432	434	450	463	628	570	474	446	628	431	460	4.6	24	
3	436	591	684	601	577	494	483	479	452	463	489	490	536	467	440	444	468	461	473	503	593	593	510	457	684	436	508	6.5	24	
4	441	436	439	437	436	439	436	427	424	424	426	425	424	424	423	427	425	424	428	431	432	436	436	440	441	423	431	0.6	24	
5	441	440	441	445	443	444	444	448	441	432	431	434	437	434	434	434	432	432	435	438	439	441	443	444	448	431	439	0.5	24	
6	445	444	455	457	448	441	446	454	464	467	519	534	538	526	506	481	442	431	424	425	425	424	421	421	538	421	460	3.8	24	
7	421	437	436	457	438	432	428	429	430	429	430	428	427	427	425	424	426	429	432	433	439	442	447	449	452	424	437	1.0	24	
8	441	451	452	451	448	447	445	442	433	429	430	428	427	427	425	424	426	429	432	433	439	442	447	449	452	424	437	1.0	24	
9	453	452	454	460	459	458	460	483	503	523	542	552	522	487	474	453	455	452	477	503	509	466	434	428	552	428	477	3.3	24	
10	425	423	420	418	421	420	420	418	421	421	422	422	422	424	423	422	425	423	424	424	424	426	428	429	431	418	423	0.3	24	
11	432	432	430	437	434	428	433	438	430	429	428	425	424	426	426	427	427	425	428	431	434	436	437	445	447	424	432	0.6	24	
12	451	453	458	458	461	462	459	449	437	438	442	440	438	433	433	435	472	458	447	445	443	444	448	451	472	433	448	1.0	24	
13	444	448	453	455	525	543	468	441	435	429	427	426	426	422	423	425	426	426	425	428	430	433	435	543	422	443	3.1	24		
14	438	442	440	443	445	447	445	444	441	437	435	435	435	432	430	429	431	432	434	435	432	433	446	451	451	429	438	0.6	24	
15	442	441	446	450	454	474	475	463	448	440	436	436	436	444	486	459	436	429	436	430	431	434	440	445	449	429	447	1.5	24	
16	450	451	454	457	460	459	459	460	452	445	440	429	428	425	428	427	427	429	430	431	435	440	443	445	460	425	442	1.3	24	
17	449	453	456	454	453	453	454	453	451	441	434	440	441	437	470	521	463	444	436	432	429	429	429	453	521	429	449	1.9	24	
18	479	485	453	438	449	451	471	506	461	453	467	440	435	463	472	511	482	444	463	558	498	485	442	430	558	430	468	2.9	24	
19	425	425	426	425	426	427	428	438	471	484	453	433	424	423	423	423	423	422	425	432	438	446	449	454	484	422	435	1.7	24	
20	460	460	456	452	453	454	454	458	453	451	451	443	433	435	443	436	433	433	435	438	440	442	446	443	460	433	446	0.9	24	
21	448	446	447	452	451	450	453	457	451	445	441	442	440	***	435	434	435	437	439	443	444	443	443	443	457	434	444	0.6	23	
22	444	446	450	453	452	452	453	453	447	442	432	429	430	430	430	426	427	430	432	436	435	438	439	439	453	426	439	1.0	24	
23	440	443	445	447	450	446	448	454	450	470	445	439	432	428	428	428	427	426	427	433	434	434	436	442	470	426	440	1.1	24	
24	444	447	450	455	453	456	459	458	454	447	441	439	436	440	438	433	431	433	436	441	441	441	440	442	459	431	444	0.8	24	
25	453	454	495	555	557	593	620	633	612	587	528	509	520	522	456	434	427	424	426	427	427	425	426	431	633	424	497	7.3	24	
26	436	432	473	549	549	523	490	460	441	433	429	428	430	437	432	426	424	424	424	424	424	425	427	449	431	549	424	450	3.9	24
27	425	422	423	421	421	421	423	422	423	421	419	421	420	422	417	421	420	420	423	428	431	434	437	441	441	417	424	0.6	24	
28	441	441	444	443	449	455	450	450	447	439	433	429	427	428	425	428	425	426	429	431	428	428	427	427	455	425	435	1.0	24	
29	429	434	431	428	431	479	709	767	774	675	511	447	430	427	426	424	423	423	422	423	427	447	437	425	774	422	485	11.5	24	
30	423	422	419	449	452	435	432	434	440	434	430	428	428	434	427	427	439	450	490	499	470	447	434	434	499	419	441	2.0	24	
31																														
最大値	479	591	684	601	577	593	709	767	774	675	542	552	538	526	506	521	482	461	490	558	628	593	510	457	774	508				
最小値	421	422	419	418	421	420	420	418	421	421	419	421	420	422	417	421	420	420	422	423	425	424	421	421	421	417	423			
平均値	442	449	455	458	459	459	465	467	462	458	451	446	444	441	439	438	435	433	437	444	451	449	443	441	441	449	449			
標準偏差	1.3	3.0	4.6	4.0	3.9	3.7	5.8	6.8	6.8	5.3	3.4	3.3	3.4	2.7	2.1	2.5	1.6	1.1	1.7	3.1	4.8	3.8	1.6	0.9			3.8			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30			719		
有効測定日数	30									322576			774			417		449				508				42.3		局番/項目コード	106/01	
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	0	0	610	69	23	8	4	3	0	2	0	0	0	0	0	0	0	0	719			
出現割合(%)	0	0	0	0	0	0	0	0	0	0	84.84	9.597	3.199	1.113	0.556	0.417	0	0.278	0	0	0	0	0	0	0	0	100			

– 65 –

日出放射線測定所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	38.3	40.2	40.1	38.8	39.7	42.1	43.6	43.6	50.4	48.2	40.8	37.6	36.9	36.7	36.7	36.6	36.5	36.8	37.3	37.4	37.4	37.4	37.7	37.7	50.4	36.5	39.5	3.7	24	
2	37.6	37.5	37.8	38.0	38.1	38.2	38.3	38.5	38.0	38.0	37.8	38.5	50.1	43.3	39.0	38.1	38.7	37.4	37.9	38.3	39.9	41.3	38.9	37.9	50.1	37.4	39.0	2.7	24	
3	37.4	37.4	37.3	38.6	42.6	50.1	49.5	43.5	38.4	36.7	36.2	36.4	36.8	36.8	36.5	36.4	36.3	36.8	38.5	38.4	37.8	37.4	37.3	37.5	50.1	36.2	38.8	3.8	24	
4	39.9	39.4	37.9	40.1	39.8	38.3	37.5	37.3	37.5	37.7	37.8	38.2	38.3	37.9	37.7	37.5	37.5	37.3	37.5	37.4	37.4	37.4	37.4	37.4	40.1	37.3	38.0	0.9	24	
5	37.5	37.4	37.4	37.5	38.1	37.9	37.9	38.2	38.0	38.0	40.8	40.5	39.4	38.5	41.1	42.8	45.4	48.9	57.8	56.6	44.6	44.6	39.6	38.6	40.0	57.8	37.4	41.4	5.7	24
6	52.1	54.3	62.6	64.6	65.1	65.2	64.5	60.2	***	***	***	***	39.9	44.2	49.2	42.9	37.1	35.7	35.9	35.8	36.1	36.0	36.0	36.2	65.2	35.7	47.7	12.1	20	
7	36.4	36.4	36.4	36.5	36.4	36.4	37.2	36.7	35.5	35.3	35.4	35.7	35.5	35.5	35.4	35.5	35.4	35.6	35.9	36.2	36.2	36.5	36.4	36.4	37.2	35.3	36.0	0.5	24	
8	36.4	36.6	36.9	36.6	36.6	36.4	36.8	37.2	36.6	36.4	35.9	35.7	35.7	35.6	35.9	36.0	35.8	36.3	36.3	36.4	36.6	36.7	37.0	37.0	37.2	35.6	36.4	0.5	24	
9	37.1	36.9	36.9	36.9	37.1	37.1	37.0	37.3	36.8	37.0	36.6	36.5	36.6	36.6	36.6	36.7	37.3	39.0	41.3	47.9	41.7	38.0	36.9	36.7	47.9	36.5	37.8	2.5	24	
10	36.7	36.6	36.7	36.8	37.0	37.2	37.2	37.4	36.5	36.4	36.3	36.2	36.3	35.9	36.0	35.9	35.9	36.0	36.7	37.0	37.1	37.3	37.4	37.4	37.4	35.9	36.7	0.5	24	
11	37.5	37.3	37.3	37.4	37.4	37.1	37.2	37.2	37.2	37.3	37.3	37.4	37.2	37.3	37.3	37.3	37.0	37.0	37.1	37.1	37.1	37.2	37.0	37.2	37.2	37.0	37.2	0.1	24	
12	37.1	37.4	37.5	37.7	37.7	37.9	37.8	38.1	38.5	38.2	38.2	38.3	38.2	38.0	37.7	37.7	37.5	37.4	37.5	37.5	37.5	37.4	37.3	37.5	38.5	37.1	37.7	0.4	24	
13	37.5	37.9	38.0	38.0	38.4	42.9	45.6	43.4	40.6	40.6	41.1	39.7	40.6	44.2	58.1	75.8	80.7	80.2	80.1	81.6	84.2	79.9	70.5	66.1	84.2	37.5	55.2	18.5	24	
14	53.5	59.4	60.6	55.1	46.6	42.0	44.5	45.9	40.2	38.9	38.2	36.5	35.6	35.8	35.6	35.5	35.4	35.4	36.1	36.2	36.5	36.4	36.4	36.5	60.6	35.4	41.4	8.0	24	
15	36.4	36.4	36.4	36.5	36.4	36.3	36.3	36.3	35.5	35.1	35.1	35.3	35.3	35.3	35.4	35.4	35.4	35.7	36.2	36.2	36.2	36.2	36.5	36.5	36.5	35.1	35.9	0.5	24	
16	36.3	36.6	36.6	36.8	36.7	36.7	36.7	36.9	37.1	36.6	36.4	36.7	36.5	36.6	36.5	36.7	36.3	35.9	36.0	45.1	45.8	39.5	37.4	37.1	37.5	45.8	35.9	37.5	2.5	24
17	38.6	37.5	36.9	36.6	36.7	36.7	36.9	37.3	37.3	35.9	36.0	36.1	36.3	36.3	36.1	36.3	36.1	36.0	36.2	36.6	36.7	36.6	37.0	36.8	37.0	38.6	35.9	36.7	0.6	24
18	36.9	36.9	36.9	36.9	37.0	37.2	37.0	37.4	38.0	38.6	38.7	38.5	38.1	38.0	37.9	37.7	37.5	37.4	37.4	37.3	37.1	37.2	37.0	37.1	38.7	36.9	37.5	0.6	24	
19	37.1	37.2	37.1	37.2	37.3	37.2	37.4	37.6	38.4	38.9	38.7	38.5	38.9	39.4	39.2	38.9	38.5	38.1	38.0	38.0	37.9	37.6	37.6	37.5	39.4	37.1	38.0	0.7	24	
20	37.4	37.3	37.3	37.4	37.8	39.5	40.1	38.4	36.7	36.4	37.5	39.1	42.1	43.4	41.5	40.6	37.6	36.5	37.0	36.9	36.9	36.9	36.9	36.9	36.9	43.4	36.4	38.3	1.9	24
21	37.2	37.2	37.3	37.8	38.1	37.9	37.8	37.7	36.4	36.4	36.2	36.4	36.7	36.8	36.5	36.4	36.4	36.4	37.2	37.2	37.0	37.7	37.7	45.5	57.9	36.2	38.3	4.5	24	
22	65.9	65.4	51.4	52.1	57.3	57.0	44.6	40.4	39.2	42.6	42.3	44.7	42.4	38.8	36.8	36.4	35.8	36.1	36.9	36.5	36.3	36.4	36.5	36.4	65.9	35.8	43.7	9.4	24	
23	36.6	36.5	36.4	36.5	36.4	36.3	36.2	36.5	35.4	34.9	35.0	35.2	35.3	35.1	35.2	35.3	35.3	35.8	36.4	36.3	36.6	36.7	36.6	36.7	36.7	34.9	36.0	0.7	24	
24	36.8	36.8	36.7	36.8	37.1	37.1	37.1	37.2	36.5	36.5	36.7	36.4	36.4	36.4	36.3	36.2	36.0	36.1	36.8	36.9	37.1	37.1	37.2	37.3	37.3	36.0	36.7	0.4	24	
25	37.4	37.6	37.4	37.5	37.8	37.7	37.8	37.9	38.0	38.1	38.3	38.5	38.5	38.6	38.6	38.3	38.0	38.0	38.1	38.0	37.8	37.8	37.9	37.8	38.6	37.4	38.0	0.3	24	
26	37.7	37.8	37.8	38.0	37.9	37.9	38.0	38.0	38.1	37.2	36.5	36.5	37.2	37.3	38.2	38.0	38.1	38.0	37.9	38.0	37.9	38.1	38.2	37.9	38.2	36.5	37.7	0.5	24	
27	37.9	38.2	38.2	38.3	38.2	38.1	37.6	37.5	36.8	37.3	37.9	40.7	47.2	41.3	37.7	36.6	36.1	36.2	36.9	37.0	37.2	36.9	37.1	37.0	47.2	36.1	38.1	2.3	24	
28	37.0	37.1	37.0	37.0	37.0	37.0	36.9	36.9	35.9	35.8	35.9	36.1	36.3	35.9	36.0	35.9	35.8	36.0	36.6	36.7	36.7	36.9	36.9	36.8	37.1	35.8	36.5	0.5	24	
29	36.9	36.7	36.8	36.9	36.8	36.7	36.7	36.9	35.9	35.6	35.7	35.7	36.0	36.1	36.0	35.9	35.7	36.0	36.3	36.4	36.7	36.9	36.8	36.9	36.9	35.6	36.4	0.5	24	
30	36.9	37.1	37.2	37.2	37.3	37.3	37.4	37.2	37.3	36.7	37.2	37.4	37.2	37.4	37.7	37.4	37.5	37.3	37.6	37.9	38.0	37.8	37.8	37.9	38.1	36.7	37.4	0.3	24	
31	37.8	37.9	37.6	38.1	38.3	38.4	38.2	38.3	38.3	38.0	37.7	37.5	37.5	37.4	37.8	39.4	40.6	43.4	43.2	41.3	42.6	42.0	41.2	43.2	43.4	37.4	37.4	39.4	2.1	24
最大値	65.9	65.4	62.6	64.6	65.1	65.2	64.5	60.2	50.4	48.2	42.3	44.7	50.1	44.2	58.1	75.8	80.7	80.2	80.1	81.6	84.2	79.9	70.5	66.1	84.2	34.9	55.2			
最小値	36.3	36.4	36.4	36.5	36.4	36.3	36.2	36.3	35.4	34.9	35.0	35.2	35.3	35.1	35.2	35.3	35.3	35.4	35.9	35.8	36.1	36.0	36.2	36.3	36.3					
平均値	39.2	39.5	39.3	39.4	39.5	39.8	39.6	39.1	37.7	37.6	37.5	37.5	38.2	38.3	38.3	38.6	38.5	38.7	39.7	39.9	39.3	38.9	38.7	39.0	39.0		38.8			
標準偏差	6.3	6.9	6.5	6.2	6.2	6.4	5.6	4.6	2.7	2.6	1.8	2.0	3.3	2.6	4.5	7.2	8.1	8.1	8.6	8.8	8.6	7.7	6.2	6.3			6.1			
測定時間	31	31	31	31	31	31	31	31	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31			740		
有効測定日数	31						4		28726.0				84.2		34.9		38.8		38.8			55.2			35.9	***:欠測	局番/項目コード			
測定値ランク	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL	108/01							
時間数	0	0	0	0	0	0	0	0	75	582	42	10	6	9	7	2	1	4	2	0	0	0	0	0	740					
出現割合(%)	0	0	0	0	0	0	0	0	10.135	78.649	5.676	1.351	0.811	1.216	0.946	0.27	0.135	0.541	0.27	0	0	0	0	100						

日 出 放 射 線 測 定 所

2014年11月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏 差	測定時 間	
1	42.7	43.4	44.8	45.3	44.4	42.8	42.4	40.3	39.7	38.8	37.6	37.2	37.2	37.2	37.3	37.4	37.2	37.4	37.2	37.3	37.6	37.6	37.6	37.6	45.3	37.2	39.5	2.9	24	
2	37.6	38.1	38.1	37.9	37.9	37.8	38.2	39.3	38.7	38.4	38.2	38.2	38.1	38.1	47.4	42.9	42.6	38.9	39.5	51.3	56.9	44.2	39.3	40.7	56.9	37.6	40.8	4.8	24	
3	55.9	50.0	46.5	53.0	45.2	40.4	40.8	38.3	37.4	41.1	45.6	44.7	39.1	36.0	37.5	38.2	42.7	40.5	38.9	38.1	37.6	37.6	37.0	36.5	55.9	36.0	41.6	5.4	24	
4	36.4	36.4	36.3	36.3	36.2	36.2	36.1	36.0	35.1	34.9	35.2	35.0	35.4	35.3	35.6	35.5	35.5	35.5	36.1	36.5	36.3	36.5	36.5	36.5	34.9	34.9	35.9	0.5	24	
5	36.5	36.7	36.7	36.8	36.7	36.6	36.8	36.7	36.4	36.6	37.2	37.0	37.0	37.0	36.4	36.2	36.0	36.0	36.1	36.7	37.1	37.2	37.2	37.2	37.2	36.0	36.7	0.4	24	
6	37.3	37.2	37.3	37.5	37.7	38.1	38.1	39.5	42.1	41.2	45.2	44.3	42.9	38.9	38.0	36.4	35.6	35.6	36.1	36.1	36.1	36.0	36.0	35.8	45.2	35.6	38.3	2.8	24	
7	35.7	36.0	36.5	36.8	36.8	36.5	36.5	36.6	35.9	35.5	35.7	36.1	36.3	36.3	36.5	36.4	36.1	36.2	36.5	36.4	36.4	36.3	36.4	36.3	36.8	35.5	36.3	0.3	24	
8	36.3	36.5	36.4	36.5	36.5	36.6	36.4	36.6	36.6	36.6	36.6	36.6	36.8	36.8	36.7	36.8	36.9	36.7	36.6	36.5	36.7	36.9	37.0	36.8	37.0	36.3	36.6	0.2	24	
9	37.3	37.3	37.4	37.5	37.7	37.8	38.5	39.9	42.8	45.9	47.2	48.5	47.4	45.4	43.4	40.4	40.4	38.5	38.4	38.1	37.2	36.3	35.9	36.0	48.5	35.9	40.2	4.0	24	
10	35.9	35.8	36.0	35.9	35.7	35.8	35.7	36.0	34.9	34.7	34.6	34.8	34.9	35.0	35.1	35.0	35.0	35.2	35.9	36.1	36.0	36.4	36.3	36.1	36.4	34.6	35.5	0.6	24	
11	36.1	36.3	36.2	36.3	36.2	36.4	36.5	36.4	35.5	35.3	35.2	35.2	35.7	35.7	35.8	35.9	35.7	35.8	36.5	36.6	36.5	36.8	36.5	36.8	35.2	36.1	36.1	0.5	24	
12	36.8	37.1	37.2	37.2	37.3	37.3	37.5	37.5	36.4	36.8	36.7	36.7	37.0	36.8	36.6	37.4	37.1	36.2	40.3	43.7	44.3	44.5	49.5	50.8	50.8	36.2	39.1	4.2	24	
13	43.4	39.0	43.8	61.7	57.3	43.5	41.3	43.7	39.9	41.5	42.7	39.8	39.6	41.8	42.3	38.3	36.2	35.1	35.4	36.3	36.5	37.5	37.5	37.5	61.7	35.1	41.3	6.3	24	
14	37.2	37.5	37.9	37.8	41.4	40.2	37.9	37.1	35.8	35.4	36.3	37.5	38.8	36.5	35.7	37.2	36.0	36.5	36.8	40.9	39.7	39.9	39.8	37.2	41.4	35.4	37.8	1.7	24	
15	36.6	36.7	36.4	36.7	37.1	36.9	40.1	42.5	38.7	37.3	37.2	38.5	37.4	37.7	36.7	36.2	36.1	36.3	36.6	36.2	36.2	36.2	36.2	36.2	42.5	36.1	37.2	1.5	24	
16	36.1	36.2	36.3	36.4	36.5	36.4	36.3	36.5	36.9	37.1	36.9	37.2	37.0	37.0	37.0	37.0	36.9	36.7	36.6	36.5	36.3	36.4	36.3	36.5	36.7	37.2	36.1	36.6	0.3	24
17	36.8	36.8	36.8	36.7	37.3	37.3	37.3	37.3	36.5	36.3	36.2	36.4	36.7	37.1	37.2	38.1	37.3	39.0	38.4	36.7	37.3	42.2	42.3	38.7	42.3	36.2	37.6	1.6	24	
18	41.0	39.2	37.1	37.8	41.8	39.7	48.3	41.0	36.5	35.3	35.1	35.1	35.9	***	***	39.0	38.0	37.8	38.1	38.3	38.7	38.4	38.1	38.1	48.3	35.1	38.6	2.8	22	
19	38.1	38.2	38.2	38.2	38.3	38.4	38.1	38.1	37.3	36.9	37.0	36.9	37.2	37.2	36.0	34.6	34.3	34.5	34.9	34.9	35.1	35.4	35.5	35.6	38.4	34.3	36.6	1.4	24	
20	35.9	36.1	36.1	36.2	36.2	36.2	36.2	36.2	35.4	35.3	35.4	35.4	35.4	34.9	35.8	35.7	35.7	35.7	36.3	36.5	36.7	36.8	37.0	37.1	37.1	34.9	36.0	0.6	24	
21	37.2	37.5	37.6	37.6	37.5	38.0	37.8	37.7	36.9	37.2	37.5	37.4	37.7	37.6	37.7	37.4	37.4	37.9	37.6	37.3	36.9	37.4	37.5	37.6	38.0	36.9	37.5	0.3	24	
22	37.6	38.2	41.6	39.5	37.8	37.5	37.5	37.4	37.5	37.8	38.3	38.6	38.4	38.3	38.1	37.9	37.9	37.6	37.6	37.3	37.4	37.3	37.2	37.2	41.6	37.2	38.0	0.9	24	
23	37.2	37.2	37.2	37.4	37.6	37.2	36.9	37.0	37.4	37.4	37.4	37.3	37.5	37.3	37.3	37.1	37.1	37.0	37.1	37.1	37.2	36.8	37.1	37.2	37.6	36.8	37.2	0.5	24	
24	37.2	37.2	37.2	37.2	37.5	37.8	37.9	38.2	38.0	38.6	38.6	38.3	38.5	38.7	38.9	38.7	38.6	38.3	38.2	38.1	38.2	37.9	37.8	38.0	38.9	37.2	38.1	0.5	24	
25	38.0	40.5	44.6	55.0	63.6	65.8	61.2	57.7	53.6	61.5	64.8	62.0	54.3	41.9	37.1	35.8	35.5	35.6	36.1	36.3	36.2	36.3	36.3	36.5	65.8	35.5	46.9	11.8	24	
26	36.7	37.0	38.2	38.0	37.2	37.1	39.1	45.8	44.6	39.6	38.5	36.4	35.9	35.5	35.5	35.5	35.8	35.8	36.5	36.4	36.3	36.7	36.7	36.5	45.8	35.5	37.6	2.6	24	
27	36.6	36.4	36.5	36.5	36.4	36.5	36.5	36.5	35.6	35.2	35.3	35.4	35.4	35.2	35.3	35.2	35.1	35.3	35.9	36.0	36.2	36.5	36.6	36.5	36.6	35.1	35.9	0.6	24	
28	36.6	37.1	36.9	36.9	37.1	37.3	37.0	37.5	37.3	37.2	37.4	37.4	37.7	37.5	37.5	36.9	36.9	37.2	37.2	37.2	37.8	38.3	37.8	37.7	38.3	36.6	37.3	0.4	24	
29	44.4	49.4	41.4	41.5	40.8	53.3	68.2	57.8	49.3	43.3	39.1	37.7	37.3	37.0	36.7	36.0	35.9	35.7	35.5	36.0	35.6	35.6	36.0	35.9	68.2	35.5	41.6	8.4	24	
30	35.5	35.5	35.6	35.7	35.9	35.6	35.6	35.7	35.9	36.8	36.6	36.6	36.5	36.5	36.5	36.7	38.5	38.5	41.9	42.0	46.2	40.9	37.9	36.7	46.2	35.5	37.8	3.2	24	
31																														
最大値	55.9	50.0	46.5	61.7	63.6	65.8	68.2	57.8	53.6	61.5	64.8	62.0	54.3	41.9	42.9	42.7	41.9	42.0	51.3	56.9	44.5	49.5	50.8	68.2		46.9				
最小値	35.5	35.5	35.6	35.7	35.7	35.6	35.6	35.7	34.9	34.7	34.6	34.8	34.9	34.9	35.1	34.6	34.3	34.5	34.9	34.9	35.1	35.4	35.5	35.6		34.3	35.5			
平均値	38.2	38.2	38.3	39.4	39.5	39.2	39.9	39.6	38.5	38.5	38.8	38.6	38.2	37.4	37.5	37.1	37.0	36.9	37.2	37.9	38.1	37.7	37.6	37.5			38.2			
標準偏差	4.0	3.5	3.0	6.2	6.2	6.0	7.3	5.5	4.2	5.1	5.8	5.4	3.9	2.3	2.6	1.7	2.0	1.7	1.5	3.4	4.2	2.3	2.6	2.7			4.3			
測定時間	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30			718		
有効測定日数	30	30	30	30	30	30	30	30	30	30	30	30	30	30	29	30	30	30	30	30	30	30	30	30	30					
測定時間	718	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
測定値ラック	0	6	11	16	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL								
時間数	0	0	0	0	0	0	0	0	114	519	54	12	7	4	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
出現割合(%)	0	0	0	0	0	0	0	0	15.877	72.284	7.521	1.671	0.975	0.557	0.975	0.139	0	0	0	0	0	0	0	0	0	0	0	0	0	0
局番/項目コード	108/01																													

上 司 放 射 線 測 定 所

2014年10月

単位:nGy/h

時刻 日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	最大値	最小値	平均値	標準偏差	測定時間	
1	53.5	52.9	52.9	52.8	52.7	52.9	52.7	53.0	53.6	54.8	53.9	53.1	52.6	52.4	52.7	52.4	52.2	52.2	52.2	52.5	52.4	52.9	53.2	53.4	54.8	52.2	52.9	0.6	24	
2	53.3	53.2	53.1	53.1	53.2	52.9	53.3	53.7	53.9	54.0	53.7	53.8	54.1	53.9	54.0	54.8	53.9	52.8	52.6	53.1	54.1	53.9	52.3	51.7	54.8	51.7	53.4	0.7	24	
3	51.6	51.8	51.7	52.1	54.7	56.0	62.7	64.9	56.9	52.7	51.8	51.4	51.7	51.3	51.2	51.3	51.4	51.1	52.6	52.6	51.7	51.4	51.2	51.2	64.9	51.1	53.2	3.6	24	
4	51.3	51.6	51.7	51.8	51.4	51.0	51.2	50.8	51.0	51.4	51.6	51.8	52.3	51.9	51.6	51.5	51.2	51.3	51.2	51.2	51.3	51.1	50.9	50.9	52.3	50.8	51.4	0.4	24	
5	51.0	51.1	51.0	51.3	60.6	62.0	57.6	55.3	54.6	53.9	55.5	54.0	51.8	51.4	53.1	54.6	55.1	56.5	65.0	67.1	59.9	54.5	51.8	52.6	67.1	51.0	55.5	4.5	24	
6	58.9	67.6	70.6	70.1	67.0	64.6	62.1	59.2	55.2	54.2	53.1	53.2	54.1	52.2	***	50.1	50.2	48.6	48.1	48.3	48.0	47.8	47.7	47.9	70.6	47.7	55.6	7.8	23	
7	48.1	48.3	48.2	48.4	48.3	48.7	48.5	48.8	48.9	48.8	49.3	49.4	49.2	49.2	49.3	49.2	49.0	48.9	49.0	49.2	49.2	49.0	49.1	49.0	49.4	48.1	48.9	0.4	24	
8	49.3	49.4	49.6	49.6	49.7	49.7	49.7	50.0	50.3	50.7	50.4	50.1	49.9	49.7	49.4	49.7	49.7	49.5	49.5	49.4	49.7	49.8	49.8	49.9	50.7	49.3	48.8	0.3	24	
9	50.0	50.3	50.3	50.2	50.3	50.5	50.5	50.8	50.8	50.7	50.6	51.0	51.0	50.8	50.7	50.6	51.1	58.4	54.3	50.7	49.2	48.8	48.6	48.6	58.4	48.6	50.8	2.0	24	
10	48.7	48.8	49.1	49.3	49.3	49.7	49.5	49.7	49.9	49.9	49.9	49.8	50.0	49.5	49.5	49.5	49.5	49.5	49.5	49.6	49.8	50.1	49.9	50.1	50.1	48.7	49.5	0.4	24	
11	50.1	49.9	49.9	49.8	49.7	49.7	49.6	49.6	49.8	49.9	49.9	50.0	50.2	50.0	50.2	50.1	50.0	49.9	49.8	49.9	50.0	50.2	50.3	50.3	50.3	49.6	50.0	0.2	24	
12	50.5	50.5	50.4	50.8	50.5	50.6	51.0	50.9	50.7	51.0	51.2	51.1	50.9	50.7	50.5	50.6	50.3	50.6	50.6	50.4	50.7	50.8	50.7	50.8	51.2	50.3	50.7	0.2	24	
13	51.1	52.2	51.7	51.8	52.2	54.0	53.4	53.4	54.1	55.1	55.5	52.2	53.0	56.7	69.8	82.7	90.2	86.3	85.4	85.5	82.4	72.6	62.5	57.7	90.2	51.1	63.4	14.1	24	
14	54.0	58.9	59.9	58.1	57.6	57.9	56.4	52.9	51.4	50.8	50.7	50.8	49.2	48.3	48.6	48.4	48.4	48.6	48.4	48.5	48.4	48.4	48.4	48.4	59.9	48.3	51.7	4.1	24	
15	48.4	48.6	48.7	48.7	48.5	48.6	48.7	48.8	49.0	48.7	48.7	48.8	48.7	48.9	48.9	48.9	48.9	48.9	49.2	49.4	49.2	49.1	49.1	49.2	49.4	48.4	48.9	0.2	24	
16	49.2	49.2	49.4	49.7	49.8	49.6	49.8	49.8	50.4	50.4	50.4	50.3	50.1	50.7	50.8	50.2	50.0	49.7	55.2	55.2	51.2	50.0	49.8	49.8	55.2	49.2	50.4	1.5	24	
17	50.9	50.4	50.2	49.9	49.9	50.3	50.8	50.5	50.1	50.4	50.1	50.2	50.5	50.3	50.5	50.6	50.3	50.2	50.1	50.2	50.1	50.2	50.2	50.3	50.9	49.9	50.3	0.2	24	
18	50.2	49.9	50.6	50.3	50.1	50.3	50.1	50.4	51.2	51.4	50.8	50.7	50.6	50.5	50.7	50.6	50.5	50.3	50.3	50.4	50.4	50.5	50.4	50.6	51.4	49.9	50.5	0.3	24	
19	50.6	50.7	50.9	50.9	50.8	51.1	50.8	51.1	51.6	51.7	51.8	52.0	52.5	52.2	52.1	52.1	51.5	51.1	51.1	50.6	50.6	50.6	50.5	50.5	52.5	50.5	51.2	0.6	24	
20	50.5	50.4	50.7	50.5	51.0	50.9	51.5	51.0	50.9	50.9	50.7	51.2	53.9	55.2	54.0	52.9	51.1	50.2	50.3	50.4	50.3	50.1	50.0	49.9	55.2	49.9	51.2	1.4	24	
21	50.1	50.1	50.4	50.5	52.0	51.9	50.6	50.3	50.3	50.5	50.3	50.5	50.7	50.7	50.7	50.8	50.6	50.8	51.0	50.5	50.5	50.9	54.7	57.6	57.6	50.1	51.1	1.7	24	
22	65.5	68.7	66.7	65.9	67.0	67.9	61.6	58.4	58.2	55.8	54.0	53.6	54.2	52.9	53.8	57.1	51.2	49.1	48.8	48.7	48.4	48.4	48.2	48.2	68.7	48.2	56.3	7.2	24	
23	48.3	48.3	48.5	48.5	48.5	48.4	48.6	48.5	48.5	48.8	48.7	48.6	49.0	48.9	49.2	49.0	48.9	49.0	49.1	49.2	49.4	49.2	49.3	49.6	49.6	48.3	48.8	0.4	24	
24	49.7	49.9	49.6	49.6	49.4	49.6	49.8	50.0	50.5	50.2	49.8	49.7	49.8	50.5	50.5	50.3	50.4	50.2	50.1	50.1	50.2	50.6	50.6	50.7	50.7	49.4	50.1	0.4	24	
25	50.6	50.5	50.4	50.3	50.5	50.2	50.1	50.2	50.6	50.7	50.8	51.0	51.2	51.2	51.2	51.2	50.9	50.8	51.2	50.9	50.9	50.6	50.7	50.9	51.2	50.1	50.7	0.3	24	
26	50.9	50.7	50.7	50.8	50.7	50.7	50.7	50.5	50.9	50.9	50.8	51.3	51.2	51.2	51.1	51.0	50.8	51.0	50.8	51.0	51.2	51.0	50.9	50.6	51.3	50.5	50.9	0.2	24	
27	50.8	50.5	50.7	50.6	50.7	50.6	50.9	51.2	51.3	51.4	51.5	51.4	51.0	50.8	50.8	50.8	50.6	50.5	50.4	50.1	50.1	49.9	49.9	50.0	51.5	49.9	50.7	0.5	24	
28	50.1	50.3	50.2	50.4	50.6	50.4	50.5	50.6	50.5	50.3	50.2	50.5	50.6	50.5	50.7	50.3	50.3	50.2	50.2	50.1	50.2	50.3	50.2	50.1	50.7	50.1	50.4	0.2	24	
29	49.9	49.9	49.8	50.0	50.1	50.1	50.4	50.8	50.3	50.4	50.8	50.3	50.5	50.4	50.3	50.3	50.1	49.9	50.2	50.2	50.2	50.3	50.2	50.6	50.8	49.8	50.2	0.2	24	
30	50.6	51.2	51.1	51.3	51.3	51.4	51.3	51.3	51.8	51.7	51.6	52.1	51.9	52.1	52.1	52.4	52.0	51.8	52.0	52.0	52.5	51.9	51.7	51.4	52.5	50.6	51.7	0.4	24	
31	51.2	51.0	51.3	51.8	51.8	52.1	51.9	52.3	52.1	52.2	52.1	51.8	51.9	52.1	52.4	53.7	56.1	57.8	58.1	56.5	57.0	55.9	55.8	55.0	58.1	51.0	53.5	2.3	24	
最大値	65.5	68.7	70.6	70.1	67.0	67.9	62.7	64.9	58.2	55.8	55.5	54.0	54.2	56.7	69.8	82.7	90.2	86.3	85.4	85.5	82.4	72.6	62.5	57.7	90.2	63.4	48.8			
最小値	48.1	48.3	48.2	48.4	48.3	48.4	48.4	48.5	48.5	48.7	48.7	48.6	48.7	48.3	48.6	48.4	48.4	48.4	48.1	48.3	48.0	47.8	47.7	47.9		47.7	48.8			
平均値	51.3	51.8	51.9	51.9	52.3	52.4	52.1	51.9	51.6	51.4	51.3	51.2	51.2	51.2	51.7	52.2	52.1	52.1	52.4	52.4	51.9	51.3	50.9	50.9	50.9	51.7	51.7	4.5		
標準偏差	3.3	4.8	4.9	4.7	4.7	4.7	3.9	3.5	2.3	1.8	1.7	1.4	1.6	1.8	3.7	6.0	7.3	6.8	6.9	7.0	6.2	4.3	2.7	2.3		50.9	51.7	0.4		
測定時間	31	31	31	31	31	31	31	31	31	31	31	31	31	31	30	31	31	31	31	31	31	31	31	31						
有効測定日数	31						1		38432.5			90.2				47.7		51.7			63.4				48.8	***:欠測	局番/項目コード	109/01		
測定値ランク	0	6	11	16	21	21	21	26	31	36	41	46	51	56	61	66	71	76	81	86	91	96	101	TOTAL						
時間数 出現割合(%)	0	0	0	0	0	0	0	0	0	0	0	0	62.18	30.686	3.499	1.346	0.135	0	0.538	0.269	0	0	0	以上						

