

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-039-01	A	2003	0	大手川	京口橋

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	4/9	5/14	6/4	7/9	8/6	9/17	10/1	11/5	12/3	1/21	2/4	3/3
採 取 時 刻	10:20	10:31	10:20	10:40	10:10	11:10	10:20	10:10	10:05	10:10	10:10	10:15
天候	04	04	02	04	02	02	02	02	02	04	12	12
気温 ()	9.7	20	24.5	29.7	30.8	30	21.7	20.5	14.5	6.2	4	5.2
水温 ()	9.6	16.4	17.3	22.6	23.1	22.7	16.7	14.7	12.3	6.8	6.4	7.3
流量 (m3/S)	1.44	0.68	0.8	1.17	0.99	1.02	0.84	0.25	1.13	1.23	1.41	1.4
採取位置	01	01	01	01	01	01	01	01	01	01	01	01
採取水深 (m)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
全水深 (m)												
透明度 (m)												
生 活 環 境 項 目												
pH	7.1	7.5	7.4	7.4	7.2	7.2	7.5	7.5	7	7.4	7.1	7.4
DO (mg/l)	11	11	10	8.3	8.7	9.5	10	10	11	12	12	12
BOD (mg/l)	1.1	1.9	2.9	0.7	1.2	1.3	1.2	1	0.6	0.9	1	1.2
COD (mg/l)	4.8	3.5	4.9	4.3	2.3	3	2.4	2.1	2	2.8	2.5	3.1
SS (mg/l)	6	5	6	7	2	4	2	1	2	3	2	6
大腸菌群数 (MPN/100ml)	7.90E+3	1.70E+4	1.30E+4	7.90E+3	5.40E+4	5.40E+4	2.40E+4	7.90E+3	7.90E+3	2.30E+3	2.30E+3	2.70E+3
n-ヘキサン抽出物質 (mg/l)												
全窒素 (mg/l)		0.48		0.99				0.71		0.99		
全燐 (mg/l)		0.069		0.041				0.018		<0.003		
健 康 項 目												
カドミウム (mg/l)								<0.005				
全シアン (mg/l)								ND				
鉛 (mg/l)								<0.005				
六価クロム (mg/l)								<0.02				
ヒ素 (mg/l)								<0.005				
総水銀 (mg/l)								<0.0005				
アルキル水銀 (mg/l)												
PCB (mg/l)												
ジクロロメタン (mg/l)								<0.002				
四塩化炭素 (mg/l)								<0.0002				
1,2-ジクロロエタン (mg/l)								<0.0004				
1,1-ジクロロエチレン (mg/l)								<0.002				
シス-1,2-ジクロロエチレン (mg/l)								<0.004				
1,1,1-トリクロロエタン (mg/l)								<0.1				
1,1,2-トリクロロエタン (mg/l)								<0.0006				
トリクロロエチレン (mg/l)								<0.003				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名					地 点 名				
26-039-01	A	2003	0	大手川					京口橋				
項 目		(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
採 取 月 日		4/9	5/14	6/4	7/9	8/6	9/17	10/1	11/5	12/3	1/21	2/4	3/3
採 取 時 刻		10:20	10:31	10:20	10:40	10:10	11:10	10:20	10:10	10:05	10:10	10:10	10:15
テトラクロロエチレン (mg/l)									<0.001				
1,3-ジクロロベン (mg/l)									<0.0002				
チウラム (mg/l)									<0.0006				
シマジン (mg/l)									<0.0003				
チオベンカルブ (mg/l)									<0.002				
ベンゼン (mg/l)									<0.001				
セレン (mg/l)									<0.002				
硝酸性窒素 (mg/l)			0.19		0.41				0.28		0.55		
亜硝酸性窒素 (mg/l)			0.01		<0.01				<0.01		<0.01		
硝酸性窒素及び亜硝酸性窒素 (mg/l)			0.2		0.42				0.29		0.56		
ふっ素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
ぼう素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
トリハロメタン生成能													
トリハロメタン生成能 (mg/l)					0.1				0.036				
クロロホルム生成能 (mg/l)					0.087				0.024				
ブロモクロロメタン生成能 (mg/l)					0.013				0.009				
ジブロモクロロメタン生成能 (mg/l)					0.001				0.002				
ブロモホルム生成能 (mg/l)					<0.001				<0.001				
要監視項目													
ニッケル (mg/l)					0.007				<0.005				
特殊項目													
フェノール類 (mg/l)									<0.01				
銅 (mg/l)					<0.01				<0.01				
亜鉛 (mg/l)					0.02				<0.01				
鉄(溶解性) (mg/l)					0.62				0.2				
マンガン(溶解性) (mg/l)					0.04				0.04				
クロム (mg/l)					<0.01				<0.01				
その他項目													
アンモニア性窒素 (mg/l)					0.02				0.1				
無機性リン (mg/l)					0.005				0.004				
クロロフィルa (μg/l)													
電気伝導度 (μs/cm)													
透視度 (cm)													
濁度 (度)													
Clイオン (mg/l)													
陰イオン界面活性剤 (mg/l)					0.02				0.07				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-041-01	A	2003	0	宇川	宇川橋

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻	9:43	10:25	10:25	10:35	9:34	10:17	9:41	10:35	9:40	10:25	9:39	10:41
天候	16	03	02	03	01	02	01	02	02	12	12	17
気温 ()	7	23	24.6	30	29.5	29.6	19.5	16.9	13	5	1.5	5
水温 ()	10	16.1	17.4	21.4	21.6	21.8	17.3	15.3	10.5	6	43	4.6
流量 (m3/S)	3.52	0.99	0.66	2.63	1.68	1.18	0.59	2.95	1.97	1.4	6.82	2.31
採取位置	01	01	01	01	01	01	01	01	01	01	01	01
採取水深 (m)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
全水深 (m)												
透明度 (m)												
生 活 環 境 項 目												
pH	7	6.2	7.9	6.9	8.1	8.2	7.2	7	7.9	7.9	8.5	7.8
DO (mg/l)	11.9	9.9	8.5	8.6	7.8	7.4	8.7	9.7	10	11	11.5	11
BOD (mg/l)	1.3	1.4	1	1.5	1.1	1.1	1.2	1.1	0.8	0.8	0.6	0.8
COD (mg/l)	2	1.9	1.1	2.5	1.9	1.7	1.6	1.2	1.3	0.6	0.9	0.8
SS (mg/l)	2	1	1	4	1	1	<1	<1	<1	1	<1	<1
大腸菌群数 (MPN/100ml)	3.30E+3	1.40E+2	7.90E+2	1.70E+2	1.70E+4	1.70E+3	2.70E+2	1.30E+3	7.80E+2	3.30E+2	2.70E+2	7.80E+1
n-ヘキサン抽出物質 (mg/l)												
全窒素 (mg/l)		0.34		0.59				0.33		0.73		
全磷 (mg/l)		0.024		0.035				0.011		0.023		
健 康 項 目												
カドミウム (mg/l)				<0.005				<0.005				
全シアン (mg/l)				ND				ND				
鉛 (mg/l)				<0.005				<0.005				
六価クロム (mg/l)				<0.02				<0.02				
ヒ素 (mg/l)				<0.005				<0.005				
総水銀 (mg/l)				<0.0005				<0.0005				
アルキル水銀 (mg/l)												
PCB (mg/l)												
ジクロロメタン (mg/l)				<0.002				<0.002				
四塩化炭素 (mg/l)				<0.0002				<0.0002				
1,2-ジクロロエタン (mg/l)				<0.0004				<0.0004				
1,1-ジクロロエチレン (mg/l)				<0.002				<0.002				
シス-1,2-ジクロロエチレン (mg/l)				<0.004				<0.004				
1,1,1-トリクロロエタン (mg/l)				<0.1				<0.1				
1,1,2-トリクロロエタン (mg/l)				<0.0006				<0.0006				
トリクロロエチレン (mg/l)				<0.003				<0.003				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名					地 点 名				
26-041-01	A	2003	0	宇川					宇川橋				
項 目		(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
採 取 月 日		4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻		9:43	10:25	10:25	10:35	9:34	10:17	9:41	10:35	9:40	10:25	9:39	10:41
テトラクロロエチレン (mg/l)					<0.001				<0.001				
1,3-ジクロロベン (mg/l)					<0.0002				<0.0002				
チウラム (mg/l)					<0.0006				<0.0006				
シマジン (mg/l)					<0.0003				<0.0003				
チオベンカルブ (mg/l)					<0.002				<0.002				
ベンゼン (mg/l)					<0.001				<0.001				
セレン (mg/l)					<0.002				<0.002				
硝酸性窒素 (mg/l)			0.16		0.27				0.25		0.44		
亜硝酸性窒素 (mg/l)			<0.01		<0.01				<0.01		<0.01		
硝酸性窒素及び亜硝酸性窒素 (mg/l)			0.17		0.28				0.26		0.45		
ふっ素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
ぼう素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
トリハロメタン生成能													
トリハロメタン生成能 (mg/l)													
クロロホルム生成能 (mg/l)													
ブロモクロロメタン生成能 (mg/l)													
ジブロモクロロメタン生成能 (mg/l)													
ブロモホルム生成能 (mg/l)													
要監視項目													
ニッケル (mg/l)									<0.005				
特殊項目													
フェノール類 (mg/l)									<0.01				
銅 (mg/l)					<0.01				<0.01				
亜鉛 (mg/l)					0.02				0.02				
鉄(溶解性) (mg/l)					0.28				0.06				
マンガン(溶解性) (mg/l)					0.01				<0.01				
クロム (mg/l)									<0.01				
その他項目													
アンモニア性窒素 (mg/l)					0.01				0.01				
無機性リン (mg/l)					0.01				0.005				
クロロフィルa (μg/l)													
電気伝導度 (μs/cm)													
透視度 (cm)													
濁度 (度)													
Clイオン (mg/l)													
陰イオン界面活性剤 (mg/l)					0.01				0.01				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-040-01	A	2003	0	福田川	新川橋

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻	10:30	11:32	11:45	11:53	10:10	11:08	10:20	11:38	10:28	11:23	10:24	11:38
天候	16	03	02	03	01	02	01	02	02	12	12	17
気温 ()	7.5	23.5	26.3	30	33	32	21	17.5	16	2	1.5	7.5
水温 ()	11	17.9	20.7	24.3	25.7	25.9	18.5	17.5	11.8	6.9	4.1	6.8
流量 (m3/S)	1.05	0.27	0.23	0.31	0.5	0.14	0.1	0.11	0.16	0.26	3.99	1.73
採取位置	01	01	01	01	01	01	01	01	01	01	01	01
採取水深 (m)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
全水深 (m)												
透明度 (m)												
生 活 環 境 項 目												
pH	6.9	6.4	7.4	7.2	7.5	8	7.3	7.4	8	7.9	8.2	7.7
DO (mg/l)	11.7	9.4	6	7.9	6.5	6.7	8	7.5	9.8	10.9	10.9	10
BOD (mg/l)	1.7	1.9	1.4	1.8	2	1.7	1.6	1.6	1.5	0.9	1.3	1.3
COD (mg/l)	3.3	3.6	4.7	4.9	2.8	2.7	2.3	1.5	2.7	0.9	1	2.3
SS (mg/l)	7	10	3	11	7	2	2	1	<1	1	1	1
大腸菌群数 (MPN/100ml)	1.30E+5	2.20E+2	2.20E+3	4.90E+2	1.30E+4	1.70E+4	1.70E+3	7.00E+3	2.20E+4	1.70E+3	1.70E+3	7.90E+2
n-ヘキサン抽出物質 (mg/l)												
全窒素 (mg/l)		0.6		0.52				0.29		0.62		
全磷 (mg/l)		0.13		0.086				0.027		0.013		
健 康 項 目												
カドミウム (mg/l)								<0.005				
全シアン (mg/l)								ND				
鉛 (mg/l)								<0.005				
六価クロム (mg/l)								<0.02				
ヒ素 (mg/l)								<0.005				
総水銀 (mg/l)								<0.0005				
アルキル水銀 (mg/l)												
PCB (mg/l)												
ジクロロメタン (mg/l)								<0.002				
四塩化炭素 (mg/l)								<0.0002				
1,2-ジクロロエタン (mg/l)								<0.0004				
1,1-ジクロロエチレン (mg/l)								<0.002				
シス-1,2-ジクロロエチレン (mg/l)								<0.004				
1,1,1-トリクロロエタン (mg/l)								<0.1				
1,1,2-トリクロロエタン (mg/l)								<0.0006				
トリクロロエチレン (mg/l)								<0.003				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名					地 点 名				
26-040-01	A	2003	0	福田川					新川橋				
項 目		(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
採 取 月 日		4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻		10:30	11:32	11:45	11:53	10:10	11:08	10:20	11:38	10:28	11:23	10:24	11:38
テトラクロロエチレン (mg/l)									<0.001				
1,3-ジクロロベン (mg/l)									<0.0002				
チウラム (mg/l)									<0.0006				
シマジン (mg/l)									<0.0003				
チオベンカルブ (mg/l)									<0.002				
ベンゼン (mg/l)									<0.001				
セレン (mg/l)									<0.002				
硝酸性窒素 (mg/l)			0.23		0.27				0.18		0.44		
亜硝酸性窒素 (mg/l)			<0.01		<0.01				<0.01		<0.01		
硝酸性窒素及び亜硝酸性窒素 (mg/l)			0.24		0.28				0.19		0.45		
ふっ素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
ぼう素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
トリハロメタン生成能													
トリハロメタン生成能 (mg/l)													
クロロホルム生成能 (mg/l)													
ブロモクロロメタン生成能 (mg/l)													
ジブロモクロロメタン生成能 (mg/l)													
ブロモホルム生成能 (mg/l)													
要監視項目													
ニッケル (mg/l)									<0.005				
特殊項目													
フェノール類 (mg/l)									<0.01				
銅 (mg/l)					<0.01				<0.01				
亜鉛 (mg/l)					<0.01				0.01				
鉄(溶解性) (mg/l)					0.44				0.29				
マンガン(溶解性) (mg/l)					0.13				0.05				
クロム (mg/l)									<0.01				
その他項目													
アンモニア性窒素 (mg/l)					0.02				0.02				
無機性リン (mg/l)					0.053				0.017				
クロロフィルa (μg/l)													
電気伝導度 (μs/cm)													
透視度 (cm)													
濁度 (度)													
Clイオン (mg/l)													
陰イオン界面活性剤 (mg/l)					0.01				0.01				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名	地 点 名
26-042-01	A	2003	0	佐濃谷川	高橋橋

項 目	(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
一 般 項 目												
採 取 月 日	4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻	10:57	12:00	12:18	12:25	10:36	11:30	10:48	12:10	10:58	11:47	10:49	12:04
天候	16	03	02	03	01	02	01	02	02	12	12	17
気温 ()	8	23.5	27.8	30	33	33.5	23	16.5	16	1.5	3	8
水温 ()	10	18.8	20	23.1	25.4	24.7	18.2	16.8	12.3	6.4	4.1	7
流量 (m3/S)	1.53	0.46	0.58	1.53	0.23	0.68	0.3	0.12	1.06	0.7	0.78	1.69
採取位置	01	01	01	01	01	01	01	01	01	01	01	01
採取水深 (m)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
全水深 (m)												
透明度 (m)												
生 活 環 境 項 目												
pH	6.9	6.5	7.9	7.2	7.9	7.8	7.2	7.4	7.8	7.8	8.2	7.7
DO (mg/l)	12.2	9.3	7.9	7.6	6.8	7	8.5	9	9.6	11	10.9	10
BOD (mg/l)	1.6	1.5	1.3	1.8	1.8	1.1	1.3	1.1	1.8	1.1	1.5	1.3
COD (mg/l)	2.8	3.6	2.9	4.9	2.7	3.5	1.9	1.9	1.5	0.9	1	2.4
SS (mg/l)	6	18	10	11	3	4	<1	<1	<1	1	<1	1
大腸菌群数 (MPN/100ml)	1.70E+4	7.90E+3	7.90E+2	3.30E+2	2.80E+4	4.90E+3	1.30E+3	7.90E+3	2.30E+3	2.20E+3	2.30E+3	2.30E+2
n-ヘキサン抽出物質 (mg/l)												
全窒素 (mg/l)		0.59		0.68				0.29		0.61		
全燐 (mg/l)		0.11		0.08				0.015		0.021		
健 康 項 目												
カドミウム (mg/l)								<0.005				
全シアン (mg/l)								ND				
鉛 (mg/l)								<0.005				
六価クロム (mg/l)								<0.02				
ヒ素 (mg/l)								<0.005				
総水銀 (mg/l)								<0.0005				
アルキル水銀 (mg/l)												
PCB (mg/l)												
ジクロロメタン (mg/l)								<0.002				
四塩化炭素 (mg/l)								<0.0002				
1,2-ジクロロエタン (mg/l)								<0.0004				
1,1-ジクロロエチレン (mg/l)								<0.002				
シス-1,2-ジクロロエチレン (mg/l)								<0.004				
1,1,1-トリクロロエタン (mg/l)								<0.1				
1,1,2-トリクロロエタン (mg/l)								<0.0006				
トリクロロエチレン (mg/l)								<0.003				

公共用水域水質測定結果表

地点統一番号	類型	調査年度	調査区分	水 域 名					地 点 名				
26-042-01	A	2003	0	佐濃谷川					高橋橋				
項 目		(01)	(02)	(03)	(04)	(05)	(06)	(07)	(08)	(09)	(10)	(11)	(12)
採 取 月 日		4/9	5/13	6/4	7/9	8/6	9/3	10/1	11/4	12/3	1/13	2/4	3/3
採 取 時 刻		10:57	12:00	12:18	12:25	10:36	11:30	10:48	12:10	10:58	11:47	10:49	12:04
テトラクロロエチレン (mg/l)									<0.001				
1,3-ジクロロベン (mg/l)									<0.0002				
チウラム (mg/l)									<0.0006				
シマジン (mg/l)									<0.0003				
チオベンカルブ (mg/l)									<0.002				
ベンゼン (mg/l)									<0.001				
セレン (mg/l)									<0.002				
硝酸性窒素 (mg/l)			0.21		0.38				0.16		0.39		
亜硝酸性窒素 (mg/l)			<0.01		<0.01				<0.01		<0.01		
硝酸性窒素及び亜硝酸性窒素 (mg/l)			0.22		0.39				0.17		0.4		
ふっ素 (mg/l)			0.1		<0.1				<0.1		<0.1		
ぼう素 (mg/l)			<0.1		<0.1				<0.1		<0.1		
トリハロメタン生成能													
トリハロメタン生成能 (mg/l)													
クロロホルム生成能 (mg/l)													
ブロモクロロメタン生成能 (mg/l)													
ジブロモクロロメタン生成能 (mg/l)													
ブロモホルム生成能 (mg/l)													
要監視項目													
ニッケル (mg/l)									<0.005				
特殊項目													
フェノール類 (mg/l)									<0.01				
銅 (mg/l)					<0.01				<0.01				
亜鉛 (mg/l)					<0.01				0.01				
鉄(溶解性) (mg/l)					0.33				0.23				
マンガン(溶解性) (mg/l)					0.06				0.02				
クロム (mg/l)									<0.01				
その他項目													
アンモニア性窒素 (mg/l)					0.02				0.01				
無機性リン (mg/l)					0.039				0.007				
クロロフィルa (μg/l)													
電気伝導度 (μs/cm)													
透視度 (cm)													
濁度 (度)													
Clイオン (mg/l)													
陰イオン界面活性剤 (mg/l)					0.01				0.01				