

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水 域 名 | | | | 地 点 名 | | | | |
|------------------------|----------|-------|-------|---------|--------|-------|---------|-------|-------|---------|-------|-------|
| 26-607-01 | A | 2004 | 2 | 久美浜湾 | | | | 湾口部 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 一 般 項 目 | | | | | | | | | | | | |
| 採 取 月 日 | 8/3 | 8/3 | 8/3 | 9/14 | 9/14 | 9/14 | 10/12 | 10/12 | 10/12 | 11/10 | 11/10 | 11/10 |
| 採 取 時 刻 | 11:02 | 11:03 | 11:04 | 11:17 | 11:18 | 11:19 | 11:03 | 11:05 | 11:07 | 10:45 | 10:47 | 10:49 |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 02 | 02 | 02 | 02 | 02 | 02 |
| 気温 (°C) | 34 | 34 | 34 | 26 | 26 | 26 | 26.5 | 26.5 | 26.5 | 18 | 18 | 18 |
| 水温 (°C) | 29.3 | 28.7 | 27.3 | 26.4 | 26.7 | 26.5 | 22.2 | 22 | 24.2 | 17.7 | 20.4 | 20.9 |
| 流量 (m3/S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2 | 7 | 0.5 | 2 | 6 | 0.5 | 2 | 6 | 0.5 | 2 | 7 |
| 全水深 (m) | 8.5 | 8.5 | 8.5 | 7.7 | 7.7 | 7.7 | 8.5 | 8.5 | 8.5 | 8.2 | 8.2 | 8.2 |
| 透明度 (m) | 2.1 | 2.1 | 2.1 | 5.2 | 5.2 | 5.2 | 1 | 1 | 1 | 2.4 | 2.4 | 2.4 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 7.8 | 8.1 | 7.8 | 8 | 8.1 | 8 | 8.9 | 8.6 | 7.8 | 8.1 | 7.6 | 7.7 |
| DO (mg/l) | 7.5 | 7.6 | 6 | 6.3 | 6.4 | 5.9 | 9.8 | 9.7 | 2.7 | 8.7 | 8.3 | 4 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.7 | 2.1 | 0.9 | 1.9 | 2.3 | 1.9 | 4.2 | 3.5 | 2.1 | 2.9 | 1.6 | 1.4 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | <1.80E+0 | | | 2.20E+1 | | | 3.50E+2 | | | 2.00E+1 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | | | | ND | | |
| 全窒素 (mg/l) | | | | 0.24 | | 0.19 | | | | 0.37 | | 0.29 |
| 全磷 (mg/l) | | | | 0.027 | | 0.04 | | | | 0.016 | | 0.033 |
| 全亜鉛 (mg/l) | | | | 0.072 | <0.005 | 0.006 | | | | 0.01 | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.005 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | ND | | |
| ジクロロメタン (mg/l) | | | | | | | | | | <0.002 | | |
| 四塩化炭素 (mg/l) | | | | | | | | | | <0.0002 | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | <0.0004 | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | <0.002 | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | <0.004 | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | <0.1 | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | <0.0006 | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水 域 名 | | | | 地 点 名 | | | | |
|-----------|----|------|------|-------|--|--|--|---------|--|--|--|--|
| 26-607-51 | A | 2004 | 2 | 久美浜湾 | | | | 佐濃谷川流入点 | | | | |

| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|------------------------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|-------|-------|
| 一 般 項 目 | | | | | | | | | | | | |
| 採 取 月 日 | 8/3 | 8/3 | 8/3 | 9/14 | 9/14 | 9/14 | 10/12 | 10/12 | 10/12 | 11/10 | 11/10 | 11/10 |
| 採 取 時 刻 | 10:53 | 10:54 | 10:55 | 10:55 | 10:56 | 10:57 | 10:47 | 10:50 | 10:53 | 10:32 | 10:34 | 10:36 |
| 天候 | 02 | 02 | 02 | 04 | 04 | 04 | 02 | 02 | 02 | 02 | 02 | 02 |
| 気温 (°C) | 34.2 | 34.2 | 34.2 | 26 | 26 | 26 | 27 | 27 | 27 | 18 | 18 | 18 |
| 水温 (°C) | 29.2 | 28.9 | 22.9 | 26.7 | 27 | 24.9 | 21.7 | 22.6 | 24.1 | 16.2 | 20.5 | 20.8 |
| 流量 (m3/S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2 | 10 | 0.5 | 2 | 10 | 0.5 | 2 | 10 | 0.5 | 2 | 10 |
| 全水深 (m) | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 透明度 (m) | 3.3 | 3.3 | 3.3 | 5 | 5 | 5 | 0.9 | 0.9 | 0.9 | 2 | 2 | 2 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 7.9 | 8 | 7.8 | 8 | 8.1 | 7.8 | 7.5 | 7.9 | 7.7 | 7.9 | 7.6 | 7.7 |
| DO (mg/l) | 7 | 7.5 | 2.1 | 6.4 | 6.3 | 1.7 | 6.2 | 7.3 | 1.5 | 8.9 | 4.5 | 3.2 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.4 | 2.3 | 2 | 2.5 | 2.5 | 1.7 | 3.5 | 3.6 | 1.6 | 3 | 2.2 | 1.8 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 2.00E+0 | | | 2.40E+2 | | | 1.70E+3 | | | 9.30E+1 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | | | | | | |
| 全窒素 (mg/l) | | | | 0.18 | | 0.33 | | | | 0.28 | | 0.38 |
| 全磷 (mg/l) | | | | 0.019 | | 0.092 | | | | 0.017 | | 0.053 |
| 全亜鉛 (mg/l) | | | | <0.005 | | | | | | 0.011 | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.005 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | | | |
| ジクロロメタン (mg/l) | | | | | | | | | | <0.002 | | |
| 四塩化炭素 (mg/l) | | | | | | | | | | <0.0002 | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | <0.0004 | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | <0.002 | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | <0.004 | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | <0.1 | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | <0.0006 | | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水 域 名 | | | | 地 点 名 | | | | |
|------------------------|---------|-------|-------|---------|-------|-------|---------|-------|-------|---------|---------|-------|
| 26-607-52 | A | 2004 | 2 | 久美浜湾 | | | | 神崎地先 | | | | |
| 項 目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
| 一 般 項 目 | | | | | | | | | | | | |
| 採 取 月 日 | 8/3 | 8/3 | 8/3 | 9/14 | 9/14 | 9/14 | 10/12 | 10/12 | 10/12 | 11/10 | 11/10 | 11/10 |
| 採 取 時 刻 | 10:38 | 10:39 | 10:40 | 10:40 | 10:41 | 10:42 | 10:34 | 10:36 | 10:38 | 10:20 | 10:22 | 10:24 |
| 天候 | 02 | 02 | 02 | 10 | 10 | 10 | 02 | 02 | 02 | 02 | 02 | 02 |
| 気温 (°C) | 34.2 | 34.2 | 34.2 | 23 | 23 | 23 | 25 | 25 | 25 | 18 | 18 | 18 |
| 水温 (°C) | 29.1 | 28.1 | 22 | 26.7 | 26.7 | 24.8 | 21.9 | 22.1 | 24.3 | 16.9 | 20.2 | 20.7 |
| 流量 (m3/S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2 | 10 | 0.5 | 2 | 10 | 0.5 | 2 | 10 | 0.5 | 2 | 10 |
| 全水深 (m) | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 透明度 (m) | 3.2 | 3.2 | 3.2 | 4.5 | 4.5 | 4.5 | 1.1 | 1.1 | 1.1 | 1.8 | 1.8 | 1.8 |
| 生 活 環 境 項 目 | | | | | | | | | | | | |
| pH | 7.9 | 8 | 7.5 | 8 | 7.7 | 7.7 | 8.8 | 8.5 | 7.7 | 8.1 | 7.5 | 7.6 |
| DO (mg/l) | 6.9 | 7.7 | 1.6 | 5.6 | 6 | 2 | 9.8 | 7.8 | 2.4 | 7.5 | 4.2 | 2.2 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.4 | 2 | 1.9 | 1.9 | 1.9 | 1.3 | 4.7 | 4.5 | 1.6 | 3.4 | 2.5 | 1.9 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 2.00E+0 | | | 7.00E+1 | | | 7.90E+2 | | | 1.30E+2 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | | | | | | |
| 全窒素 (mg/l) | | | | 0.24 | | 0.38 | | | | 0.33 | | 0.54 |
| 全磷 (mg/l) | | | | 0.022 | | 0.11 | | | | 0.016 | | 0.1 |
| 全亜鉛 (mg/l) | | | | <0.005 | | | | | | <0.005 | | |
| 健 康 項 目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.005 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | | | |
| ジクロロメタン (mg/l) | | | | | | | | | | | <0.002 | |
| 四塩化炭素 (mg/l) | | | | | | | | | | | <0.0002 | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | | <0.0004 | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | | <0.002 | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | | <0.004 | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | | <0.1 | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | | <0.0006 | |

公共用水域水質測定結果表

| 地点統一番号 | 類型 | 調査年度 | 調査区分 | 水域名 | | | | 地点名 | | | | |
|-----------|----|------|------|------|--|--|--|-----|--|--|--|--|
| 26-607-02 | A | 2004 | 2 | 久美浜湾 | | | | 湾奥部 | | | | |

| 項目 | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) |
|------------------------|---------|-------|-------|---------|-------|--------|---------|-------|-------|---------|-------|-------|
| 一般項目 | | | | | | | | | | | | |
| 採取月日 | 8/3 | 8/3 | 8/3 | 9/14 | 9/14 | 9/14 | 10/12 | 10/12 | 10/12 | 11/10 | 11/10 | 11/10 |
| 採取時刻 | 10:25 | 10:26 | 10:27 | 10:15 | 10:16 | 10:17 | 10:18 | 10:20 | 10:25 | 10:05 | 10:07 | 10:09 |
| 天候 | 02 | 02 | 02 | 10 | 10 | 10 | 02 | 02 | 02 | 02 | 02 | 02 |
| 気温 (°C) | 34.2 | 34.2 | 34.2 | 23.5 | 23.5 | 23.5 | 24 | 24 | 24 | 18 | 18 | 18 |
| 水温 (°C) | 28.9 | 28.2 | 26.1 | 25.9 | 25.6 | 26.2 | 22.1 | 22.8 | 24.6 | 16.5 | 20.8 | 21.2 |
| 流量 (m3/S) | | | | | | | | | | | | |
| 採取位置 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 | 11 | 12 | 13 |
| 採取水深 (m) | 0.5 | 2 | 5 | 0.5 | 2 | 5 | 0.5 | 2 | 4 | 0.5 | 2 | 4 |
| 全水深 (m) | 6.2 | 6.2 | 6.2 | 6.2 | 6.2 | 6.2 | 5.9 | 5.9 | 5.9 | 5.8 | 5.8 | 5.8 |
| 透明度 (m) | 2.4 | 2.4 | 2.4 | 0.5 | 0.5 | 0.5 | 1.1 | 1.1 | 1.1 | 1.8 | 1.8 | 1.8 |
| 生活環境項目 | | | | | | | | | | | | |
| pH | 7.9 | 8 | 7.9 | 7.6 | 7.5 | 7.9 | 8.8 | 8.2 | 7.6 | 8.2 | 7.2 | 7.1 |
| DO (mg/l) | 7.5 | 7.4 | 5.4 | 5.8 | 5.7 | 5.4 | 9.9 | 8.1 | 2.1 | 7.6 | 4.8 | 1.7 |
| BOD (mg/l) | | | | | | | | | | | | |
| COD (mg/l) | 2.2 | 2.8 | 2.8 | 3.4 | 2.5 | 3.1 | 4.7 | 4.7 | 2.7 | 5.1 | 3 | 2.7 |
| SS (mg/l) | | | | | | | | | | | | |
| 大腸菌群数 (MPN/100ml) | 4.00E+0 | | | 7.90E+4 | | | 5.40E+2 | | | 1.40E+2 | | |
| n-ヘキサン抽出物質 (mg/l) | | | | | | | | | | ND | | |
| 全窒素 (mg/l) | | | | 0.37 | | 0.31 | | | | 0.48 | | 0.64 |
| 全磷 (mg/l) | | | | 0.075 | | 0.063 | | | | 0.025 | | 0.047 |
| 全亜鉛 (mg/l) | | | | 0.009 | 0.011 | <0.005 | | | | 0.032 | | |
| 健康項目 | | | | | | | | | | | | |
| カドミウム (mg/l) | | | | | | | | | | <0.005 | | |
| 全シアン (mg/l) | | | | | | | | | | ND | | |
| 鉛 (mg/l) | | | | | | | | | | <0.005 | | |
| 六価クロム (mg/l) | | | | | | | | | | <0.02 | | |
| ヒ素 (mg/l) | | | | | | | | | | <0.005 | | |
| 総水銀 (mg/l) | | | | | | | | | | <0.0005 | | |
| アルキル水銀 (mg/l) | | | | | | | | | | | | |
| PCB (mg/l) | | | | | | | | | | ND | | |
| ジクロロメタン (mg/l) | | | | | | | | | | <0.002 | | |
| 四塩化炭素 (mg/l) | | | | | | | | | | <0.0002 | | |
| 1,2-ジクロロエタン (mg/l) | | | | | | | | | | <0.0004 | | |
| 1,1-ジクロロエチレン (mg/l) | | | | | | | | | | <0.002 | | |
| シス-1,2-ジクロロエチレン (mg/l) | | | | | | | | | | <0.004 | | |
| 1,1,1-トリクロロエタン (mg/l) | | | | | | | | | | <0.1 | | |
| 1,1,2-トリクロロエタン (mg/l) | | | | | | | | | | <0.0006 | | |

